

DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

U.S. Geological Survey Open-File Reports
for Alaska: 1938 - 1985

by

Susan E. Booth¹, Compiler

Open-File Report 86-208

This report is preliminary and has not been reviewed for
conformity with U.S. Geological Survey editorial standards.

¹USGS Menlo Park

1986

CONTENTS

	Page
Introduction.....	II
Ordering reports.....	III

LISTS

List 1. Chronological listing of U.S. Geological Survey Open-File Reports for Alaska: 1938 through 1985.....	I
List 2. Cross reference to convert from Tech. Data's internal use numbers to the official OFSS numbers.....	129

U.S. GEOLOGICAL SURVEY OPEN-FILE REPORTS FOR ALASKA: 1938 - 1985

By Susan E. Booth

INTRODUCTION

This chronological listing of 1766 U.S. Geological Survey Open-File Reports on Alaska was compiled and repeatedly updated over about 15 years by staff members of the Technical Data Unit (TDU) of the Branch of Alaskan Geology. The 1981 edition of the list has been revised and updated by Susan E. Booth.

The listing was originally prepared for staff use, because TDU processed and distributed Branch of Alaskan Geology Open-File Reports before the U.S. Geological Survey Open-File Services Section (OFSS) took over distribution to the general public in 1977.

Until 1975 TDU staff assigned consecutive numbers, (from 1 through 599) to the Open-File Reports they processed and later OFSS assigned its own numbers to the same reports. List 2 is a cross reference between the old TDU number and the new OFSS number.

Both numbers, TDU's and OFSS', are shown in this list. TDU numbers are shown in parentheses, for example (36), or (346). OFSS numbers always begin with the last two digits of the year that is shown on the report as publication date (even if the actual release date is a year or more later). These two digits are followed by a hyphen and then a number that indicates the report's place in the whole year's production of USGS Open-File Reports, for example: 68-177, or 82-1088.

Reports are listed in chronological order by year and by individual number. Reports that do not have OFSS numbers are shown at the beginning of the list for their year of publication. For example on page 6, reports released in 1952 with TDU numbers (59), (67), and (68) precede the entries with OFSS numbers 52-22, 52-25, etc.

ORDERING INFORMATION

New reports and current ordering information are shown in the monthly list "New Publications of the U.S. Geological Survey." The December 1985 issue gives the following information:

"Open-file reports include unpublished manuscript reports, maps, and other material and are made available for public consultation and use. They are a nonpermanent form of publication that may be cited in other publications as sources of information. They are not considered to be a part of the formal literature."

"Microfiche and (or) black and white paper copies of most reports may be obtained from the Open-File Services Section (OFSS), Western Distribution Branch, U.S. Geological Survey, Box 25245, Federal Center, Denver, CO 80225 (telephone 303-236-7476). When ordering, please use the open-file number and full title. Do not mix orders for open-file reports with orders for other Geological Survey products. Prices for duplicate slides and color photographs can be obtained on request. Check or money order, in exact amount for open-file reports ordered, should be payable to Department of the Interior-USGS. Prepayment is required. No discount is applicable. For transmittal outside the U.S.A. (except Canada and Mexico), a surcharge of 25 percent of the bill should be included to cover surface transportation."

Reports that do not have OFSS numbers may not be available through the Open-File Services Section. If the reports have been superseded by other publications, consult the "New Publications of the U.S. Geological Survey" on how to order other USGS publications or ask your library for help. If the report has not been superseded, try your library or the appropriate agency responsible for the report.

Prices of Open-File Reports quoted in this listing are from the OFSS microfiche pricelist of November 1985. Prices follow the reference, first paper copy, then microfiche price, for example: 8.50; 4.50. No \$ signs are used. Open-File Reports that have been superseded are no longer sold by OFSS and therefore no price will be shown.

Some U.S. Geological Survey Water Resources Division reports are included in both lists because they were assigned TDU Open-File Report numbers. For information about Water Resources Division reports consult their listing for the state of Alaska. Inquiries may be addressed to: District Chief, Water Resources Division, U.S. Geological Survey, 1515 East 13th Avenue, Anchorage, Alaska 99501, (telephone 907-271-4138).

This list of Open-File Reports for Alaska (OF 86-208) is up-to-date through December 1985.

LIST I
U.S. GEOLOGICAL SURVEY OPEN-FILE REPORTS
FOR ALASKA: 1938 - 1985

- 38 - 7 Smith, P.S., Mineral production of Alaska in 1937. 6 p. Superseded by: USGS Bulletin 910-A.
- 38 - 8 Smith, P.S., Mining in Alaska in 1937. 5 p. Superseded by: USGS Bulletin 910-A.
- 39 - 11 Smith, P.S., Mineral production of Alaska in 1938. 7 p. Superseded by: USGS Bulletin 917-A.
- 39 - 12 Smith, P.S., Mining in Alaska in 1938. 5 p. Superseded by: USGS Bulletin 917-A.
- 40 - 12 Smith, P.S., Mineral production of Alaska in 1939. 6 p. Superseded by: USGS Bulletin 926-A.
- 40 - 13 Smith, P.S., Mining in Alaska in 1939. 6 p. Superseded by: USGS Bulletin 926-A.
- 41 - 29 Smith, P.S., Mining in Alaska in 1940. 5 p. Superseded by: USGS Bulletin 933-A.
- 41 - 30 Guild, P.W., Chromite deposits of Kenai Peninsula, Alaska. 2 p., 2 sheets. Superseded by: USGS Bulletin 931-G.
- 41 - 31 Reed, J.C., Nickel deposits of Bohemia Basin and vicinity, Yakobi Island, Alaska. 2 p. Superseded by: USGS Bulletin 931-F.
- 42 - 24 Smith, P.S., Mineral production of Alaska in 1941. 8 p. Superseded by: USGS Bulletin 943-A.
- 42 - 25 Antimony deposits of the Stampede Creek area, Kantishna district, Alaska. 3 p. Superseded by: USGS Bulletin 936-N.
- 42 - 26 Guild, P.W., Chromite deposits of Red Bluff Bay, Baranof Island, Alaska. 3 p., 2 sheets. Superseded by: USGS Bulletin 936-G.
- 42 - 27 Pecora, W.T., Nickel-copper deposits on the west coast of Chichagof Island, Alaska. 5 p., 7 sheets. Superseded by: USGS Bulletin 936-I.
- 42 - 28 Reed, J.C., Nickel-copper deposit at Snipe Bay, Baranof Island, Alaska. 2 p. Superseded by: USGS Bulletin 936-M.
- 43 - 17 (76) Van Alstine, R.E., and Black, R.F., 1946, Mineral deposits at Orange Hill, Alaska. 28 p., 1 sheet.
- 43 - 99 Smith, P.S., Mineral production of Alaska in 1942. 4 p. Superseded by: USGS Bulletin 943-A.
- 43 - 100 (1) Robinson, G.D., Caamano Point antimony deposit, Cleveland Peninsula, southeastern Alaska. 7 p. Superseded by: USGS Bulletin 963-A and 1024-H.
- 43 - 101 Robinson, G.D., Baker Island molybdenite deposit, southeastern Alaska. 1 p., 1 sheet. Superseded by: USGS Bulletin 947-B.

- 43 - 102 Preliminary report on the quicksilver antimony properties in the vicinity of Sleitmut, Georgetown district, southwestern Alaska. 8 sheets. Superseded by: USGS Bulletin 1187.
- 43 - 103 Cady, W.M., Tungsten deposits of the Hyder district, Alaska. 1 p., 4 sheets. Superseded by: USGS Bulletin 1024-F
- (11) Ray, R.G., 1944, Iron-copper deposits of the Rich Hill area, Kasaan Peninsula, Prince of Wales Island, southeastern Alaska. 7 p., 5 pls. Superseded by: USGS Bulletin 1090.
- (13) Warner, L.A., and Ray, G.R., 1944, Iron and copper deposits at the Haida Mine and the Copper Center Prospect, Kasaan Peninsula, Prince of Wales Island, southern Alaska. 9 p. Superseded by: USGS Bulletin 1090.
- (18) Goddard, E.N., Warner, L.A., and Walton, M.S., Jr., 1944, Copper bearing iron deposits of the Mount Andrew - Mamie area, Kasaan Peninsula, Prince of Wales Island, southeastern Alaska. 30 p., 7 sheets. Superseded by: USGS Bulletin 1090.
- 44 - 25 (10) Coats, R.R., Graphite deposits on the north side of the Kigluaik Mountains, Seward Peninsula, Alaska. 8 p., 2 figs. 1.50; 3.50.
- 44 - 26 (8) Wahrhaftig, Clyde, Coal deposits of the Costello Creek Basin, Alaska. 7 p., 1 table, 8 figs. 3.25; 7.00.
- 44 - 27 (7) Coats, R.R., Asbestos deposits of the Dahl Creek area, Kobuk River district, Alaska. 4 p., 2 figs. 1.50; 4.00.
- 44 - 28 (4) Coats, R.R., Occurrences of scheelite in the Solomon district, Seward Peninsula, Alaska. 6 p. 1.50; 3.50.
- 44 - 29 (3) Gates, G.O., Part of Herendeen Bay coal field, Alaska. 5 p., 1 map (page-size). 1.50; 3.50.
- 44 - 30 (2) Coats, R.R., and Killeen, P.L., Fluorite reserves at the Lost River tin mine, Seward Peninsula, Alaska. 3 p. 1.50; 3.50.
- 44 - 31 (5) Warner, L.A., and Walton, M.S., Jr., The Iron King No. 1 copper prospect, Kasaan Peninsula, Prince of Wales Island, southeastern Alaska. 6 p. Superseded by: USGS Bulletin 1090.
- 44 - 32 (6) Gault, H.R., Zinc deposits of Groundhog Basin, Wrangell district, southeastern Alaska. 16 p., 3 pls. Superseded by: USGS Bulletin 998-B.
- 44 - 33 (9) Cady, W.M., and Hickcox, C.A., Quicksilver deposits in the Cinnabar Creek area, Georgetown and Akiak district, southwestern Alaska. 9 p., 2 pls. Superseded by: USGS Professional Paper 268.
- 44 - 34 (12) Warner, L.A., and Walton, M.S., Jr., The Poor Man Iron Deposit, Kasaan Peninsula, Prince of Wales Island, southeastern Alaska. 15 p., 2 sheets. Superseded by: USGS Bulletin 1090.
- 44 - 35 (17) Coats, R.R., Lode scheelite deposits of the Nome area, Seward Peninsula, Alaska. 6 p., 4 figs. 1.50; 4.00.

- 44 - 36 (16) Gates, G.O., and Wahrhaftig, Clyde, Zinc deposits of the Mt. Eielson district, Alaska. 7 p., 6 figs. 3.00; 5.50.
- 44 - 80 Walton, M.S., Jr., and Kennedy, G.C., Chromite occurrences and a nickel prospect, Baranof Island, southeastern Alaska. 4 p., 3 sheets. Superseded by: USGS Bulletin 947.
- 44 - 81 (27) U.S. Geological Survey (press release, no title) abt. iron and copper deposits at Jumbo Mine, southeastern Alaska. 2 p. Superseded by: USGS Professional Paper 251.
- 44 - 82 (15) Gault, H.R., and Flint, G.M., Jr., Lead-zinc deposits at the Lake claims, Wrangell district, southeastern Alaska. 7 p., 2 sheets. Superseded by: USGS Bulletin 998-B.
- 44 - 83 Robinson, G.D., The Shakan molybdenite deposit, Kosciusko Island, southeastern Alaska. 9 p., 5 sheets. Superseded by: USGS Bulletin 947-B.
- 44 - 84 Kennedy, G.C., The nickel-copper deposits on the west coast of Chichagof Island, southeastern Alaska. 5 p., 8 sheets. Superseded by: USGS Bulletin 947-C.
- 44 - 85 Kennedy, G.C., and Walton, M.S., The geology and nickel-copper deposits of Yakobi Island southeastern Alaska. 16 p., 4 sheets. Superseded by: USGS Bulletin 947-C.
- 44 - 86 Kennedy, G.C., and Walton, M.S., Jr., The ultrabasic rocks of the Blashe Islands, Kane Peak, and Mt. Burnett, southeastern Alaska. 8 p., 4 sheets. Superseded by: USGS Bulletin 947-D.
- 44 - 87 (53) Gault, H.R., Rossman, D.L., and Flint, G.M., Jr., Geology and mineral deposits of Glacier Basin and vicinity, Wrangell district, southeastern Alaska. 15 p., 2 sheets. Superseded by: USGS Bulletin 998-B.
- 44 - 88 (14) Robinson, G.D., Zinc-copper deposits near Moth Bay, Revillagigedo Island, southeastern Alaska. 10 p., 3 pls. Superseded by: USGS Bulletin 998-C.
- 44 - 89 (26) Twenhofel, W.S., The zinc deposits of the Lucky Bay Claims, Dora Lake, Prince of Wales Island, southeastern Alaska. 6 p. Superseded by: USGS Bulletin 998-C and USGS Bulletin 963-A.
- 44 - 90 (28) U.S. Geological Survey, Zinc-copper deposit at Tracy Arm, Juneau district, southeastern Alaska. 2 p. Superseded by: USGS Bulletin 998-A. See also USGS Open-File Report 77-649.
- (21) U.S. Geological Survey, 1945, Tin deposits in western Seward Peninsula, Alaska. 1 p. Superseded by: USGS Bulletin 1129 and US Bureau of Mines Report of Investigation RI 6737.
- (22) U.S. Geological Survey, 1945, A molybdenum prospect in the Kaiyuh Hills, Alaska. 1 p. Superseded by: USGS Circular 328.
- (23) U.S. Geological Survey, 1945, Geologic explorations in Central Kuskokwim region, southwestern Alaska. 1 p. Superseded by: USGS Professional Paper 268.

- (24) U.S. Geological Survey, 1945, Coal and other minerals in southern Alaska. 1 p.
Superseded by: USGS Bulletin 963 E and USGS Bulletin 1016.
- (25) U.S. Geological Survey, 1945, Yukon Valley and Norton Sound coal investigations in
1944. 1 p. Superseded by: USGS Bulletin 1155.
- (29) U.S. Geological Survey, 1945, Iron deposits of the Mt. Andrew-Mamie area,
southeastern Alaska. 2 p. Superseded by: USGS Bulletin 1090.
- (31) U.S. Geological Survey, 1945, Copper-bearing iron deposits at Tolstoi Mountain,
Kasaan Peninsula, Prince of Wales Island, southeastern Alaska. 2 p. Superseded
by: USGS Bulletin 1090.
- 45 - 25 (19) Gault, H.R., The Salt Chuck copper-palladium mine, Prince of Wales
Island, southeastern Alaska. 18 p., 7 figs. 5.25; 7.00.
- 45 - 26 (34) Kellum, L.B., Daviess, S.N., Swinney, C.M., Geology and oil possibilities
of the southwestern part of the Wide Bay anticline, Alaska. 17 p., 10 figs. 7.00;
5.00.
- 45 - 100 (33) Payne, T.G., and Hopkins, D.M., Geology and coal resources of western
part of the lower Matanuska Valley coal field, Alaska. 28 p., 6 sheets, 3 pls.
Superseded by: USGS Bulletin 1016.
- 45 - 101 Wahrhaftig, Clyde, and Freedman, J., Coal deposits in the valley of Healy
River, Alaska. 11 p., 6 pls. Superseded by: USGS Bulletin 963-E.
- 45 - 102 (35) Barnes, F.F., and Byers, F.M., Jr., Geology and coal resources of the
eastern part of the lower Matanuska Valley coal field, Alaska. Superseded by:
USGS Bulletin 1016.
- 45 - 103 (32) Miller, D.J., Rossman, D.L., and Hickcox, C.A., Preliminary report on
petroleum possibilities in the Katalla area, Alaska. Scale 1:96 000, 1 sheet.
Largely superseded by USGS Open-File Report 51 - 20 (50).
- 45 - 104 (30) Webber, E.J., Quicksilver deposits in the DeCourcy Mountain area,
Iditarod district, southwestern Alaska. 13 p., 7 pls. Superseded by: USGS
Professional Paper 268.
- 45 - 105 (20) Byers, F.M., Jr., Tungsten deposits of the Hyder district, southeastern
Alaska. 13 p., 6 pls. Superseded by: USGS Bulletin 1024-F.
- 46 - 16 (36) Warner, L.A., Ray, R.G., and Flint, G.M., Jr., Copper deposits at the Rush
and Brown Mine and Venus Prospect, Prince of Wales Island, southeastern Alaska.
15 p., 2 sheets. Superseded by: USGS Bulletin 1090.
- 47 - 20 (37) Flint, G.M., Jr., and Cobb, E.H., Preliminary report on the gypsum
deposits near Iyaukeen Cove, Chichagof Island, southeastern Alaska. 7 p.,
1 sheet. Superseded by: USGS Bulletin 989-B.
- (211) 1948 Cederstrom, D.J., Groundwater data for Fairbanks, Alaska. Superseded by:
Juneau, Alaska Department of Health and Welfare, Section of Sanitation and
Engineering, Water Hydrological Data 9, 1960, 29 p.

- 48 - 11 (54) Barnes, F.F., Preliminary report on the geology along the route of a proposed tunnel to develop hydroelectric power from Eklutna Lake, Alaska. 9 p., 1 fig. 1.50; 3.50.
- 48 - 12 (55) Johnson, Arthur, Preliminary report on water power resources of Eklutna Creek, Alaska. 23 p., 4 tables, 2 figs., 3 pls. 7.50; 5.00.
- 48 - 13 (65) Bateman, A.F., Jr., Reconnaissance report of geology of Eklutna Lake dam site and conduit route near Anchorage, Alaska. 82 p., 12 pls. 6.00 Microfiche only.
- 48 - 19 Kellum, L.B., Wedow, Helmuth, Jr., Kirschner, C.E., and Minard, D.L., Iniskin Peninsula, Alaska. (typed text, plates.) Superseded by: USGS Oil and Gas Investigations Map OM-95.
- 48 - 27 (38) Ray, R.G., Preliminary report on a lead-zinc occurrence at Berg Basin, Wrangell district, southeastern Alaska. 9 p. (copies from carbon copy onionskin paper are available from the Technical Data Unit.). Superseded by: USGS Bulletin 998-B.
- (70) Lawrence, F.F., 1949, Preliminary report on water power resources of Little Susitna River and Cottonwood Creek, Alaska. 24 p., 4 figs., 14 pls.
- 49 - 9 Zietz, Isidore, and Henderson, R.G., Aeromagnetic maps and second vertical derivative maps of Great Sitkin Island, northern Adak Island, and part of northeastern Umnak Island, Alaska. 4 p., 8 pls. (Naval Research, Navy Dept., Geophysics Branch.) 10.00; 7.50.
- 49 - 13 (56) Johnson, Arthur, Preliminary report on water power resources of Power Creek near Cordova, Alaska. 37 p., 2 pls. 6.25; 4.50.
- 49 - 20 (39) Barnes, F.F., Coal investigations on the southern margin of the Homer district, Kenai coal field, Alaska, in 1947-48. 14 p., 5 pls. Superseded by: USGS Bulletin 1058-F.
- 49 - 60 (168) Cederstrom, D.J., Basic data on the results of test drilling in the Fairbanks area, Alaska, in the fall of 1948. 7 p. Superseded by: USGS Water-Supply Paper WSP 1539-B and WSP 1590.
- 50 - 5 Raup, H.M., and Denny, C.S., Photo-interpretation of vegetation along the southern part of the Alaska Highway; its use as an indicator of the kind of ground. 95 p. Superseded by: USGS Bulletin 963-D.
- 50 - 25 (40) Dobrovolny, Ernest, Miller, R.D., and Cooley, Maurice, Descriptive geology of Anchorage and vicinity, Alaska. 19 p., 3 pls. Superseded by: USGS Bulletin 1093.
- 50 - 32 (41) Cobb, E.H., Coal investigations on the southwest margin of the Homer district, Kenai coal field, Alaska, in 1949. 7 p., 1 pl. Superseded by: USGS Bulletin 1058 F.
- 50 - 64 (57) Cederstrom, D.J., Wahrhaftig, Clyde, and Barnes, F.F., 1950, Ground water in the vicinity of Healy and Homer, Alaska. 4 p. 3.50 Microfiche only.

- 50 - 100 (212) Trainer, Frank, Tables of well records in the Palmer-Wasilla region of the Matanuska Valley, Alaska. Superseded by: USGS Circular 268 and USGS Water-Supply Paper WSP 1494.
- 50 - 112 (72) Johnson, Arthur, Report on reconnaissance of Lake Chackachamna, Alaska. 8 p., 4 pls. 3.50 Microfiche only.
- 50 - 113 Lawrence, F.F., Water power resources of Scenery Creek near Petersburg, Alaska. 32 p. 4.50 Microfiche only.
- 51 - 20 (50) Miller, D.J., Preliminary report on the geology and oil possibilities of Katalla district, Alaska. 66 p., 5 figs. Supersedes USGS Open-File Report 45-103 (32). 21.75; 6.00.
- 51 - 29 (126) Walton, M.S., Jr., The Blashke Island ultrabasic complex with notes on related areas in southeastern Alaska. 266 p., plates. 37.25; 7.00.
- 51 - 34 (47) Ray, R.G., Preliminary report on the geology and ore deposits of the Willow Creek mining district, southern Alaska. 22 p., 1 sheet. Superseded by: USGS Bulletin 1004.
- 51 - 39 (43) Miller, D.J., Preliminary report on the geology and oil possibilities of the Yakataga district, Alaska. 48 p., 2 figs. 19.75; 4.50.
- 51 - 40 (71) Colbert, J.L., Water utilization, Ship Creek near Anchorage, Alaska. 21 p., 8 figs., 4 tables, 3 pls. 7.75; 4.50.
- 51 - 46 (42) Killeen, P.L., and Mertie, J.B., Jr., Antimony ore in the Fairbanks district, Alaska. 44 p., 2 pls. 8.00; 4.50.
- 51 - 56 (48) Byers, F.M., Jr., Tungsten deposits in the Fairbanks district, Alaska. 45 p., 9 figs. Superseded by: USGS Bulletin 1024-I.
- 51 - 57 (45) Cobb, E.H., Coal investigations on the northwest margin of the Homer district, Kenai coal field, Alaska, in 1950. 11 p., 3 pls. Superseded by: USGS Bulletin 1058-F.
- 51 - 62 (46) Eckhart, R.A., Gypsiferous deposits on Sheep Mountain, Alaska. 42 p., 2 sheets. Superseded by: USGS Bulletin 989-C.
- 51 - 74 (44) Moxham, R.M., West, W.S., and Nelson, A.E., Cement raw materials of the Windy Creek area, Alaska. 43 p., 7 pls. Superseded by: USGS Open-File Report 53-196 (69), which is superseded by USGS Bulletin 1039-D.
- 51 - 105 (213) Cederstrom, D.J., Ground water in Palmer, Anchorage, and Fairbanks areas, Alaska. 6 p. Superseded by: USGS Water-Supply Papers WSP 1590 and WSP 1773 of 1963.
- (59) West W.S., and White, M.G., 1952, The occurrence of zeunerite at Brooks Mountains, Seward Peninsula, Alaska. 20 p., 1 sheet. Superseded by: Elements Investigations Report TEI 221 and USGS Circular 214.
- (67) Wahrhaftig, Clyde, and Eckhart, R.A., 1952, Perlite deposit near Healy, Alaska. 10 p. Superseded by: USGS Bulletin 1155.

- (68) Eckhart, R.A., Wahrhaftig, Clyde, and Moxham, R.M., 1952, Perlite deposit near Polychrome Pass, Alaska. 11 p. Superseded by: USGS Bulletin 1155.
- 52 - 22 (52) Cady, W.M., Quicksilver deposit near Aleknagik, Nushagak district, southwestern Alaska. 7 p. Superseded by: USGS Bulletin 1187.
- 52 - 25 (62) Cobb, E.H., Coal investigations in the Homer district, Kenai coal field, Alaska, in 1950 and 1951. 22 p., 4 pls. Superseded by: USGS Bulletin 1058-F.
- 52 - 39 (63) Eckhart, R.A., Haydite shale in Sutton and Kings River areas of the Matanuska Valley, Alaska. 35 p., 3 pls. Superseded by: USGS Bulletin 1039-C (Title listed in USGS Circular 263 is: Report on haydite shale and argillite in the Matanuska Valley, Alaska.)
- 52 - 102 (85) Morris, R.H., Heavy mineral analysis of sedimentary rocks of northern Alaska. 68 p., 4 figs., 1 table, 1 pl. 12.75; 6.50.
- 52 - 103 (49) Moxham, R.M., Pumice deposits in the Alaska Peninsula - Cook Inlet region. 21 p. 7.25; 5.00.
- 52 - 104 (64) Moxham, R.M., and Eckhart, R.A., Marl deposits in the Wasilla area, Alaska. 28 p. (Title listed in USGS Circular 263 is: Preliminary report on the occurrence of lime marl in the Wasilla area, Alaska.) Superseded by: USGS Bulletin 1039-A.
- 52 - 134 (61) Sainsbury, C.L., Geology of the Nelson and Radovan copper prospects, Glacier Creek Alaska. 20 p., 2 figs., 2 plates. 5.50; 4.50.
- 52 - 160 (60) Twenhofel, W.S., Geology of the Alaska-Juneau lode system, Alaska. 178 p., 8 figs., 2 pls. in pocket. 34.75; 5.00.
- 52 - 165 (51) Wedow, Helmuth, White, M.G., and Moxham, R.M., Interim report on an appraisal of the uranium possibilities of Alaska. 124 p., 5 tables, 8 figs. 27.00; 10.50.
- 52 - 167 (58) West, W.S., Reconnaissance for a urano-thorianite-bearing lode in the vicinity of the headwaters of the Peace River, Candle quadrangle, Seward Peninsula, Alaska. 12 p., 1 sheet. Superseded by: USGS Circular 250 and Trace Elements Memorandum Report TEM 355.
- 52 - 172 (66) Eckhart, R.A., 1953, Clay near Nenana, Alaska. 6 p., 3 figs. 1.25; 3.50.
- (74) Cederstrom, D.J., and Trainer, F.W., 1953, Tabulation of well records and logs and chemical analyses of groundwaters in the vicinity of Anchorage, Alaska. 312 p., 8 tables. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 14, 1961, 124 p.
- (79) Wahrhaftig, Clyde, and Birman, J.H., 1953, Stripping coal deposits on lower Lignite Creek, Nenana Coal Field, Alaska. 34 p., 7 pls. Superseded by: USGS Circular 310.
- (87) U.S. Geological Survey, 1953, Additional oil seepages located in southern Alaska. 1 p. Superseded by: USGS Open-File Report (95), which was superseded by USGS Oil and Gas Investigations Map OM-189.

- 53 - 10 (75) Barnes, F.F., Preliminary report on the Little Susitna district, Matanuska coal field, Alaska. 17 p., 1 sheet. This report is supplemented by USGS Open-File Report OF 55-7 (108). Superseded by: USGS Bulletin 1058 D.
- 53 - 79 (82) Grantz, Arthur, Preliminary report on the geology of the Nelchina area, Alaska. 2 p., 15 maps and sections. 17.00; 10.00.
- 53 - 135 (77) Imlay, R.W., and Reeside, J.B., Jr., Correlation of the Cretaceous formations of Greenland and Alaska. 43 p., 1 chart. Superseded by: Geological Society of America Bulletin v. 65, p. 223-246, 1954.
- 53 - 193 (81) Miller, D.J., Preliminary geologic map of Tertiary rocks in the southeastern part of Lituya district, Alaska. Scale approx. 1:63 360, 1 sheet. Correlated with columnar sections of Tertiary rocks in the Lituya district, Alaska. 1 pl. 7.00; 1.50.
- 53 - 194 (80) Miller, D.J., Preliminary geologic map and structure sections of the Bering Glacier A-2, A-3, and A-4 and Icy Bay D-2 and D-3 quadrangles, Yakataga district, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Oil and Gas Investigations Map OM-187.
- 53 - 196 (69) Moxham, R.M., Eckhart, R.A., Cobb, E.H., West, W.S., and Nelson, A. E., Geology and cement raw materials of the Windy Creek area, Alaska. 54 p., 4 pls. Supersedes USGS Open-File Report OF 51-74 (44), 1951, and is superseded by USGS Bulletin 1039-D.
- 53 - 215 (86) Payne, T.G., Mesozoic and Cenozoic tectonic elements of Alaska. Scale 1:5 000 000, 1 sheet, 1 table. Superseded by: USGS Miscellaneous Investigations Series Map I-84.
- 53 - 217 (100) Péwé, T.L., Brief review of Pleistocene events and climatic changes in Alaska. 14 p. 2.25; 3.50.
- 53 - 231 (84) Sainsbury, C.L., Geology of the Olds Mountain-Clark Peak area, Juneau vicinity, Alaska. 43 p., 2 pls. 9.00; 4.50.
- 53 - 245 (83) Scruton, P.C., Marine geology of the Near Islands shelf, Alaska. 200 p., 22 figs., 13 tables, 10 pls. 38.00; 4.50.
- 53 - 257 (214) Trainer, F.W., Water supply at six localities of the Alaska Railroad. 16 p. 3.50 Microfiche only.
- 53 - 262 (78) Wahrhaftig, Clyde, Quaternary geology of the Nenana River and adjacent parts of the Alaska Range, Alaska. 179 p., 14 pls. Superseded by: USGS Professional Paper 293.
- 53 - 263 (73) Wahrhaftig, Clyde, and Hickcox, C.A., Geology and coal deposits of the Jarvis Creek coal field, Alaska. 19 p., 4 sheets. Superseded by: USGS Bulletin 989 G.
- 54 - 58 (99) Condon, W.H., Structural patterns of Seward B-2 quadrangle, Alaska. 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-273.

- 54 - 97 (91) U.S. Geological Survey, Reconnaissance total-intensity aeromagnetic map of southern part of Prince of Wales Island, Alaska. 1 sheet. Superseded by: USGS Geophysical Investigations Map GP-135.
- 54 - 103 (93) Grantz, Arthur, Magnetite deposits at Tuxedni Bay, Alaska. 22 p., 3 pls. Superseded by: USGS Bulletin 1024-D.
- 54 - 107 (88) Gryc, George, and Jensen, R.C., Results of petroleum exploration in Naval Petroleum Reserve No. 4 and adjacent areas, Alaska. 7 p. Superseded by: USGS Professional Paper 301.
- 54 - 118 (89) Hartsock, J.K., Geologic map and structure sections of the Iniskin Peninsula and adjacent area of Alaska. 3 sheets. Superseded by: USGS Professional Paper 512.
- 54 - 126 (96) Hoare, J.M., and Conrad, W.L., Preliminary geologic reconnaissance map of a portion of the lower Kuskokwim area, Alaska. Scale 1:180 000, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-285, I-292, and I-339.
- 54 - 134 (90) Johnson, F.A., Preliminary report on the water power possibilities of the Seldovia River, Alaska. 17 p., 4 figs. 4.00 Microfiche only.
- 54 - 137 (92) Kachadoorian, Reuben, Hopkins, D.M., and Nichols, D.R., A preliminary report of geologic factors affecting highway construction in the area between the Susitna and MacLaren Rivers, Alaska. 74 p. 14.50; 4.00.
- 54 - 150 (94) Koschmann, A.H., Generalized geologic map of Duke Island, southeastern Alaska. 3.50; 1.50.
- 54 - 240 (97) Plafker, George, Geologic investigations of proposed power sites at Cooper, Grant, Ptarmigan, and Crescent Lakes, Alaska. 43 p., 4 pls. Superseded by: USGS Bulletin 1031-A.
- 54 - 241 (95) Plafker, George, and Miller, D.J., Reconnaissance geology of the Malaspina district, Alaska. 16 p., scale 1:175 000, 1 sheet. Superseded by: USGS Oil and Gas Investigations Map OM-189.
- 54 - 251 (98) Reed, J.C., Jr., Geologic map of the Mt. McKinley quadrangle, Alaska. 1 sheet. Superseded by: USGS Bulletin 1108-A.
- 54 - 315 (167) Trainer, F.W., Geology and groundwater resources of the Matanuska Valley agricultural area, Alaska. 134 p., 4 pls. Superseded by: USGS Water-Supply Paper WSP 1494.
- (123) U.S. Geological Survey, 1955, Radioactivity anomalies reported in Alaska. 2 p. Superseded by: USGS Bulletin 1155.
- (215) Cederstrom, D.J., 1955, A test well at Kotzebue, Alaska. 15 p. (Talk presented at Geological Society of America meeting in Toronto in 1953.) Superseded by: "Origin of a salt-water lens in permafrost at Kotzebue, Alaska." Geological Society of America Bulletin, v. 72, p. 1427-1432, Sept. 61.

- 55 - 5 (111) Barnes, F.F., Notes on the coal deposit on the Beluga River, Alaska. 12 p.
Superseded by: USGS Bulletin 1202-C.
- 55 - 6 (109) Barnes, F.F., and Sokol, Daniel, Subsurface exploration for stripping coal
on lower Deep Creek, Homer district, Kenai coal field, Alaska. 13 p., 3 pls.
Superseded by: USGS Bulletin 1058-F.
- 55 - 7 (108) Barnes, F.F., and Sokol, Daniel, Subsurface exploration in the Little
Susitna district, Matanuska coal field, Alaska in 1953 and 1954. 18 p., 8 pls.
Supplements USGS Open-File Report 53-10 (75) and is Superseded by: USGS
Bulletin 1058 D.
- 55 - 22 (117) Byers, F.M., Jr., Petrology of Umnak and Bogoslof Islands, Alaska.
203 p., scale 1:300 000, 1 sheet, 3 tables. Superseded by: USGS Bulletin 1028 L.
- 55 - 23 (101) Cady, W.M., Wallace, R.E., and Hoare, J.M., Surface and underground
geologic map and sections of the Red Devil Mine, Sleetinute area, central
Kuskokwim region, Alaska. 1 sheet. Superseded by: USGS Professional Paper 268.
- 55 - 26 (106) Cass, J.T., Photogeologic map of the lower Koyukuk Cretaceous basin,
west-central Alaska. Scale 1:250 000, 2 sheets. Superseded by: USGS
Miscellaneous Investigations Series Map I-286 through I 291 inclusive.
- 55 - 74 (122) Johnson, Arthur, The potential waterpower of Grant, Ptarmigan, Cooper,
and Crescent Lakes on the Kenai Peninsula, near Seward, Alaska. 45 p., 2 figs.,
4 pls. 11.00 Microfiche only.
- 55 - 77 (107) Juhle, R.W., Iliamna Volcano and its basement. 141 p., 2 pls. 28.00; 4.50.
- 55 - 78 (110) Kachadoorian, Reuben, and Péwé, T.L., Engineering geology of the
southern half of the Mt. Hayes A-5 quadrangle, Alaska. 27 p., 1 sheet. 7.75; 4.00.
- 55 - 105 (118) Maddren, A.G., and Harrington, G.L., Geologic maps of the area along
the Alaska-Canada boundary between the Porcupine River and the Arctic Ocean.
Scale 1:62 500, 11 sheets. 35.25; 5.50.
- 55 - 114 (120) Miller, D.J., Geology of the southeastern part of the Robinson
Mountains, Yakataga district, Alaska. 35 p., 4 pls. Superseded by: USGS Oil and
Gas Investigations Map OM-187.
- 55 - 115 (128) Miller, J.C., Geology of waterpower sites on Scenery Creek, Cascade
Creek, and Delta Creek near Petersburg, Alaska. 46 p., 5 pls. Superseded by:
USGS Bulletin 1031-E.
- 55 - 132 (114) Patton, W.W., Jr., Phosphate deposits in northern Alaska. 14 p.
Superseded by: USGS Professional Paper 302-A.
- 55 - 133 (116) Patton, W.W., Jr., and Bickel, R.S., Preliminary geologic map and
structure along a part of the lower Yukon River, Alaska. 1 sheet. Superseded by:
USGS Miscellaneous Investigations Series Map I-197.
- 55 - 134 (115) Patton, W.W., Jr., and Bickel, R.S., Preliminary geologic map and
structure sections of the Shaktolik River area, Alaska. 1 sheet. Superseded by:
Miscellaneous Investigations Series Map I-226.

- 55 - 139 (104) Plafker, George, Occurrence of diatomaceous earth near Kenai, Alaska. 16 p., 1 pl. Superseded by: USGS Bulletin 1039-B.
- 55 - 144 (105) Ray, R.G., Photogeologic procedures in geologic interpretation and mapping. 29 p. Superseded by: USGS Bulletin 1043-A.
- 55 - 153 (127) Rossman, D.L., Geology and ore deposits in the Reid Inlet area, Glacier Bay, Alaska, with added notes on a mineralized zone near Lituya Bay. 42 p., 7 pls. Superseded by: USGS Bulletin 1058-B.
- 55 - 154 (125) Rossman, D.L., Ore deposits on northwestern Chichagof Island, Alaska. 36 p., 8 pls. Superseded by: USGS Bulletin 1058-E.
- 55 - 158 (112) Sainsbury, C.L., Geochemical exploration for antimony in southeastern Alaska. 32 p., 4 pls. Superseded by: USGS Bulletin 1024-H.
- 55 - 159 (113) Sainsbury, C.L., Geology of two areas of pegmatite deposits in southeastern Alaska. 42 p., 4 pls. Superseded by: USGS Bulletin 1024-G.
- 55 - 175 (103) Stejer, F.A., Pyrite deposits at Horseshoe Bay, Latouche Island, Alaska. 31 p., 4 pls. Superseded by: USGS Bulletin 1024-E.
- 55 - 182 (124) Trainer, F.W., Surficial geology (of an area adjoining the edge of the Matanuska Valley, Alaska.) 7 p., Superseded by: USGS Water-Supply Paper WSP 1494, 1960.
- 55 - 186 (129) Waller, R.M., Groundwater reconnaissance in five Eskimo villages in the lower Kuskokwim - Yukon River area, Alaska. 12 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 5, 1958.
- 55 - 187 (121) Waller, R.M., Reconnaissance of groundwater possibilities in the Juneau area, Alaska. 4 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 1, 1957.
- 55 - 190 (102) Webber, E.J., and Hoare, J.M., Surface and underground geologic map of the DeCourcy Mountain mine, DeCourcy Mountain area, central Kuskokwim region, Alaska. 1 sheet. Superseded by: USGS Professional Paper 268.
- 55 - 193 Whetstone, G.W., The effect of volcanic ash from Mt. Spurr on the chemical character of surface waters near Anchorage, Alaska. 14 p.
- 55 - 198 (119) Williams, J.R., Preliminary geologic evaluation of the Chena area, Alaska. 9 p. Superseded by: USGS Miscellaneous Investigations Series Map I-297 and Geologic Gaudrangle Map GQ-124.
- 56 - 8 (140) Bickel, R.S., and Patton, W.W., Jr., Preliminary map of the Nulato and Kateel River area, Alaska. 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-249.
- 56 - 61 (131) Johnson, F.A., Waterpower possibilities of Crater Lake, Long Lake, and Speel River near Juneau, Alaska. 89 p., 2 pls. Superseded by: USGS Water-Supply Paper WSP 1529.

- 56 - 62 (136) Johnson, F.A., and Soward, K.S., Preliminary report on waterpower possibilities of Bradley Lake, Alaska, with a chapter on Tentative geologic conclusions on Bradley Lake power site. 92 p., 3 pls. Superseded by: USGS Water-Supply Paper WSP 1610-A and USGS Bulletin 1031-C.
- 56 - 66 (143) Kachadoorian, Reuben, Engineering geology of the Katalla area, Alaska. 25 p., 5 pls. Superseded by: USGS Miscellaneous Investigations Series Map I-308.
- 56 - 67 (133) Kachadoorian, Reuben, Engineering geology of the Nenana-Rex area, Alaska. 23 p., 1 pl. Superseded by: USGS Miscellaneous Investigations Series Map I-307.
- 56 - 71 (138) Keller, A.S., and Cass, J.T., Petroliferous sand of the Chignik Formation at Chignik Lagoon, Alaska. 5 p., 2 figs. 2.00; 4.50.
- 56 - 76 Lohr, E.W., Chemical character of the public water supplies of the larger cities of Alaska, Hawaii, and Puerto Rico, 1954. 39 p. Superseded by: USGS Water-Supply Paper WSP 1460-A.
- 56 - 78 (135) Miller, J.C., Geology of waterpower sites on Crater Lake, Long Lake, and the Speel River near Juneau, Alaska. 50 p., 7 pls. Superseded by: USGS Bulletin 1031-D.
- 56 - 91 (141) Nichols, D.R., Permafrost and groundwater conditions in the Glennallen area, Alaska. 18 p. 5.00; 4.00.
- 56 - 95 (142) Plafker, George, Geologic investigations of proposed Sheep Creek, Carlson Creek, and Turner Lake power sites, Alaska. 48 p., 3 pls. Superseded by: USGS Bulletin 1031-F.
- 56 - 96 (137) Plafker, George, and Miller, D.J., Reconnaissance geology of the Malaspina district, Alaska. 37 p., 1 pl. Superseded by: USGS Oil and Gas Investigations Map OM-189.
- 56 - 101 (132) Robertson, E.C., Magnetite deposits near Klukwan and Haines, Alaska. 37 p., 11 figs. 25.25; 8.50.
- 56 - 110 (145) Spetzman, L.A., Annotated list of plants of arctic slope of Alaska. 1 p., 5 oversize charts. Superseded by: USGS Professional Paper 302-B.
- 56 - 118 (134) Trainer, F.W., Results of specific-gravity test of a well at Alaska Agricultural Experiment Station, Matanuska, Alaska, September 1955. 3 p. Superseded by: USGS Water-Supply Paper WSP 1494.
- 57 - 23 (148) Condon, W.H., and Cass, J.T., Map of a part of Prince William Sound area, Alaska, showing linear geologic features as seen on aerial photographs. 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-273.
- 57 - 33 (151) Dempsey, W.J., Meuschke, J.L., and Andreasen, G.E., Total intensity aeromagnetic profiles of Bethel Basin, Alaska. Scale 1:250 000, 3 sheets. 10.50; 1.50.

- 57 - 34 (153) Dempsey, W.J., Meuschke, J.L., and Andreasen, G.E., Total intensity aeromagnetic profiles of Hogatza uplift, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 57 - 35 (155) Dempsey, W.J., Meuschke, J.L., and Andreasen, G.E., Total intensity aeromagnetic profiles of Koyukuk, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 57 - 36 (154) Dempsey, W.J., Meuschke, J.L., and Andreasen, G.E., Total intensity aeromagnetic profiles of west Hogatza, Alaska. Scale 1:25 000, 1 sheet. 7.00; 1.50.
- 57 - 56 (161) Johnson, F.A., Water power possibilities of Sheep Creek, Carlson Creek, Lake Dorothy and Turner Lake near Juneau, Alaska. 69 p., 2 sheets. Superseded by: USGS Water-Supply Paper WSP 1529.
- 57 - 67 (160) MacKevett, E.M., Jr., Preliminary geologic map of part of the Bokan Mountain uranium-thorium area, Alaska. 7 p., 1 sheet. Superseded by: USGS Bulletin 1154.
- 57 - 69 (152) Meuschke, J.L., Henderson, J.R., and Dempsey, W.J., Total intensity aeromagnetic profiles of Cook Inlet, Alaska. 2 sheets. Superseded by: USGS Open-File Report 60-59 (201), which is superseded by USGS Professional Paper 316-G.
- 57 - 72 (159) Miller, D.J., Payne, T.G., and Gryc, George, Geology of possible petroleum provinces in Alaska, including an annotated bibliography of United States Geological Survey publications on petroleum and oil shale in Alaska, by E.H. Cobb, and a map of Mesozoic and Cenozoic tectonic elements of Alaska, by T.G. Payne, and J.T. Dutra, Jr. 241 p., 10 pls. Superseded by: USGS Bulletin 1094.
- 57 - 76 (146) Morris, R.H., Reconnaissance study of the Marsh anticline, northern Alaska. 6 p., 1 pl. 4.25; 4.00.
- 57 - 86 (150) Patton, W.W., Jr., and Bickel, R.S., Preliminary geologic map and sections along the lower Koyukuk River, Alaska. Approx. scale 1:50 000, 1 sheet. 3.50; 1.50.
- 57 - 91 (162) Plafker, George, and Miller, D.J., Glacial features and surficial deposits of the Malaspina district, Alaska. 17 p., scale 1:96 000, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-271.
- 57 - 98 (149) Rossman, D.L., Ilmenite-bearing beach sands near Lituya Bay, Alaska. 10 p., scale 1:125 000, 2 sheets. 5.25; 4.00.
- 57 - 115 (157) Waller, R.M., Groundwater supply at Kake, Alaska. 4 p. 3.50 Microfiche only.
- 57 - 116 (158) Waller, R.M., Groundwater and permafrost at Bethel, Alaska. 19 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 2, 1957.

- 57 - 117 (156) Waller, R.M., Groundwater reconnaissance of six Eskimo villages in the Kobuk-Noatak area, Alaska. 12 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 4, 1957.
- 57 - 118 (163) Waller, R.M., Riverbank erosion and groundwater conditions at Beaver, Alaska. 6 p., 1 fig. 1.50; 3.50.
- (217) Waller, R.M., 1958, Groundwater reconnaissance of Koyuk and Shaktolik villages, Alaska. 10 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 7, 1959.
- 58 - 4 (165) Andreasen, G.E., Dempsey, W.J., and Henderson, J.R., Aeromagnetic map Superseded by: Geophysical Investigations Map GP-352.
- 58 - 5 (166) Andreasen, G.E., Dempsey, W.J., and Vargo, J.L., Aeromagnetic map of part of the Naknek quadrangle, Alaska. Scale 1:125 000, 1 sheet. Superseded by: Geophysical Investigations Map GP-353.
- 58 - 6 (164) Andreasen, G.E., Dempsey, W.J., and Vargo, J.L., Aeromagnetic map of parts of the Ugashik and Karluk quadrangles, Alaska. Scale 1:125 000, 1 sheet. Superseded by: Geophysical Investigations Map GP-354.
- 58 - 26 (130) Colbert, J.L., Waterpower resources of Cascade Creek, Scenery Creek, and Delta Creek near Petersburg, Alaska. 72 p., 2 pls. Superseded by: USGS Water-Supply Paper WSP 1529.
- 58 - 56 Lachenbruch, A.H., Dissipation of the temperature effect of drilling a well in arctic Alaska. 62 p. Superseded by: USGS Bulletin 1083-C.
- 58 - 107 (216) Waller, R.M., Water-resources reconnaissance of Gambell and Savoonga villages, St. Lawrence Island, Alaska. 14 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 6, 1959.
- (169) Keller, A.S., and Reiser, H.N., 1959, Stratigraphic sections in the Mount Katmai area, Alaska. 1 chart. Superseded by: USGS Bulletin 1058-G.
- 59 - 3 (176) Barnes, F.F., Coal fields of Alaska. 5 p., 1 sheet. Superseded by: published map Coal fields of the U.S., sheet 2, Alaska.
- 59 - 8 List 11 - electric logs of wells drilled in northern Alaska. (Geologic investigations, Naval Petroleum Reserve No. 4 and adjacent areas, Alaska.) 12 p., 1.75; 3.50
- 59 - 20 (177) Cobb, E.H., Antimony, bismuth, and mercury occurrences in Alaska. 4 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-11. Supplemented by Mineral Investigations Resources Map MR-52, MR-53, and MR-54.
- 59 - 21 (178) Cobb, E.H., Chromite, cobalt, nickel, and platinum occurrences in Alaska. 3 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-8. Supplemented by MR 61, MR-63, MR-64, and MR-68.

- 59 - 22 (179) Cobb, E.H., Copper and lead-zinc occurrences in Alaska. 9 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-9 and supplemented by MR-62, MR-67, and MR-69.
- 59 - 23 (180) Cobb, E.H., Molybdenum, tin and tungsten occurrences in Alaska. 5 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-10. Supplemented by MR-59, MR-65, and MR-66.
- 59 - 40 (182) Fellows, R.E., and others, Mineral resources of Alaska. 144 p. Superseded by: USGS Bulletins 1094, 1242-B, and 1246.
- 59 - 72 (172) Kochadoorian, Reuben, Campbell, R.H., Sainsbury, C.L., and Scholi, D.W., Geology of the Ogotoruk Creek area, northwestern Alaska. 43 p., 3 pls. in pocket. 15.75; 5.00.
- 59 - 92 (170) Patton, W.W., Jr., Geology of the upper Killik - Itkillik region, Alaska. 180 p., 5 pls. Superseded by: USGS Professional Paper 303-G.
- 59 - 94 (173) Pe'we, T.L., Hopkins, D.M., and Lachenbruch, A.H., Engineering geology bearing on harbor site selection along the northwest coast of Alaska from Nome to Point Barrow. 57 p., 5 pls. in pocket. 19.00; 6.00.
- 59 - 106 (175) Sable, E.G., Preliminary report on sedimentary and metamorphic rocks in part of the Romanzof Mountains, Brooks Range, northeastern Alaska. 84 p., 1 pl. Superseded by: USGS Professional Paper 897.
- 59 - 107 (171) Sainsbury, C.L., and Campbell, R.H., Geologic strip map of part of Kupuk River, northwestern Alaska. 7 p., 1 sheet. Superseded by: USGS Professional Paper 395.
- 59 - 125 (174) Waller, R.M., Summary of test-drilling results in Last Chance Basin, Juneau, Alaska. 23 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 8, 1959.
- 59 - 132 (181) Zietz, Isidore, Patton, W.W., Jr., and Dempsey, W.J., Preliminary interpretation of total intensity aeromagnetic profiles of the Koyukuk area, Alaska. 6 p., 8 sheets. 32.50; 8.00.
- (218) Waller, R.M., 1960, Data on water wells and springs in the Chugiak area, Alaska. 28 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 10, 1960.
- 60 - 4 (194) Andreasen, G.E., Total intensity aeromagnetic profile of the Brooks Range, Alaska. 3 sheets. Superseded by: USGS Bulletin 1271-F.
- 60 - 5 (192) Andreasen, G.E., Total intensity aeromagnetic profiles of Cape Espenberg, Alaska. Scale 1:63 360, 2 sheets. 7.00; 1.50.
- 60 - 6 (193) Andreasen, G.E., Total intensity aeromagnetic profiles of the Cape Lisburne area, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 60 - 7 (190) Andreasen, G.E., Total intensity aeromagnetic profiles of Kobuk River, Alaska. Scale 1:250 000, 5 sheets. 17.50; 2.50.

- 60 - 8 (191) Andreasen, G.E., Total intensity aeromagnetic profiles of the Minchumina area, Alaska. Scale 1:250 000, 3 sheets. 10.50; 1.50.
- 60 - 9 (202) Andreasen, G.E., Total intensity aeromagnetic profiles of the Yukon Flats-Kandik area, Alaska. Scale 1:250 000, 7 sheets. 28.00; 4.00. Partially superseded by USGS Bulletin 1271-F. Bulletin includes N-S profiles but not the NW-SE profiles.
- 60 - 10 (203) Andreasen, G.E., Grantz, Arthur, and Zietz, Isidore, Geologic interpretation of magnetic data in the Copper River basin, Alaska. 37 p., 4 pls. Superseded by: USGS Professional Paper 316-H.
- 60 - 17 (196) Brabb, E.E., and Miller, D.J., Reconnaissance traverse across eastern Chugach Mountains, Alaska. 31 p., scale 1:96 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-371.
- 60 - 19 (200) Brosge, W.P., and Reiser, H.N., Progress map of the geology of the Wiseman quadrangle, Alaska. Scale 1:250 000, 2 sheets. Supplemented by USGS Open-File Report OF-71-56.
- 60 - 20 (199) Brosge, W.P., Dutro, J.T., Jr., Mangus, M.D., and Reiser, H.N., Geologic map of the eastern Brooks Range, Alaska. Scale 1:250 000, 5 sheets, 2 pls. 21.25; 3.50.
- 60 - 21 (198) Brosge, W.P., Reiser, H.N., Patton, W.W., Jr., and Mangus, M.D., Geologic map of the Killik - Araktuvuk rivers region, Brooks Range, Alaska. Scale 1:96 000, 2 sheets. 7.00; 1.50.
- 60 - 44 (186) Dutro, J.T., Jr., Correlation chart of Paleozoic rocks in Alaska. 1.50; 1.50.
- 60 - 59 (201) Grantz, Arthur, Zietz, Isidore, and Andreasen, G.E., An aeromagnetic reconnaissance of the Cook Inlet area, Alaska. 62 p., 9 pls. Superseded by: USGS Professional Paper 316-G.
- 60 - 85 (188) Kachadoorian, Reuben, Engineering geology bearing on harbor site selection along the Gulf of Alaska from Point Whitt to Cape Yakutat, Alaska. 32 p., 7 pls. in pocket. 27.00; 9.00.
- 60 - 86 (189) Kachadoorian, Reuben, Campbell, R.H., Moore, G.W., Cole, J.Y., Lachenbruch, A.H., Greene, G.W., Barnes, D.F., Waller, R.M., Lamar, W.L., and Slaughter, M.J., Geologic investigations in support of Project Chariot in the vicinity of Cape Thompson, northwestern Alaska - Preliminary report. 94 p., 3 pls. Superseded by: Trace Elements Investigations Report TEI 753.
- 60 - 87 (197) Kachadoorian, Reuben, Lachenbruch, A.H., Moore, G.W., and Waller, R.M., Supplementary report on geologic investigations in support of Phase II, project Chariot in the vicinity of Cape Thompson, northwestern Alaska. 30 p. 4.25; 3.50.
- 60 - 88 (225) Karlstrom, T.N.V., and others, Surficial deposits of Alaska. 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-357.

- 60 - 98 (184) Miller, D.J., Mac Neil, F.S., and Wahrhaftig, Clyde, Correlation of Tertiary rocks of Alaska. 1 chart (page-size). Superseded by: American Association of Petroleum Geologists Bulletin v. 45, no. 11, Nov. 1961,
- 60 - 111 (183) Péwé, T.L., and Paige, R.A., Frost heaving of piles with examples from Fairbanks, Alaska. 138 p. Superseded by: USGS Bulletin 1111-J.
- 60 - 123 (187) Scholl, D.W., and Sainsbury, C.L., Marine geology and bathymetry of the nearshore shelf of the Chukchi Sea, Ogoturuk Creek area, northwestern Alaska. 68 p., 12 figs. in pocket. 29.25; 9.50.
- 60 - 146 (185) Wahrhaftig, Clyde, The physiographic provinces of Alaska. 78 p. Superseded by: USGS Professional Paper 482.
- 60 - 150 (228) Waller, R.M., Water utilization in the Anchorage area, Alaska, 1958-59. 19 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 12, 1961.
- 60 - 158 (195) Wright, F.E., and Wright, C.W., The Glacier Bay National Monument in southeastern Alaska - its glaciers and geology. 224 p. Superseded by: USGS Professional Paper 420-C
- (204) Kachadoorian, Reuben, Campbell, R.H., Moore, G.W., Scholl, D.W., Lachenbruch, A.H., Greene, G.W., Marshall, B.V., Barnes, D.F., Allen, R.V., Waller, R.M., Slaughter, M.J., 1961, Geologic investigations in support of Project Chariot, Phase III, in the vicinity of Cape Thompson, northwestern Alaska - Preliminary report. 109 p., Scale 1:125 000, 1 sheet. Superseded by: Trace Elements Investigations Report TEI-779.
- (226) Waller, R.M., Cederstrom, D.J., and Trainer, F.W., 1961, Data on wells in the Anchorage area, Alaska. 244 p., 1 pl. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 14, 1961, 124 p.
- (227) Waller, R.M., 1961, Summary of groundwater conditions in Alaska as they affect private water supplies. 2 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 11, 1961.
- 61 - 50 Feulner, A.J., Data on wells at Ladd Air Force Base, Alaska. 41 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Section of Sanitation and Engineering, Water Hydrological Data 13, 1961.
- 61 - 64 (221) Hoare, J.M., Preliminary geology along the lower Yukon River, Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 61 - 72 (220) Indermuhle, V.C., Preliminary report on the waterpower resources of Snow River, Nellie Juan Lake and Lost Lake, Kenai Peninsula, Alaska. 55 p., 3 pls. on 4 sheets. 23.00; 5.50.
- 61 - 74 (219) Jackson, B.L., Potential waterpower of Lake Chakachamna, Alaska. 20 p. 3.25; 3.50.

- 61 - 81 (223) Kachadoorian, Reuben, Geologic aspects of the November 1960 high-explosives test and the Project Chariot site, northwestern Alaska. 18 p., 1 pl. Superseded by: Trace Elements Investigations Report TEI-784.
- 61 - 89 (222) Loney, R.A., Structure and stratigraphy of the Pybus-Gambier area, Alaska. 212 p., 5 pls. Superseded by: USGS Bulletin 1178 and by University of California Publications in the Geological Sciences, v. 46, no. 2, p. 33-80, 1965.
- 61 - 99 (206) Miller, D.J., Geology of the Katalla District, Gulf of Alaska Tertiary Province, Alaska. Scale 1:96 000, 2 sheets. 7.00; 1.50.
- 61 - 100 (210) Miller, D.J., Geology of the Lituya District, Gulf of Alaska Tertiary Province, Alaska. Scale 1:96 000 (?), 1 sheet. 3.50; 1.50.
- 61 - 101 (208) Miller, D.J., Geology of the Malaspina District, Gulf of Alaska Tertiary Province. Scale 1:96 000, 2 sheets. 7.00; 1.50.
- 61 - 102 (207) Miller, D.J., Geology of the Yakataga District, Gulf of Alaska Tertiary Province, Alaska. Scale 1:96 000, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-610.
- 61 - 103 (209) Miller, D.J., Geology of the Yakutat District, Gulf of Alaska Tertiary Province, Alaska. Scale 1:96 000, 1 sheet. 4.50; 1.50.
- 61 - 169 (224) Weber, F.R., Reconnaissance engineering geology for the selection of highway route from Talkeetna to McGrath, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- (236) Waller, R.M., and Selkregg, L.M., 1962, Data on wells and springs along the Glenn Highway (State 1), Alaska. 24 p. Superseded by: Juneau, Alaska Department of Health and Welfare, Water Hydrological Data 15, 1962.
- (238) Hoare, J.M., and Condon, W.H., 1962, New quicksilver discovery in western Alaska. 1 p. (Issued as a press release). Superseded by: USGS Professional Paper 475-A, p. 5.
- 62 - 9 (232) Brabb, E.E., and Churkin, Michael, Jr., Preliminary geologic map of the Charley River quadrangle, east-central Alaska. Scale 1:250 000, 1 sheet. Superseded by: USGS Open-File Report 64-23 (248), which in turn was superseded by Miscellaneous Investigations Series Map I-573.
- 62 - 14 (234) Brosge, W.P., and Reiser, H.N., Geologic map of the Chandalar quadrangle, Alaska. Scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-375.
- 62 - 15 (229) Brosge, W.P., and Reiser, H.N., Preliminary geologic map of the Christian quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 62 - 16 (237) Brosge, W.P., and Whittington, C.L., Preliminary geologic map of the Umiat - Ma'be Creek region, Alaska. 3 sheets. Superseded by: USGS Open-File Report 63-10 (240), which is superseded by USGS Professional Paper 303-H.

- 62 - 36 (205) Davis, R.E., Williams, W.P., Johnson, R.B., and Emerick, W.L., Preliminary results of a survey for thick high-calcium limestone deposits in the United States, with a section on: Possible Alaskan sites for nuclear reaction experiment in limestone, by G.D. Eberlein. 46 p. Superseded by: Trace Elements Investigations Report TEI-780.
- 62 - 62 (233) Hoare, J.M., and Condon, W.H., Preliminary geologic map of lower Yukon - Norton Sound region, Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 62 - 103 (231) Piper, A.M., Potential effects of Project Chariot on local water supplies. 82 p., 20 pls. Superseded by: USGS Professional Paper 539 and Trace Elements Investigations Report TEI-810.
- 62 - 114 (230) Sainsbury, C.L., A new occurrence of beryllium minerals on the Seward Peninsula, Alaska. 15 p. Superseded by: USGS Circular 479.
- 62 - 147 (235) Waller, R.M., Preliminary report on groundwater conditions at Homer, Alaska. 6 p. Superseded by: USGS Hydrological Investigations Atlas HA-187.
- (242) Williams, J.R., 1963, Groundwater in permafrost regions: an annotated bibliography of publications through 1960, with glossary of terms. 5 vols. Superseded by: USGS Water-Supply Paper WSP 1792, v. 1 - 5.
- 63 - 10 (240) Brosge, W.P., and Whittington, C.L., Preliminary geologic map of the Umiat - Maybe Creek region, Alaska. Supersedes USGS Open-File Report 62-16 (237) and is superseded by USGS Professional Paper 303-H.
- 63 - 15 (239) Chapman, R.M., Coats, R.R., and Payne, T.G., Placer tin deposits in central Alaska. 53 p., 10 figs. in pocket. 18.50; 7.00.
- 63 - 119 (241) Silberling, N.J., Field guide to halobiid and monotid pelecypods of the Alaskan Triassic. 9 p., 1 table, 6 pls. 3.00; 3.50.
- 64 - 5 (246) Baker, J.H., Beetem, W.A., and Wahlberg, J.S., Adsorption equilibria between earth materials and radio-nuclides, Cape Thompson, Alaska. 40 p. 6.00; 3.50.
- 64 - 9 (244) Barnes, D.F., and MacCarthy, G.R., Preliminary report on tests of the application of geophysical methods to arctic groundwater problems. 32 p., 22 figs., 1 table. 9.75; 5.50.
- 64 - 13 (243) Berg, H.C., Reconnaissance geochemistry of stream-sediments from the areas near Juneau, Alaska. 6 p. 1.50; 3.50.
- 64 - 23 (248) Brabb, E.E., and Churkin, Michael, Jr., Preliminary geologic map of the Charley River quadrangle, east-central Alaska. Supersedes USGS Open-File Report 62 - 9 (232) and is superseded by Miscellaneous Investigations Series Map I-573.
- 64 - 136 (247) Sainsbury, C.L., Preliminary geologic map and structure sections of the central York Mountains, Seward Peninsula, Alaska. 3 sheets. Superseded by: USGS Bulletin 1287.

- 64 - 154 U.S. Geological Survey, Location of geologic field projects as of June 30, 1964; and location of geologic field projects in Alaska as of June 30, 1964. 2 sheets. 1.50 Microfiche only.
- 64 - 164 (245) Williams, J.R., Geologic reconnaissance of the Yukon Flats Cenozoic Basin, Alaska. 19 p.
- (253) Wolfe, J.A., Hopkins, D.M., and Leopold, E.B., 1965, Tertiary stratigraphy and paleobotany of the Cook Inlet region, Alaska. 80 p., scale 1:1 000 000, 4 pls. Superseded by: USGS Professional Paper 398-A.
- 65 - 20 (249) Brabb, E.E., and Churkin, Michael, Jr., Preliminary geologic map of the Eagle D-1 quadrangle, Alaska. Scale 1:63 360, 2 sheets. 7.00; 1.50.
- 65 - 22 (256) Brosge, W.P., and Reiser, H.N., Preliminary geologic map of the Arctic quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 65 - 26 (251) Campbell, R.H., Geologic map and structure sections of the Ogoturuk Creek area and vicinity, Alaska. Scale 1:31 680, 1 sheet. Superseded by: USGS Professional Paper 395.
- 65 - 41 (252) Detterman, R.L., and Reed, B.L., Results of stream-sediment sampling in the Iliamna quadrangle, Alaska. 1 table, scale 1:500 000, 1 sheet, 1 page. 3.75; 4.00.
- 65 - 65 (255) Grantz, Arthur, Geologic map and cross-sections of the Nelchina area, south-central Alaska. Scale 1:63 360, 4 sheets. 14.00; 2.00.
- 65 - 96 (254) Lathram, E.H., Preliminary geologic map of northern Alaska. Scale 1:1 000 000, 2 sheets. 7.00; 1.50.
- 65 - 124 (259) Plafker, George, and Mayo, L.R., Tectonic deformation, subaqueous slides, and destructive waves associated with the Alaskan March 27, 1964 earthquake: an interim geologic evaluation. 19 p., 19 figs. on 15 p. 4.50; 3.50.
- 65 - 133 (260) Reed, B.L., and Detterman, R.L., A preliminary report on some magnetite-bearing rocks near Frying Pan Lake, Iliamna D-7 quadrangle, Alaska. 3 p., 1 table, 2 figs. on 1 sheet. 7.25; 4.50.
- 65 - 141 (257) Sable, E.G., Geology of the Romanzof Mountains, Brooks Range, northeastern Alaska. 218 p., 7 pls. Superseded by: USGS Professional Paper 897.
- 65 - 142 (258) Sainsbury, C.L., Geology and ore deposits of the central York Mountains, western Seward Peninsula, Alaska. 150 p., 23 pls. Superseded in part by USGS Bulletin 1287 - some details are in the Open-File Report which are not in the Bulletin. This was originally a thesis.
- 65 - 143 (250) Sainsbury, C.L., Planetable maps and drill logs of fluorite and beryllium deposits, Lost River area, Alaska. 38 p., 4 sheets. 7.75; 5.50.
- 65 - 151 (265) Sommers, D.A., and Marcher, M.V., Water resources appraisal of the Anchorage area, Alaska - water conservation through conjunctive use. 34 p.

- 66 - 10 (263) Brosge, W.P., Reiser, H.N., Dutro, J.T., Jr., and Churkin, Michael, Jr., Geologic map and stratigraphic sections, Porcupine River Canyon, Alaska. 4 sheets. 14.00; 2.00.
- 66 - 25 (264) Dobrovolsky, Ernest, and Schmoll, H.R., Map of geologic materials, Anchorage and vicinity, Alaska. Scale 1:24 000, 1 sheet. 3.50; 1.50.
- 66 - 53 (267) Grantz, Arthur, Strike-slip faults in Alaska. 82 p., scale 1:63 360, 4 sheets (from USGS Open-File Report 65-65). 13.00; 3.50.
- 66 - 108 (262) Reed, B.L., and Detterman, R.L., Results of stream-sediment sampling in the Iliamna quadrangle, Alaska. 1 p., 2 figs., 1 table. 2.50; 4.50.
- 66 - 128 (266) TAILLEUR, I.L., Kent, B.H., Jr., and Reiser, H.N., Outcrop/geologic map of the Nuka-Etiviluk region, northern Alaska. 7 sheets. 24.50; 3.50.
- 66 - 131 (261) Tourtelot, H.A., and TAILLEUR, I.L., Oil yield and chemical composition of shale from northern Alaska. 17 p., 1 fig., 5 tables. (1965). 7.50; 4.00.
- (269) Plafker, George, 1967, Geologic map of the Gulf of Alaska Tertiary Province, Alaska. Scale 1:500 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-484.
- (270) Cobb, E.H., Wanek, A.A., Grantz, Arthur, and Carter, Claire, 1967, Mineral appraisal of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, St. Lazaria, Hazy Islands, and Forrester Island National Wildlife Refuges, Alaska. Superseded by: USGS Bulletin 1260-K.
- 67 - 10 (278) Barnes, D.F., Four preliminary gravity maps of parts of Alaska. 6 p. 1.50; 3.50.
- 67 - 29 (274) Brosge, W.P., Reiser, H.N., and TAILLEUR, I.L., Copper analyses of selected samples, southwestern Brooks Range, Alaska. 1 sheet. 3.50; 1.50.
- 67 - 35 Callahan, J.E., and Wanek, A.A., Geologic reconnaissance of possible powersites at Spur Mountain, Tyee, and Eagle Lakes, southeastern Alaska. 80 p. Superseded by: USGS Bulletin 1211-B.
- 67 - 44 (279) Chapman, R.M., and Foster, R.L., Locations and descriptions of lode mines and prospects in the Fairbanks district, Alaska. 30 p., 1 sheet. Superseded by: USGS Professional Paper 625-D.
- 67 - 49 (292) Cobb, E.H., Metallic mineral resources map of the Bendeleben quadrangle, Alaska. 10 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-417.
- 67 - 50 (281) Cobb, E.H., Metallic mineral resources map of the Big Delta quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-388.
- 67 - 51 (293) Cobb, E.H., Metallic mineral resources map of the Candle quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-389.

- 67 - 52 (288) Cobb, E.H., Metallic mineral resources map of the Chandalar quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-457.
- 67 - 53 (282) Cobb, E.H., Metallic mineral resources map of the Charley River quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-390.
- 67 - 54 (283) Cobb, E.H., Metallic mineral resources map of the Circle quadrangle, Alaska. 7 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-391.
- 67 - 55 (284) Cobb, E.H., Metallic mineral resources map of the Eagle quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-393.
- 67 - 56 (277) Cobb, E.H., Metallic mineral resources map of the Fairbanks quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-410.
- 67 - 57 (290) Cobb, E.H., Metallic mineral resources map of the Healy quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-394.
- 67 - 58 (285) Cobb, E.H., Metallic mineral resources map of the Livengood quadrangle, Alaska. 12 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-413.
- 67 - 59 (291) Cobb, E.H., Metallic mineral resources map of the Mount Hayes quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-414.
- 67 - 60 (294) Cobb, E.H., Metallic mineral resources map of the Solomon quadrangle, Alaska. 11 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-445.
- 67 - 61 (286) Cobb, E.H., Metallic mineral resources map of the Tanana quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-371.
- 67 - 62 (289) Cobb, E.H., Metallic mineral resources map of the Wiseman quadrangle, Alaska. 7 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-469.
- 67 - 63 (295) Cobb, E.H., Metallic mineral resources map of the Seward and Blying Sound quadrangles, Alaska. 14 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-466 (Seward) and MF-440 (Blying Sound).
- 67 - 64 (287) Collins, F.R., and Robinson, F.M., Subsurface stratigraphic, structural and economic geology, northern Alaska. 252 p., 19 figs., 2 tables, 16 pls. 37.25; 12.50.

- 67 - 82 (276) Detterman, R.L., and Reed, B.L., Surficial deposits of the Iliamna quadrangle, Alaska. Scale 1:200 000, 1 sheet. Superseded by: USGS Bulletin 1368-A.
- 67 - 91 (275) Foster, R.L., and Chapman, R.M., Locations and descriptions of lode prospects in the Livengood area, east-central Alaska. 6 p. 1.50; 3.50.
- 67 - 115 (268) Holmes, G.W., Location of pingolike mounds observed from the ground, from aerial reconnaissance, and on aerial photographs in interior Alaska. 13 p. 2.00; 3.50.
- 67 - 151 (280) MacKevett, E.M., Jr., Brew, D.A., Hawley, C.C., Huff, L.C., and Smith, J.G., Mineral resources of Glacier Bay National Monument, Alaska. 189 p., 48 figs. and tables, most in pocket. Superseded by: USGS Professional Paper 632, which has been partially superseded and supplemented by USGS Open-File Report 78-494.
- 67 - 156 (273) Miller, R.D., Profiles showing configuration and probable bottom deposits as interpreted from fathometer traverses across and along parts of Gastineau Channel, near Juneau, Alaska. 3.50; 1.50.
- 67 - 161 (271) Moore, G.W., Preliminary geologic map of Kodiak Island and vicinity, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 67 - 185 (272) Reed, B.L., Results of stream-sediment sampling and bedrock analyses in the eastern part of the Iliamna quadrangle, and at Kasna Creek, Lake Clark quadrangle, Alaska. 18 p., 4 tables (on 7 sheets). 7.50 Microfiche only.
- 67 - 197 Scott, R.A., Availability of palynological material from Naval Petroleum Reserve No. 4, part I: Simpson Test Well No. 1 and Simpson Core Tests Nos. 13 and 14. 2 p.
- 67 - 198 Scott, R.A., Availability of palynological material from Naval Petroleum Reserve No. 4, part II: Kaoluk Test Well No. 1. 2 p.
- (303) Averitt, Paul, 1968, Total estimated remaining coal resources of the United States, Jan. 1, 1967. 1 p.
- (321) U.S. Geological Survey, New copper-silver-zinc deposits in Alaska Range. 3 p. Superseded by: USGS Bulletin 1342.
- 68 - 4 (304) Barnes, D.F., Alaskan gravity base station network. 45 p. 6.75; 3.50.
- 68 - 6 (298) Barnwell, W.W., and George, R.S., Progress report 1966-67 water study, Greater Anchorage area, Alaska. 42 p., 1 sheet. 4.00 Microfiche only.
- 68 - 23 (336) Brosge, W.P., Brabb, E.E., and King, E.R., Geologic interpretation of reconnaissance aeromagnetic survey of northeastern Alaska. 3 sheets. Superseded by: USGS Bulletin 1271-F.
- 68 - 24 (323) Brosge, W.P., and Reiser, H.N., Geochemical reconnaissance of granitic rocks, Coleen and Table Mountain quadrangles, Alaska. Scale 1:250 000, 4 sheets. 14.00; 2.00.

- 68 - 35 (311) Clark, A.L., and Hawley, C.C., Reconnaissance geology, mineral occurrences, and geochemical anomalies of the Yentna district, Alaska. 45 p. (reduced copy, 2 pages per page), scale 1:63 360, 1 sheet. 11.25; 5.00.
- 68 - 39 (313) Cobb, E.H., Metallic mineral resources map of the Ambler River quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-454.
- 68 - 40 (312) Cobb, E.H., Metallic mineral resources map of the Baird Mountains quadrangle, Alaska. 3 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-386.
- 68 - 41 (332) Cobb, E.H., Metallic mineral resources map of the Bradfield Canal quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-418.
- 68 - 42 (333) Cobb, E.H., Metallic mineral resources map of the Craig quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-433.
- 68 - 43 (335) Cobb, E.H., Metallic mineral resources map of the Dixon Entrance quadrangle, Alaska. 3 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-434.
- 68 - 44 (315) Cobb, E.H., Metallic mineral resources map of the Hughes quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-458.
- 68 - 45 (318) Cobb, E.H., Metallic mineral resources map of the Iditarod quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-363.
- 68 - 46 (327) Cobb, E.H., Metallic mineral resources map of the Juneau quadrangle, Alaska. 8 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-435.
- 68 - 47 (334) Cobb, E.H., Metallic mineral resources map of the Ketchikan quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-420.
- 68 - 48 (320) Cobb, E.H., Metallic mineral resources map of the McGrath quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-379.
- 68 - 49 (319) Cobb, E.H., Metallic mineral resources map of the Medfra quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-365.
- 68 - 50 (326) Cobb, E.H., Metallic mineral resources map of the Mount Fairweather quadrangle, Alaska. 7 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-436.

- 68 - 51 (301) Cobb, E.H., Metallic mineral resources map of the Nome quadrangle, Alaska. 14 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-463.
- 68 - 52 (317) Cobb, E.H., Metallic mineral resources map of the Ophir quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-367.
- 68 - 53 (331) Cobb, E.H., Metallic mineral resources map of the Petersburg quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-415.
- 68 - 54 (330) Cobb, E.H., Metallic mineral resources map of the Port Alexander quadrangle, Alaska. 3 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-464.
- 68 - 55 (316) Cobb, E.H., Metallic mineral resources map of the Ruby quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-405.
- 68 - 56 (314) Cobb, E.H., Metallic mineral resources map of the Shungnak quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-448.
- 68 - 57 (328) Cobb, E.H., Metallic mineral resources map of the Sitka quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-467.
- 68 - 58 (325) Cobb, E.H., Metallic mineral resources map of the Skagway quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-424.
- 68 - 59 (329) Cobb, E.H., Metallic mineral resources map of the Sumdum quadrangle, Alaska. 3 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-425.
- 68 - 60 (338) Cobb, E.H., Metallic mineral resources map of nine Alaska quadrangles (Holy Cross, Kotzebue, Melozitna, Norton Bay, Nulato, Prince Rupert, Survey Pass, Taku River, and Unalakleet). 17 p., scale 1"=12 mi., 9 sheets. Superseded by: USGS Miscellaneous Field Studies Maps in the order of the quadrangles named above: MF-376, MF-421, MF-396, MF-381, MF-423, MF-437, MF-382, MF-407, MF-427.
- 68 - 61 (302) Cobb, E.H., and Sainsbury, C.L., Metallic mineral resources map of the Teller quadrangle, Alaska. 10 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-426.
- 68 - 72 (300) Detterman, R.L., and Reed, B.L., Geologic map of the Iliamna quadrangle, Alaska. Scale 1:250 000, 2 sheets. Superseded by: USGS Bulletin 1368-B.
- 68 - 94 (309) Elliott, R.L., and Reed, B.L., Results of stream-sediment sampling between Windy Fork and Post River, southern Alaska Range. 4 p., 1 table, scale 1:125 000, 1 sheet. 5.25; 4.00.

- 68 - 101 (324) Forbes, R.B., Pilkington, H.D., and Hawkins, D.B., Gold gradients and anomalies in the Pedro Dome - Cleary Summit area, Fairbanks district, Alaska. 43 p., 1 sheet. 6.00; 4.00.
- 68 - 102 (306) Foster, H.L., Reconnaissance geologic map of the Tanacross quadrangle, Alaska. 13 p., scale 1:250 000, 3 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-593.
- 68 - 103 (307) Foster, H.L., and Keith, T.C., Preliminary geologic map of the Eagle B-1 and C-1 quadrangles, Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 68 - 104 (322) Foster, R.L., Description of the Ruth Creek, Lillian Creek, Griffin, Old Smoky Sunshine No. 2, Olive Creek lode prospects, Livengood district, Alaska. 7 p., 5 sheets. 12.25; 6.00.
- 68 - 122 (305) Hawley, C.C., Clark, A.L., and Benfer, J.A., Geology of the Golden Zone mine area, Alaska. 16 p., 3 figs., 2 tables. 6.50; 4.00.
- 68 - 123 (337) Hawley, C.C., Meier, A.L., and Miller, R.L., Geochemical investigations at Antimony Creek antimony prospect, northern Talkeetna Mountains, Alaska. 9 p. 1.50; 3.50.
- 68 - 177 (297) Mertie, J.B., Jr., Platinum deposits of Alaska. 68 p., 2 sheets. Superseded by: USGS Professional Paper 630.
- 68 - 223 (310) Reed, B.L., and Elliott, R.L., Results of stream-sediment sampling in parts of the southern Alaska Range. 44 p., 6 sheets. 21.50; 5.50.
- 68 - 229 (308) Richter, D.H., Geology and lode gold deposits of the Nuka Bay area, Kenai Peninsula, Alaska. 46 p., scale 1:63 360. Superseded by: USGS Professional Paper 625-B.
- 68 - 238 (299) Scholl, D.W., and Hopkins, D.M., U.S. Geological Survey Bering Sea shelf seismic reflection records 1967 (R/V Thomas G. Thompson). 33 sheets.
- 68 - 310 (296) Varnes, D.J., Alaska railroad terminal reserve, Anchorage, soil-stability study - stability in the vicinity of boring lines 1 and 2. 43 p., 9 pls., plus photos. Superseded by: USGS Bulletin 1258-D.
- (352) Feulner, A.J., 1969, Data on wells in the Matanuska-Susitna Borough area, Alaska. 25 p.
- (360) Patton, W.W., Jr., and Dutro, J.T., Jr., 1969, Preliminary report on the Paleozoic and Mesozoic sedimentary sequence on St. Lawrence Island, Alaska. 19 p. Superseded by: USGS Professional Paper 650-D, p. D130-143.
- (369) Nelson, Hans, and Hopkins, D.M., 1969, Sedimentary processes and distribution of particulate gold in the northern Bering Sea. 51 p. (reduced copy, most pages are 2 per page), 2 sheets. Superseded by: USGS Professional Paper 689.
- (373) Patton, W.W., Jr., and Miller, T.P., 1969, Preliminary geologic investigations in the Kanuti River region, Alaska. 11 p. (reduced copy, 2 pages per page). Superseded by: USGS Bulletin 1312-J.

- (385) Churkin, Michael, Jr., and Brabb, E.E., 1969, Petroleum potential of the Kandik Basin east-central Alaska. 21 p. Superseded by: Prudhoe Bay discovery forces a look at other Alaska petroliferous areas: USGS Oil and Gas Journal, Nov. 17, 1969.
- 69 - 9 (375) Anderson, L.A., Reed, B.L., and Johnson, G.R., Preliminary geologic interpretation of aeromagnetic data in the Nixon Fork district, Alaska. 8 p., scale 1:63 360, 1 sheet. Superseded by: USGS Professional Paper 700-D, p. 129-133.
- 69 - 12 (376) Armstrong, A.K., Availability of petrographic thin-sections of the Lisburne Group from northeastern Brooks Range, Alaska. 1 pl. Superseded by: American Association of Petroleum Geologists Bulletin v. 54, no. 5, p. 687-698, 1970.
- 69 - 13 (389) Armstrong, A.K., Preliminary carbonate lithofacies maps and possible dolomite porosity trends, Mississippian-Pennsylvanian Lisburne Group, North Slope, Alaska. 16 p. Superseded by: Armstrong, A.K., and Mamet, B.L., 1970, Biostratigraphy and dolomite porosity trends of the Lisburne Group in Proceedings of the geologic seminar on the North Slope of Alaska: Los Angeles, American Association of Petroleum Geologists, Pacific Section, p. N 1 - N 16.
- 69 - 14 (382) Armstrong, A.K., Mamet, B.L., and Dutro, J.T., Jr., Foraminiferal zonation and carbonate facies of the Mississippian and Pennsylvanian Lisburne Group, central and eastern Brooks Range, arctic Alaska. 32 p., 1 pl. Superseded by: American Association of Petroleum Geologists Bulletin, v. 54, no. 5, p. 687-698, May 1970.
- 69 - 19 (351) Berg, H.C., Preliminary geologic map of Annette Island, Alaska. Scale 1:63 360, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map 1-684.
- 69 - 22 (341) Brabb, E.E., Preliminary geologic map of the Black River quadrangle, east-central Alaska. Scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map 1-601.
- 69 - 23 (361) Brew, D.A., and Ford, A.B., Minor element content of stream-sediment and bedrock samples from southeastern Douglas Island, southeastern Alaska. 3 p., 3 figs., 2 tables. 1.75; 5.50.
- 69 - 25 (370) Brosge, W.P., and Reiser, H.N., Preliminary geologic map of the Coleen quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 69 - 26 (364) Brosge, W.P., and Tailleux, I.L., Isopach maps of upper Paleozoic and Mesozoic rocks, northern Alaska. 17 p. 2.50; 3.50.
- 69 - 30 (378) Callahan, J.E., Wanek, A.A., Schell, E.M., Zeller, H.D., and Rohrer, W.L., Geology of T.1 S., R.44 W., unsurveyed, Umiat principal meridian, in the Kukpowruk coal field, Alaska. 19 p., 1 sheet. 6.50; 5.00.
- 69 - 41 (387) Clark, S.H.B., and Foster, H.L., Analyses of stream-sediment, rock, and soil samples from a part of the Seventymile River area, Eagle quadrangle, Alaska. 129 p., scale 1:63 360, 2 sheets. 26.50; 4.50.

- 69 - 42 (342) Clark, S.H.B., and Foster, H.L., Geochemical analyses of stream-sediment and rock samples, Tanacross quadrangle, Alaska. 14 p., scale 1:250 000, 1 sheet. 5.50; 4.00.
- 69 - 43 (349) Clark, S.H.B., and Foster, H.L., Preliminary geologic map of the Eagle D-2 and D-3 quadrangles, Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 69 - 45 (343) Cobb, E.H., Metallic mineral resources map of the Cordova quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-392.
- 69 - 46 (350) Cobb, E.H., Metallic mineral resources map of eleven Alaskan quadrangles. (Afognak, Beaver, Bering Glacier, Bettles, Karluk, Kenai, Middleton Island, Taylor Mountains, Trinity Islands, Tyonek and Yakutat.) Superseded by: USGS maps with the following numbers, in the order of the quadrangles mentioned above: USGS Miscellaneous Field Studies Map MF-470, MF-439, MF-373, MF-387, MF-459, MF-377, MF-380, MF-384, MF-468, MF-385, MF-408.
- 69 - 47 (395) Cobb, E.H., Metallic mineral resources map of Hagemeister Island quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-362.
- 69 - 48 (367) Cobb, E.H., Metallic mineral resources map of the Kodiak quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-460.
- 69 - 49 (345) Cobb, E.H., Metallic mineral resources map of the Seldovia quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-397.
- 69 - 50 (396) Cobb, E.H., Metallic mineral resources map of the Sleetmute quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-368.
- 69 - 51 (346) Cobb, E.H., Metallic mineral resources map of the Talkeetna Mountains quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-370.
- 69 - 52 (356) Cobb, E.H., and Matson, N.A., Jr., Metallic mineral resources map of the Anchorage quadrangle, Alaska. 12 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-409.
- 69 - 70 (392) Detterman, R.L., Analysis of selected limestone samples from Iliamna and Bruin Bay, Iliamna quadrangle, Alaska. 6 p. 1.50; 3.50.
- 69 - 71 (368) Detterman, R.L., and Cobb, E.H., Metallic mineral resources map of the Iliamna quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-364.
- 69 - 76 (391) Dobrovolsky, Ernest, Schmoll, H.R., and Yehle, L.A., Geologic environmental factors related to TAPS (Trans-Alaska Pipeline System) from Valdez to Fairbanks, Alaska. 1 sheet. 3.50; 1.50.

- 69 - 77 (428) Clark, A.L., and Cobb, E.H., Metallic mineral resources map of the Talkeetna quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-369.
- 69 - 89 (353) Elliott, R.L., and Miller, T.P., Results of stream-sediment sampling in the western Candle and southern Selawik quadrangles, Alaska. 61 p., scale 1:250 000, 1 sheet. 12.75; 4.00.
- 69 - 94 (386) Foster, H.L., and Clark, S.H.B., Analyses of stream-sediment and rock samples from the Fortymile area, Eagle quadrangle, Alaska. 102 p., scale 1:250 000, 2 sheets. 22.25; 4.50.
- 69 - 113 (381) Gryc, George, and TAILLEUR, I.L., Availability of petrographic thin-section slides from Naval Petroleum Reserve No. 4: Simpson Test Well No. 1, South Barrow Test Well No. 3, Topagoruk Test Well No. 1. 3 p., 1 pl. 1.50; 2.50.
- 69 - 114 (388) Gryc, George, and TAILLEUR, I.L., Availability of petrographic thin-section slides from Naval Petroleum Reserve No. 4, Supplement No. 1: South Barrow Test Well No. 2, South Barrow Test Well No. 4, Avak Test Well No. 1. 3 p. 1.50; 3.50.
- 69 - 115 (390) Gryc, George, TAILLEUR, I.L., and Brosge, W.P., Geologic framework on the "North Slope" petroleum province. 15 p. (reduced copy) 2.25; 3.50.
- 69 - 123 (363) Hawley, C.C., and Clark, A.L., Geochemical maps of an area northwest of the Chulitna River, central Alaska Range. 6 p., 6 sheets. 2.25; 3.50.
- 69 - 126 (362) Heropoulos, Chris, and Mays, R.E., Semiquantitative spectrographic analyses of nine specimens from the Mount Edgumbe volcanic field, Kruzof Island, southeastern Alaska. 3 p. 1.50; 3.50.
- 69 - 131 (347) Jackson, D.B., and Zahdy, A.A.R., Principal facts on electrical soundings near Anchorage, Alaska. 32 p., 1 sheet. 10.50; 4.00.
- 69 - 134 (379) Johnson, G.R., and Plafker, George, Preliminary geologic interpretation of aeromagnetic data in the Yakutat district, Alaska. 14 p., scale 1:63 360, 4 sheets. 16.00; 5.50.
- 69 - 160 (344) MacKevett, E.M., Jr., and Cobb, E.H., Metallic mineral resources map of the McCarthy quadrangle, Alaska. 9 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-395.
- 69 - 161 (348) MacKevett, E.M., Jr., and Plafker, George, Analyses of outcrop and stream-sediment samples from the Yakutat and Mt. St. Elias quadrangles, Alaska. 3 p., 3 tables. 14.25; 5.50. Superseded in part only by USGS Bulletin 1312-L.
- 69 - 163 (357) Matson, N.A., Jr., Metallic mineral resources map of the Gulkana quadrangle, Alaska. 5 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-419.
- 69 - 164 (358) Matson, N.A., Jr., Metallic mineral resources map of the Nabesna quadrangle, Alaska. 7 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-422.

- 69 - 165 (359) Matson, N.A., Jr., Metallic mineral resources map of the Valdez quadrangle, Alaska. 13 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-438.
- 69 - 169 (354) Miller, T.P., Results of stream-sediment sampling in the northern Melozitna, the Hughes, and the southern Shungnak quadrangles, west-central Alaska. 53 p., scale 1:250 000, 1 sheet. 11.50; 4.00.
- 69 - 170 (372) Miller, T.P., and Anderson, L.A., Airborne radioactivity and total intensity magnetic survey of the southern Kobuk-Selawik Lowland, western Alaska. 7 p., scale 1:63 360, 9 sheets. 29.00; 7.50.
- 69 - 206 (383) Pilkington, H.D., Forbes, R.B., Hawkins, D.B., Chapman, R.M., and Swainbank, R.C., Preliminary investigation of gold mineralization in the Pedro Dome - Cleary Summit area, Fairbanks district, Alaska. 47 p., (reduced size, actually printed on 26 pages), scale 1:40 000, 1 sheet. 7.25; 4.00.
- 69 - 208 (371) Plafker, George, and MacKevett, E.M., Jr., Mafic and ultramafic rocks from a layered pluton at Mount Fairweather, Alaska. 15 p. Superseded by: USGS Professional Paper 700-B, p. B21-26.
- 69 - 215 (355) Reed, B.L., and Anderson, L.A., Aeromagnetic maps of part of the southern Alaska Range. 9 p., scale 1:63 360, 2 sheets. 8.25; 4.50.
- 69 - 219 (339) Reimnitz, Erk, and von Huene, Roland, 1968, Bathymetry and isopach map of stratified Holocene sediments of Nuka Bay, Alaska. 2 p., scale 1:83,074, 2 sheets. 7.25; 4.50.
- 69 - 220 (340) Reiser, H.N., and TAILLEUR, I.L., Preliminary geologic map of Mt. Michelson quadrangle, Alaska. Scale 1:200 000, 1 sheet. Superseded by: USGS Open-File Report 71-237 (490).
- 69 - 223 (365) Richter, D.H., and Matson, N.A., Jr., Geochemical data from the Nabesna A-3 quadrangle, Alaska. 6 p., scale 1:63 360, 1 sheet. 3.25; 4.00.
- 69 - 224 (366) Richter, D.H., and Matson, N.A., Jr., Geochemical data from the Nabesna B-4 quadrangle, Alaska. 10 p., scale 1:63 360, 1 sheet. 4.75; 4.00.
- 69 - 236 (377) Sainsbury, C.L., Kachadoorian, Reuben, Hudson, Travis, Smith, T.E., Richards, T.W., and Todd, W.E., Reconnaissance geologic maps and sample data, Teller, A-1, A-2, A-3, B-1, B-2, B-3, C-1, and Bendeleben A-6, B-6, C-6, D-5, D-6 quadrangles, Seward Peninsula, Alaska. 49 p., scale 1:63 360, 12 sheets, 1 pl. 49.25; 10.00.
- 69 - 266 (384) Stevens, D.L., Forbes, R.B., and Hawkins, D.B., Gold anomalies and magnetometer profile data, Ester Dome area, Fairbanks district, Alaska. 43 p. (reduced format, printed on 22 p.) scale 1:5 280, 1 sheet. 6.75; 4.00.
- 69 - 294 (380) U.S. Geological Survey, Airborne geophysical surveys in Seward Peninsula area, Alaska. 11 sheets, 1 p. errata. 38.50; 5.50.
- 69 - 323 (374) Wolfe, J.A., Paleogene floras from the Gulf of Alaska region. 111 p., 6 pls. Superseded by: USGS Professional Paper 997, 108 p., 30 pls.

Water Resources Division Reports - 1969

WRD 69 - 3 (393) Water Resources Division, Water resources of the Arctic Slope region, Alaska, preliminary report. 31 p.

WRD 69 - 4 (394) Water Resources Division, Alaska District, Hydrologic observations, Fairbanks to Prudhoe Bay and other Arctic Slope areas, May 1969. 12 p.

(407) Richter, D.H., 1970, Reconnaissance geologic map of the Nabesna A-3 quadrangle, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-655.

(408) Richter, D.H., 1970, Reconnaissance geologic map of the Nabesna B-4 quadrangle, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-656.

(442) Barnes, Ivan, 1970, A brief hydrologic and geologic reconnaissance in the Cordova area, Alaska. 6 p.

70 - 5 (447) Alpha, T.R., Physiographic diagrams of parts of the continental borderlands of California and Alaska. 13 sheets. 42.00; 6.00.

70 - 16 (444) Ballance, W.C., Hydraulic tests in hole UA-1 and water inflow into an underground chamber, Amchitka Island, Alaska. 54 p. 3.50 Microfiche only.

70 - 18 (412) Barnes, D.F., and TAILLEUR, I.L., Preliminary interpretation of geophysical data from the lower Noatak River basin, Alaska. 19 p. (on 11 p., reduced copy), scale 1:250 000, 3 sheets. 12.00; 5.00.

70 - 20 (429) Bath, G.D., Carr, W.J., Gard, L.M., Jr., and Quinlivan, W.D., Interpretation of an aeromagnetic survey of the Amchitka Island area, Alaska. 87 p., 5 pls. Superseded by: USGS Professional Paper 707.

70 - 39 (401) Brosge, W.P., and Reiser, H.N., Chemical analyses of rock and soil samples, Chandalar and eastern Wiseman quadrangles, Alaska. 10 p., 2 sheets. 8.50; 4.50.

70 - 40 (402) Brosge, W.P., and Reiser, H.N., Chemical analyses of stream-sediment samples from the Chandalar and eastern Wiseman quadrangles, Alaska. 56 p., scale 1:250 000, 1 sheet. 5.00; 4.00.

70 - 41 (409) Brosge, W.P., Reiser, H.N., and Estlund, M.B., Chemical analyses of stream-sediment samples from the Sadlerochit-Jago Rivers area, Mt. Michelson and Demarcation Point quadrangles, Alaska. 44 p., scale 1:250 000, 1 sheet. 4.00 Microfiche only.

70 - 62 (443) Childers, J.M., A proposed streamflow-data program in Alaska. 55 p., 1 sheet. 8.25; 4.00.

70 - 63 (452) Childers, J.M., Flood frequency in Alaska. 30 p., 1 sheet. 8.00; 4.00.

- 70 - 64 (448) Churkin, Michael, Jr., Paleozoic and Precambrian rocks of Alaska and their role in its structural evolution. 168 p., 2 pls. Superseded by: USGS Professional Paper 740.
- 70 - 65 (417) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Craig B-3 quadrangle, Alaska. 100 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 66 (418) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Craig B-4 quadrangle, Alaska. 98 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 67 (419) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Craig B-5 quadrangle, Alaska. 89 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 68 (420) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock samples from the Craig B-6 quadrangle, Alaska. 45 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 69 (421) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Craig C-5 quadrangle, Alaska. 80 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 70 (422) Clark, A.L., Berg, H.C., Grybeck, D.A., Ovenshine, A.T., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Craig C-6 quadrangle, Alaska. 81 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 71 (430) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum A-3 quadrangle, Alaska. 98 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 72 (431) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum A-4 quadrangle, Alaska. 97 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 73 (432) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum B-3 quadrangle, Alaska. 95 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 74 (433) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum B-4 quadrangle, Alaska. 104 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 75 (434) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum B-5 quadrangle, Alaska. 85 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 76 (435) Clark, A.L., Brew, D.A., Grybeck, D.A., and Wehr, Raymond, Analyses of rock and stream-sediment samples from the Sumdum C-4 quadrangle, Alaska. 86 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.

- 70 - 78 (437) Clark, A.L., Condon, W.H., Hoare, J.M., and Sorg, D.H., Analyses of rock and stream-sediment samples from the Taylor Mountains A-6 and southern part of Taylor Mountains B-6 quadrangles, Alaska. 94 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 79 (438) Clark, A.L., Condon, W.H., Hoare, J.M., and Sorg, D.H., Analyses of rock and stream-sediment samples from the northern part of the Taylor Mountains B-6 quadrangle, Alaska. 89 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 80 (439) Clark, A.L., Condon, W.H., Hoare, J.M., and Sorg, D.H., Analyses of rock and stream-sediment samples from the Taylor Mountains C-8 quadrangle, Alaska. 110 p., scale 1:63 360, 1 sheet. 4.00 Microfiche only.
- 70 - 83 (415) Cobb, E.H., Metallic mineral resources map of the Bethel quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-455.
- 70 - 84 (403) Cobb, E.H., Metallic mineral resources maps of seven Alaska quadrangles, Chignik, Cold Bay, Dillingham, Lake Clark, Naknek, Port Moller, and Unalaska. 15 p., scale 1:500 000, 7 sheets. Superseded by: USGS Miscellaneous Field Studies Maps with the following numbers, in sequence of quadrangles named above: MF-374, MF-441, MF-375, MF-378, MF-442, MF-443, MF-446.
- 70 - 85 (416) Cobb, E.H., and Condon, W.H., Metallic mineral resources map of the Goodnews quadrangle, Alaska. 4 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-447.
- 70 - 101 (404) Detterman, R.L., Analysis of Shublik formation rocks from Mt. Michelson quadrangle, Alaska. 1 p., 3 sheets. 4.25; 4.00.
- 70 - 122 (450) Feulner, A.J., Water-resources reconnaissance of the Kwiguk (Emmonak) area, Alaska. 8 p. 3.50 Microfiche only.
- 70 - 127 (423) Foster, H.L., Analyses of stream-sediment and rock samples from the southwestern and central parts of the Eagle quadrangle, Alaska. 136 p., scale 1:250 000, 2 sheets. 18.75; 4.50.
- 70 - 139 (436) Grantz, Arthur, Hanna, W.F., and Wolf, S.C., Chukchi Sea seismic reflection and magnetic profiles 1969, between northern Alaska and international date line. 28 sheets. 23.25; 13.50.
- 70 - 142 (414) Greene, H.G., Morphology, sedimentation and seismic characteristics of an arctic beach, Nome, Alaska - with economic significances. 139 p. 3.50 Microfiche only.
- 70 - 163 (427) Hoare, J.M., and Cobb, E.H., Metallic mineral resources map of the Russian Mission quadrangle, Alaska. 6 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-444.
- 70 - 257 (410) Patton, W.W., Jr., Petroleum possibilities of the Yukon-Koyukuk province, Alaska. 7 p. (Some pages have been reduced and are printed 2 per page), 1 pl. Superseded by: American Association of Petroleum Geologists Memoir 15.

- 70 - 258 (425) Patton, W.W., Jr., and Csejtey, Béla, Jr., Analyses of stream-sediment samples from western St. Lawrence Island, Alaska. 50 p., scale 1:25 000, 1 sheet. 11.50; 4.00.
- 70 - 259 (424) Patton, W.W., Jr., and Csejtey, Béla, Jr., Preliminary geologic investigations of western St. Lawrence Island, Alaska. 32 p., 7 pls. Superseded by: USGS Professional Paper 684-C.
- 70 - 271 (413) Reed, B.L., and Elliott, R.L., Reconnaissance geologic map, analyses of bedrock and stream-sediment samples, and an aeromagnetic map of parts of the southern Alaska Range. 145 p., scale 1:250 000, 4 sheets. 35.75; 5.50.
- 70 - 273 (440) Reiser, H.N., Dutro, J.T., Jr., Brosge, W.P., Armstrong, A.K., and Detterman, R.L., Progress map, geology of the Sadlerochit and Shublik Mountains, Mt. Michelson C-1, C-2, C-3, and C-4 quadrangles, Alaska. Scale 1:63 360, 5 sheets. 4.75; 2.00.
- 70 - 275 (397) Richter, D.H., and Matson, N.A., Jr., Geochemical data from the Nabesna A-2 quadrangle, Alaska. 7 p., scale 1:63 360, 1 sheet. 4.50; 4.00.
- 70 - 276 (398) Richter, D.H., and Matson, N.A., Jr., Geochemical data from the Nabesna A-4 quadrangle, Alaska. 8 p., scale 1:63 360, 1 sheet. 2.00; 4.00.
- 70 - 283 (411) Sainsbury, C.L., Geologic map of the Teller quadrangle, western Seward Peninsula, Alaska. 17 p., scale 1:250 000, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-685.
- 70 - 284 (399) Sainsbury, C.L., Kachadoorian, Reuben, and Smith, T.E., Fluorite prospects in the northwestern Kigluaik Mountains, Nome D-2 quadrangle, Alaska. 11 p. 1.50; 3.50.
- 70 - 292 (400) Scholl, D.W., and Marlow, M.S., Bering Sea, seismic reflection profiles, 1969. 18 sheets. 24.25; 11.50.
- 70 - 309 (405) Smith, T.E., Gold resource potential of the Denali bench gravels, Alaska. 21 p. Superseded by: USGS Professional Paper 700-D, p. 146-152.
- 70 - 310 (441) Smith, T.E., Results of geochemical sampling in the western Clearwater Mountains, Alaska. 249 p. 3.50 Microfiche only.
- 70 - 318 (446) Tagg, A.R., and Greene, H.G., High-resolution seismic survey of a nearshore area, Nome, Alaska. 48 p., 5 pls. Superseded by: USGS Professional Paper 759-A.
- 70 - 319 (445) Tailleur, I.L., Lead-zinc and barite-bearing samples from the western Brooks Range, Alaska, with a section on petrography and mineralogy by G.D. Eberlein and Ray Wehr. 16 p. 2.50; 3.50.
- 70 - 363 (449) Weeks, J.B., Water-resources reconnaissance of the Golovin area, Alaska. 10 p. 3.50 Microfiche only.
- 70 - 364 (451) Weeks, J.B., Water-resources reconnaissance of the Old Harbor area, Kodiak Island, Alaska. 8 p. 3.50 Microfiche only.

- 70 - 369 (406) Winkler, G.R., and MacKevett, E.M., Jr., Analyses of bedrock and stream-sediment samples from the Haines-Porcupine region, southeastern Alaska. 91 p., scale 1:125 000, 1 sheet. 16.25; 4.00.
- 70 - 370 (426) Winkler, G.R., and MacKevett, E.M., Jr., Analyses of stream-sediment samples from the McCarthy C-8 quadrangle, southern Wrangell Mountains, Alaska. 45 p., scale 1:63 360, 1 sheet. 10.25; 4.00.
- (455) Addicott, W.O., Kanno, Saburo, Sakamoto, Kenji, and Miller, D.J., 1971, Clark's Tertiary molluscan types from the Yakataga District, Gulf of Alaska. 21 p., Superseded by: USGS Professional Paper 750-C, p. 18-21, 1971.
- (480) Anderson, G.S., and Jones, S.H., 1971, Hydrologic data of the Kenai-Soldotna area, Alaska. 58 p., 1 sheet.
- 71 - 6 (501) Anderson, G.S., Ground-water exploration, Beaver Creek valley near Kenai, Alaska. 27 p. 3.50 Microfiche only.
- 71 - 7 (497) Anderson, G.S., and Jones, S.H., Lake-level fluctuations in the Kenai-Soldotna area, Alaska, 1967-71. 5 p. 3.50 Microfiche only.
- 71 - 9 (482) Armstrong, A.K., Pennsylvanian carbonates, paleoecology and stratigraphy, north flank, eastern Brooks Range, arctic Alaska. 17 p. approx., 2 pls. Superseded by: USGS Professional Paper 747.
- 71 - 14 (467) Barnes, D.F., Preliminary Bouguer anomaly and specific gravity map of Seward Peninsula and Yukon Flats, Alaska. 11 p., scale 1:1 000 000, 4 sheets. 15.75; 5.50.
- 71 - 54 (463) Brobst, D.A., Pinckney, D.M., and Sainsbury, C.L., Geology and geochemistry of the Simuk River barite deposits, Seward Peninsula, Alaska. 31 p. Superseded by: USGS Professional Paper 750-D, p. 1-8, 1971.
- 71 - 55 (466) Brosge, W.P., and Conradi, Arthur, Jr., Magnetic susceptibility of crystalline rock samples, Yukon River - Porcupine River area, east-central Alaska. 8 p., 1 sheet. 4.75; 4.00.
- 71 - 56 (479) Brosge, W.P., and Reiser, H.N., Preliminary bedrock geologic map, Wiseman and eastern Survey Pass quadrangles, Alaska. 7.00; 1.50.
- 71 - 61 (496) Callahan, J.E., Geology and coal resources of T.6 S., R.51 W., unsurveyed, Umiat principal meridian, in the Cape Beaufort coal field, northwestern Alaska. 18 p., 3 tables, 1 pl. 6.75; 5.00.
- 71 - 66 (483) Chapman, R.M., Weber, F.R., and Taber, Bond, Preliminary geologic map of the Livengood quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 71 - 67 (456) Clark, A.L., Berg, H.C., Grybeck, Donald, and Ovenshine, A.T., Reconnaissance geology and geochemistry of Forrester Island National Wildlife Refuge, Alaska. 8 p., scale 1:63 360, 1 sheet. 4.50; 4.00.
- 71 - 68 (458) Clark, A.L., Condon, W.H., Hoare, J.M., and Sorg, D.H., Analyses of stream-sediment samples from the Taylor Mountains D-8 quadrangle, Alaska. 60 p., scale 1:63 360, 1 sheet. 12.50; 4.00.

- 71 - 70 (475) Clark, S.B., and Bartsch, S.R., Reconnaissance geologic map and geochemical analyses of stream-sediment and rock samples of the Anchorage B-6 quadrangle, Alaska. 63 p., scale 1:63 360, 2 sheets. 16.50; 4.50.
- 71 - 71 (484) Clark, S.B., and Bartsch, S.R., Reconnaissance geologic map and geochemical analyses of stream-sediment and rock samples of the Anchorage B-7 quadrangle, Alaska. 70 p., scale 1:63 360, 2 sheets. 17.50; 4.50.
- 71 - 72 (459) Cobb, E.H., Metallic mineral resources map of Mt. McKinley quadrangle, Alaska. 7 p., scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-366.
- 71 - 82 (477) Csejtey, Béla, Jr., Patton, W.W., Jr., and Miller, T.P., Cretaceous plutonic rocks of St. Lawrence Island, A preliminary report. 21 p., 4 pls. Superseded by: USGS Professional Paper 750-D, p. 68-76, 1971.
- 71 - 85 (476) Detterman, R.L., Arctic Mesozoic correlation chart. 1970. 3.50; 1.50.
- 71 - 91 (499) Dutro, J.T., Jr., Reiser, H.N., Detterman, R.L., and Brosge, W.P., Early Paleozoic fossils in the Nervokpuk Formation, northeast Alaska. 5 p. 3.50 Microfiche only.
- 71 - 101 (491) Ferrians, O.J., Jr., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Beechy Point and Sagavanirktok quadrangles. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 102 (494) Ferrians, O.J., Jr., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Gulkana quadrangle. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 103 (492) Ferrians, O.J., Jr., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Philip Smith Mountains quadrangle. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 104 (495) Ferrians, O.J., Jr., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Valdez quadrangle. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 105 (481) Feulner, A.J., Childers, J.M., and Norman, V.W., Water resources of Alaska. 60 p. 3.50 Microfiche only.
- 71 - 110 (468) Foster, H.L., Analyses of stream-sediment and rock samples from the eastern part of the Eagle quadrangle, east-central Alaska. 53 p., scale 1:250 000, 2 sheets. 15.25; 4.50.
- 71 - 111 (469) Foster, H.L., Analyses of stream-sediment and rock samples from the northwestern part of the Eagle quadrangle, east-central Alaska. 75 p., scale 1:250 000, 2 sheets. 14.75; 4.00.
- 71 - 112 (470) Foster, H.L., and Yount, M.E., Maps showing distribution of anomalous amounts of selected elements in stream-sediment and rock samples from the Eagle quadrangle, east-central Alaska. 8 p., scale 1:250 000, 2 sheets. 8.00; 4.50.

- 71 - 125 (498) Grantz, Arthur, Hanna, W.F., and Wallace, S.L., Chukchi Sea seismic reflection profiles and magnetic data, 1970, between northern Alaska and Herald Island. 32 sheets profiles, 2 sheets magnetic data, 1 location map. 40.75; 17.50.
- 71 - 147 (485) Hawkins, D.B., and Forbes, R.B., Investigation of gold mineralization along a part of the Elliott Highway, Fairbanks district, Alaska. 65 p., 1 sheet. 8.75; 4.00.
- 71 - 164 (487) Kachadoorian, Reuben, Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Bettles and Beaver quadrangles. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 165 (489) Kachadoorian, Reuben, Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Tanana and Livengood quadrangles. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 166 (486) Kachadoorian, Reuben, Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Wiseman and Chandalar quadrangles. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 175 (502) Krinsley, D.B., Davies, W.E., Rachlin, J., and Newton, E.G., Existing environment of natural corridors from Prudhoe Bay, Alaska, to Edmonton, Canada. 104 p., 1 sheet. 11.50; 4.00.
- 71 - 190 (520) McConaghy, J.A., and Bowman, W.N., Water resources of the City and Borough of Juneau, Alaska. 62 p., 1 sheet. 10.00; 4.00.
- 71 - 195 (500) MacKevett, E.M., Jr., Analyses of samples and preliminary geologic summary of barite-silver-base metal deposits near Glacier Creek, Skagway B-4 quadrangle, southeastern Alaska. 8 p. 1.25; 3.50.
- 71 - 202 (471) Matson, N.A., and Richter, D.H., Geochemical data from the Nabesna A-1 quadrangle, Alaska. 10 p., scale 1:63 360, 1 sheet. 5.00; 4.00.
- 71 - 203 (472) Matson, N.A., and Richter, D.H., Geochemical data from the Nabesna C-4 quadrangle, Alaska. 6 p., scale 1:63 360, 1 sheet. 2.00; 4.00.
- 71 - 204 (473) Matson, N.A., and Richter, D.H., Geochemical data from the Nabesna C-5 quadrangle, Alaska. 10 p., scale 1:63 360, 1 sheet. 2.50; 4.00.
- 71 - 205 (474) Matson, N.A., and Richter, D.H., Geochemical data from the Nabesna D-5 quadrangle, Alaska. 8 p., scale 1:63 360, 1 sheet. 2.25; 4.00.
- 71 - 210 (454) Miller, T.P., Petrology of the plutonic rocks of west-central Alaska. 145 p., 3 sheets. 32.00; 5.00.
- 71 - 211 (478) Miller, T.P., Elliott, R.L., Grybeck, D.H., and Hudson, T.L., Results of geochemical sampling in the northern Darby Mountains, Seward Peninsula, Alaska. 12 p. 1.75; 3.50.
- 71 - 224 (461) Patton, W.W., Jr., and Csejtey, Béla, Jr., Preliminary geologic investigations of eastern St. Lawrence Island, Alaska. 52 p., scales 1:25 000 and 1:250 000, 2 sheets. 12.25; 4.00.

- 71 - 237 (490) Reiser, H.N., Brosge, W.P., Jr., Dutro, J.T., Jr., and Detterman, R.L., Preliminary geologic map, Mt. Michelson quadrangle, Alaska. Scale 1:200 000, 2 sheets. 7.00; 1.50. Supersedes USGS Open-File Report OF 69-220 (340).
- 71 - 247 (504) Schmoll, H.R., and Dobrovolny, Ernest, Generalized slope map of the Eagle River - Birchwood area, greater Anchorage area Borough, Alaska. Scale 1:63 360; 1 sheet. 3.50; 1.50.
- 71 - 248 (503) Schmoll, H.R., Dobrovolny, Ernest, and Zenone, Chester, Generalized geologic map of the Eagle River - Birchwood area, greater Anchorage area Borough, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-A.
- 71 - 257 (464) Sheth, Madhusudan, A heavy mineral study of Pleistocene and Holocene sediments near Nome, Alaska. 96 p. 3.50 Microfiche only.
- 71 - 276 (453) Tailleir, I.L., ed., Translation of 1964 Russian correlations between Wrangel Island and northern Alaska. 13 p. 3.50 Microfiche only.
- 71 - 284 (462) Tourtelot, H.A., and Tailleir, I.L., The Shublik Formation and adjacent strata in northeastern Alaska. 64 p. 13.00; 4.00.
- 71 - 310 (465) Venkatarathnam, Kolla, Heavy minerals on the continental shelf of the northern Bering Sea. 93 p. 3.50 Microfiche only.
- 71 - 317 (488) Weber, F.R., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Fairbanks and Big Delta quadrangles. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 318 (493) Weber, F.R., Preliminary engineering geologic maps of the proposed trans-Alaska pipeline route, Mt. Hayes quadrangle. Scale 1:125 000, 2 sheets. 7.00; 1.50.
- 71 - 328 (457) Winkler, G.R., MacKevett, E.M., Jr., and Smith, J.G., Geochemical reconnaissance of the McCarthy B-6 quadrangle, Alaska. 8 p., scale 1:63 360, 1 sheet. 4.75; 4.00.
- (513) Schmoll, H.R., and Dobrovolny, E., 1972, Generalized geologic map of Anchorage and vicinity, greater Anchorage area Borough, Alaska. Scale 1:24 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-A.
- (518) Schmoll, H.R., and Dobrovolny, E., 1972, Slope map of Anchorage and vicinity, greater Anchorage area Borough, Alaska. Scale 1:24 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-B.
- (533) Nelson, C.H., Pierce, D.E., Leong, K.W., and Wang, F.F.H., 1972, Mercury distribution in ancient and modern sediment of northeastern Bering Sea. 29 p. Superseded by: Marine Geology, v. 18, p. 91-104, 1975.
- (552) Tailleir, I.L., 1972, Probable rift origin of the Canada Basin, Arctic Ocean. 14 p. Superseded by: Arctic Geology, American Association of Petroleum Geologists Memoir 19, p. 526-535.

- 72 - 5 (549) Alpha, T.R., Physiographic diagrams for *Ventura-Oxnard offshore, Astoria Canyon and fan, Newport, northern Bering Sea, the Aleutian-Kamchatka convergence, Caribbean Arc-Hispaniola to Guadalupe, Bahia de Campeche, British Honduras and Venezuelan borderland*. 9 sheets. 31.50; 4.50.
- 72 - 7 (574) Anderson, G.S., and Jones, S.H., *Water resources of the Kenai-Soldotna area, Alaska*. 81 p., 2 sheets. 13.50; 4.50.
- 72 - 16 (529) Barnes, D.F., *Notes on the processing and presentation of U.S. Geological Survey Alaskan gravity data*. 25 p. 3.50 Microfiche only.
- 72 - 17 (525) Barnes, D.F., *Sixteen 1:250 000 simple Bouguer gravity anomaly maps of southeastern Alaska showing station locations, anomaly values, and generalized 10-milligal contours*. 16 sheets including: Prince Rupert, Dixon Entrance, Craig, Ketchikan, Bradfield Canal, Petersburg, Port Alexander, Sitka, Sumdum, Taku River, Juneau, Atlin, Skagway, Yakutat, Icy Bay, and Bering Glacier. 56.00; 8.00.
- 72 - 18 (526) Barnes, D.F., *Southeast Alaska gravity base station network*. 40 p. 3.50 Microfiche only.
- 72 - 19 (524) Barnes, D.F., *Summary operational report of a preliminary gravity survey of southeastern Alaska*. 12 p. 3.50 Microfiche only.
- 72 - 20 (527) Barnes, D.F., Olson, R.C., Holden, K.D., Morin, R.L., and Erwin, M.J., *Tabulated gravity data from southeastern Alaska obtained during the 1968 field season*. 76 p. 3.50 Microfiche only.
- 72 - 21 (528) Barnes, D.F., Popenoe, Peter, Olson, R.C., MacKenzie, M.V., and Morin, R.L., *Tabulated gravity data from southeastern Alaska obtained during the 1969 field season*. 75 p. 3.50 Microfiche only.
- 72 - 64 (538) Carter, R.D., and Adkison, W.L., *Correlation of subsurface Tertiary rocks, Cook Inlet Basin, Alaska*. 8 p., 2 correlation charts. 8.25; 4.50.
- 72 - 67 (530) Chapman, R.M., and Weber, F.R., *Geochemical analyses of bedrock and stream-sediment samples from the Livengood quadrangle, Alaska*. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 72 - 69 (534) Clark, A.L., Berg, H.C., Cobb, E.H., Eberlein, G.D., MacKevett, E.M., Jr., and Miller, T.P., *Metal provinces of Alaska*. 4 p, scale 1:250 000, 3 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-834.
- 72 - 70 (522) Clark, S.B., *The Wolverine complex, a newly discovered layered ultramafic body in the western Chugach Mountains, Alaska*. 10 p., 5.00; 4.00.
- 72 - 71 (508) Cobb, E.H., *Placer deposits of Alaska*. 132 p., 1 pl. Superseded by: USGS Bulletin 1374.
- 72 - 108 (545) Emmett, W.W., *The hydraulic geometry of some Alaska streams south of the Yukon River*. 108 p. 3.50 Microfiche only.
- 72 - 122 (523) Foster, H.L., and Yount, M.E., *Analyses of stream-sediment and rock samples from parts of the Eagle quadrangle, east-central Alaska*. 102 p., scale 1:250 000, 2 sheets. 22.25; 4.50.

- 72 - 128 (535) Gedney, L., Shapiro, L., VanWormer, D., and Weber, F., Correlation of epicenters with mapped faults, east-central Alaska, 1968-1971. 7 p., scale 1:1 000 000, 1 sheet. 4.50; 4.00.
- 72 - 137 (507) Grantz, Arthur, Hanna, W.F., and Wallace, S.L., Chukchi Sea seismic reflection and magnetic profiles, 1971, between northern Alaska and Herald Island. 38 sheets seismic profiles, 2 sheets magnetic profiles, 2 locations maps and index map H. 58.00; 21.50.
- 72 - 138 (551) Grantz, Arthur, Holmes, M.L., Riley, D.C., and Wallace, S.L., Seismic, magnetic and gravity profiles - Chukchi Sea and adjacent Arctic Ocean, 1972: Part I, Seismic reflection profiles. 19 sheets seismic reflection profiles, one 1972 profile location map, 1 index map of seismic profiles. 7.00; 1.50. Pt. 2 is USGS Open-File Report OF 73-38 (573).
- 72 - 215 (542) Lamke, R.D., Floods in the summer of 1971 in south-central Alaska. 88 p. 3.50 Microfiche only.
- 72 - 229 (515) Lemke, R.W., and Yehle, L.A., Reconnaissance engineering geology of the Haines area, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 109 p., scale 1:24 000, 2 sheets. 18.50; 5.50.
- 72 - 230 (516) Lemke, R.W., and Yenle, L.A., Regional and other general factors bearing on evaluation of earthquake and other geologic hazards to coastal communities of southeastern Alaska. 99 p., 1 pl. 3.50 Microfiche only.
- 72 - 248 (536) Marsh, W.R., Sainsbury, C.L., Hamilton, J.C., and Ewing, Rodney, Tin in panned concentrates, Serpentine River, Seward Peninsula, Alaska. 7 p. 1.50; 3.50.
- 72 - 250 (532) Matson, N.A., Jr., and Richter, D.H., Additional geochemical data from the Nabesna C-4 and D-5 quadrangles, Alaska. 6 p. 1.50; 3.50.
- 72 - 251 (531) Matson, N.A., Jr., and Richter, D.H., Geochemical data from the Nabesna B-3 quadrangle, Alaska. 41 p., scale 1:63 360; 1 sheet. 9.75; 4.00.
- 72 - 255 (517) Miller, R.D., Surficial geology of the Juneau urban area and vicinity, Alaska, with emphasis on earthquake and other geologic hazards. 108 p., 11 pls. 42.50; 9.00
- 72 - 256 (537) Miller, T.P., Grybeck, D.G., Elliott, R.L., and Hudson, Travis, Preliminary geologic map of the eastern Solomon and southeastern Bendeleben quadrangles, eastern Seward Peninsula, Alaska. 11 p., 2 sheets. 8.75; 4.50.
- 72 - 293 (521) Patton, W.W., Jr., and Csejtey, Béla, Jr., Analyses of stream-sediment and rock samples from St. Lawrence Island, Alaska: 1966-1971. 82 p., 2 sheets. 19.25; 4.50.
- 72 - 312 (548) Reimnitz, Erk, Wolf, S.C., and Rodeick, C.A., Preliminary interpretation of seismic profiles in the Prudhoe Bay area, Beaufort Sea, Alaska. 11 p., scale 1:80 000, 4 sheets. 14.75; 5.50.

- 72 - 313 (509) Richter, D.H., Reconnaissance geologic map of the Nabesna A-4 quadrangle, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-789.
- 72 - 321 (506) Sainsbury, C.L., Hudson, Travis, Ewing, Rodney, and Marsh, W.R., Reconnaissance geologic map of the Nome C-2 quadrangle, Seward Peninsula, Alaska. 13 p., scale 1:63 360, 1 sheet. 5.75; 4.00.
- 72 - 322 (510) Sainsbury, C.L., Hudson, Travis, Ewing, Rodney, and Marsh, W.R., Reconnaissance geologic map of the Nome C-3 quadrangle, Seward Peninsula, Alaska. 9 p., scale 1:63 360, 1 sheet. 5.00; 4.00.
- 72 - 323 (511) Sainsbury, C.L., Hudson, Travis, Ewing, Rodney, and Marsh, W.R., Reconnaissance geologic map of the Solomon D-5 and C-5 quadrangles, Seward Peninsula, Alaska. 12 p., scale 1:63 360, 2 sheets. 8.75; 4.50.
- 72 - 324 (544) Sainsbury, C.L., Hudson, Travis, Ewing, Rodney, and Marsh, W.R., Reconnaissance geologic map of the west half of the Solomon quadrangle, Alaska. 10 p., scale 1:63 360, 1 sheet. 5.25; 4.00.
- 72 - 325 (512) Sainsbury, C.L., Hudson, Travis, Ewing, Rodney, and Richards, Thomas, Reconnaissance geologic map of the Solomon D-6 quadrangle, Seward Peninsula, Alaska. 17 p., scale 1:63 360, 1 sheet. 6.25; 4.00.
- 72 - 326 (543) Sainsbury, C.L., Hummel, C.L., and Hudson, Travis, Reconnaissance geologic map of the Nome quadrangle, Seward Peninsula, Alaska. 28 p., scale 1:250 000, 1 sheet. 8.00; 4.00.
- 72 - 327 (514) Sainsbury, C.L., Smith, T.E., and Kachadoorian, Reuben, Reconnaissance geologic map of the Nome D-3 quadrangle, Seward Peninsula, Alaska. 10 p., scale 1:63 360, 1 sheet. 5.25; 4.00.
- 72 - 348 (540) Sloan, C.E., Water-resources reconnaissance of Anaktuvuk Pass, Alaska. 12 p. 3.50 Microfiche only.
- 72 - 349 (541) Sloan, C.E., and Bredehoeft, J.D., Some effects of a heated pipeline on groundwater flow in Alaska. 25 p. 3.25; 3.50.
- 72 - 372 (547) Tailleux, I.L., Mamet, B.L., and Dutro, J.T., Jr., Revised age and structural interpretation of the Nuka Formation at Nuka Ridge, northwestern Alaska. 10 p. Superseded by: American Association of Petroleum Geologists Bulletin 57, p. 1348-52, 1972.
- 72 - 383 (505) U.S. Geological Survey, Aeromagnetic data from S.W. Naval Petroleum Reserve, Alaska. 4 sheets. 14.00; 2.00.
- 72 - 394 (546) U.S. Geological Survey, Alaskan Geology Branch, The status of mineral resource information on the major land withdrawals of the Alaska Native Claims Settlement Act of 1971. 175 p., 5 p. of tables, 1 pl. 4.00 Microfiche only.
- 72 - 454 (550) Yehle, L.A., and Lemke, R.W., Reconnaissance engineering geology of the Skagway area, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 108 p., scale 1:9 600, 3 sheets. 4.50 Microfiche only.

Water Resources Division Reports - 1972

- (519) Anderson, G.S., 1972, Aquifer test, Soldotna, Alaska. 17 p.
- (565) Childers, J.M., 1972, Flood surveys along proposed TAPS route, Alaska, July 1971. 16 p. (Basic data report). Superseded by: annual updates.
- (566) Jones, S.H., 1972, Surface-water investigations at Barrow, Alaska. Water Resources Division, Alaska District prepared in cooperation with the United States Public Health Service. (Basic Data Report) 16 p.
- (576) Childers, J.M., 1972, Channel erosion surveys along proposed TAPS route, Alaska, July 1971. 79 p.
-
- (571) Schmoll, H.R., and Dobrovolny, Ernest, 1973, Foundation and excavation conditions map of Anchorage and vicinity, Alaska. Scale 1:24 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-D.
- (580) Dobrovolny, Ernest, and Schmoll, H.R., 1973, Slope-stability map of Anchorage and vicinity, Alaska. Scale 1:24 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-E.
- 73 - 1 (569) Adkison, W.L., and Newman, K.R., Lithologic characteristics and palynology of Upper Cretaceous and Tertiary rocks in the Deep Creek Unit well, Kenai Peninsula, Alaska. 271 p., 1 pl. 44.25; 4.00.
- 73 - 16 (578) Barnes, D.F., U.S. Geological Survey Alaskan gravity data maps of Medfra and McGrath quadrangle. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 73 - 17 (577) Barnes, D.F., and Olson, R.C., and Rambo, W.L., Tabulated gravity data from McGrath and Medfra quadrangles, Alaska. 32 p. 4.75; 3.50.
- 73 - 18 (561) Barnes, P.W., Reimnitz, Erk, Gustafson, C.W., and Larsen, B.R., U.S. Geological Survey marine geologic studies in the Beaufort Sea off northern Alaska, 1970 through 1972; data type and location. 38 p., 5 sheets. 23.25; 6.00.
- 73 - 31 (539) Brice, James, Measurement of lateral erosion at proposed river crossing sites of the Alaska pipeline. 39 p. 5.25; 3.50.
- 73 - 38 (573) Cady, J.W., Ruppel, B.D., McHendrie, A.C., and Deas, H.S., Seismic, magnetic and gravity profiles - Chukchi Sea and adjacent Arctic Ocean, 1972: Part 2, Magnetic and gravity profiles. 28 sheets magnetic and gravity profiles, 1 index map. 30.50; 14.50. Pt. 1 is USGS Open-File Report OF 72-138 (551).
- 73 - 47 (564) Cobb, E.H., Index of metallic mineral deposits of Alaska compiled from reports in open files of the U.S. Geological Survey and U.S. Bureau of Mines through 1972. 87 p. 3.50 Microfiche only.
- 73 - 140 (581) Keith, T.E.C., and Foster, H.L., Basic data on the ultramafic rocks of the Eagle quadrangle, east-central Alaska. 4 sheets. 14.00; 2.00.

- 73 - 141 (583) Kelley, J.S., Preliminary study of the heavy minerals from cores of Tertiary rocks in the Deep Creek Unit well, Kenai Peninsula, Alaska. 1 pl. 2.00; 3.50.
- 73 - 187 (570) Miller, T.P., compiler, Distribution and chemical analyses of thermal springs in Alaska. Scale 1:2 500 000, 1 sheet. 3.50; 1.50.
- 73 - 188 (575) Miller, T.P., Barnes, Ivan, and Patton, W.W., Jr., Geologic setting and chemical characteristics of hot springs in central and western Alaska. 24 p., 3 sheets. 14.25; 5.00. Superseded by: USGS Journal of Research, v. 3, no. 2, p. 149-162, March-April 1975.
- 73 - 189 (553) Miller, T.P., and Grybeck, D.G., Geochemical survey of the eastern Solomon and southeastern Bendeleben quadrangles, Seward Peninsula, Alaska. 115 p., scale 1:250 000, 1 sheet. 20.75; 4.00.
- 73 - 219 (562) Patton, W.W., Jr., and Miller, T.P., Analyses of stream-sediment samples from Bettles and the southern part of Wiseman quadrangles, Alaska. 52 p., scale 1:250 000, 1 sheet. 11.50; 4.00.
- 73 - 232 (563) Richter, D.H., Preliminary bedrock geologic map of the Nabesna quadrangle, Alaska. Scale 1:250 000, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-932 and USGS Miscellaneous Field Studies Map MF-655-A.
- 73 - 266 (567) Smith, J.G., Analyses of rock and stream-sediment samples from the Ketchikan A-3 quadrangle, southeastern Alaska. 66 p., scale 1:63 360, 1 sheet. 13.50; 4.00.
- 73 - 267 (572) Smith, J.G., Analyses of rock and stream-sediment samples from the Prince Rupert D-3 quadrangle, southeastern Alaska. 65 p., scale 1:63 360, 1 sheet. 13.25; 4.00.
- 73 - 305 (555) U.S. Geological Survey, Aeromagnetic survey, eastern part of Bettles quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (555 A) U.S. Geological Survey, 1973, Aeromagnetic survey, eastern part of Bettles quadrangle, northeast Alaska, Bettles A 1-4, B 1-4, C 1-3, D 1-3, scale 1:63 360, 14 sheets.
- 73 - 306 (560) U.S. Geological Survey, Aeromagnetic survey, eastern part of Wiseman quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 73 - 307 (558) U.S. Geological Survey, Aeromagnetic survey, Melozitna A-1 quadrangle, northeast Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 73 - 308 (559) U.S. Geological Survey, Aeromagnetic survey, Tanana quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (559 A) U.S. Geological Survey, 1973, Aeromagnetic survey, Kantishna River D 1-5, Tanana A 1-6, B 1-6, C 1-6, D 1-6, 29 sheets.
- 73 - 309 (554) U.S. Geological Survey, Aeromagnetic survey, western half of Beaver quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.

- (554 A) U.S. Geological Survey, 1973, Aeromagnetic survey, Beaver A 4-6, B 4-6, C 4-6, D 4-6. Scale 1:63 360; 12 sheets.
- 73 - 310 (556) U.S. Geological Survey, Aeromagnetic survey, western half of Chandalar quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (556 A) U.S. Geological Survey, 1973, Aeromagnetic survey, Chandalar A 4-6, B 4-6, C 4-6, D 4-6, scale 1:63 360, 12 sheets.
- 73 - 311 (557) U.S. Geological Survey, Aeromagnetic survey, western half of Livengood quadrangle, northeast Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (557 A) U.S. Geological Survey, 1973, Aeromagnetic survey, Fairbanks D-6, Livengood A 4-6, B 4-6, C 4-6, D 4-6, scale 1:63 360, 13 sheets.
- 73 - 355 (568) Wahrhaftig, Clyde, Coal reserves of the Healy Creek and Lignite Creek coal basins, Nenana coal field, Alaska. 6 p., scale 1:40 000, 1 sheet, 1 structure contour map, 1 set structure sections, 8 sheets columnar sections, 8 isopach maps, and 9 coal reserve maps. 95.50; 17.00.

Water Resources Division Reports - 1973

- (579) Childers, J.M., Sloan, C.E., and Meckel, J.P., 1973, Hydrologic reconnaissance of streams and springs in eastern Brooks Range, Alaska - July 1972. 25 p.
- (582) Nauman, J.W., and Kernodle, D.R., 1973, Field water-quality information along the proposed trans-Alaska pipeline corridor, September 1970 through September 1972. 22 p.
- (584) Jones, S.H., 1973, Small stream flood investigations in Alaska, a compilation of peak data, May 1963 to September 1972. 55 p.
- (589) Childers, J.M., and Lamke, R.D., 1973, Flood survey at proposed TAPS crossing of Yukon River near Stevens Village, Alaska. 12 p.

-
- 74 - 6 Hanna, W.F., Ruppel, B.D., McHendrie, A.G., and Sikora, R.F., Residual magnetic anomaly and free-air gravity anomaly profiles, 1973, on continental shelf and slope between Bering Strait and Barrow, Alaska, and MacKenzie Bay, Canada. Scale 1:1 000 000, 6 sheets. 21.00; 3.00.
- 74 - 7 Cobb, E.H., Geological Survey Open-File Reports on Alaska indexed by quadrangle. 116 p. 3.50 Microfiche only.
- 74 - 40 Kachadoorian, Reuben, Geology of the Devil Canyon dam site, Alaska. 17 p., 1 sheet. 6.00; 4.00.
- 74 - 52 Cobb, E.H., Selected U.S. Bureau of Mines reports on Alaska indexed by quadrangle. 40 p. 6.50; 3.50.
- 74 - 53 Yehle, L.A., Reconnaissance engineering geology of Sitka and vicinity, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 104 p., 3 pls. 23.50; 5.00.

- 74 - 57 Zenone, Chester, Schmoll, H.R., and Dobrovolny, Ernest, Geology and ground water for land-use planning in the Eagle River - Chugiak area, Alaska. 25 p., 1 pl. 4.00 Microfiche only.
- 74 - 82 Plafker, George, Preliminary geologic map of Kayak and Wingham Islands, Alaska. Scale 1:31 680, 1 sheet. 3.50; 1.50.
- 74 - 84 Cobb, E.H., Geological Survey published maps (other than topographic maps) of Alaska indexed by quadrangle. 38 p. 6.25; 3.50.
- 74 - 147 Csejtey, Béla, Jr., Reconnaissance geologic investigations in the Talkeetna Mountains, Alaska. 48 p., 1 sheet. 11.25; 4.00.
- 74 - 209 Cobb, E.H., Reports of the Alaska Division of Geological and Geophysical Surveys and predecessor agencies, 1913-1973, indexed by quadrangle. 117 p. 17.50; 3.50.
- 74 - 210 Cobb, E.H., Geological Survey published reports on Alaska, 1960-1973, indexed by quadrangle. 167 p. 3.50 Microfiche only.
- 74 - 261 Cobb, E.H., Geological Survey published reports on Alaska, 1940-1959, indexed by quadrangle. 75 p. 3.50 Microfiche only.
- 74 - 335 Cobb, E.H., Geological Survey published reports on Alaska, 1915-1939, indexed by quadrangle. 163 p. 3.50 Microfiche only.
- 74 - 345 Cobb, E.H., Geological Survey published reports on Alaska, 1884-1914, indexed by quadrangle. 130 p. 3.50 Microfiche only.
- 74 - 1005 (597) Alpha, T.R., (Orthographic drawing) Bering Sea. 1 sheet. 3.50; 1.50.
- 74 - 1042 (585) Grantz, Arthur, McHendrie, A.G., Nilsen, T.H., and Yorath, C.J., Seismic reflection profiles, 1973, on the continental shelf and slope between Bering Strait and Barrow, Alaska, and Mackenzie Bay, Canada. Scale 1:1 000 000, 49 sheets seismic reflection profiles, and 2 index maps showing location of seismic reflection profiles. 51.50; 25.50.
- 74 - 1060 (590) Lahr, J.C., Page, R.A., and Thomas, J.A., Catalog of earthquakes in south central Alaska, April - June 1972. 35 p. 5.25; 3.50.
- 74 - 1062 (596) Lemke, R.W., Reconnaissance engineering geology of the Wrangell area, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 103 p., scale 1:7 200, 1 sheet. 19.50; 4.00.
- 74 - 1068 (586) Marvin, R.F., A tabulation of K-Ar, Rb-Sr and Pb- ages obtained for materials within the United States (including Alaska and Hawaii) during the years 1956 through 1964. 174 p. 3.50 Microfiche only.
- 74 - 1069 (587) Marvin, R.F., A tabulation of K-Ar, Rb-Sr and Pb- ages obtained for materials within the United States (including Alaska and Hawaii) during the years 1965 through 1968. 245 p. 3.50 Microfiche only.

- 74 - 1070 (588) Marvin, R.F., A tabulation of K-Ar, Rb-Sr and Pb-ages obtained for materials within the United States (including Alaska and Hawaii) during the years 1969 through 1971. 193 p. 3.50 Microfiche only.
- 74 - 1101 (592) U.S. Geological Survey, Aeromagnetic map of the Circle quadrangle, northeastern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (592 A) U.S. Geological Survey, 1974, Aeromagnetic map of the Circle quadrangle, northeastern Alaska. Scale 1:63 360, 24 sheets.
- 74 - 1102 (594) U.S. Geological Survey, Aeromagnetic map of the eastern half of the Beaver quadrangle, northeastern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (594 A) U.S. Geological Survey, 1974, Aeromagnetic map of the eastern half of the Beaver quadrangle, northeastern Alaska. Scale 1:63 360, 12 sheets.
- 74 - 1103 (595) U.S. Geological Survey, Aeromagnetic map of the eastern half of the Chandalar quadrangle, northeastern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (595 A) U.S. Geological Survey, 1974, Aeromagnetic map of the eastern half of the Chandalar quadrangle, northeastern Alaska. Scale 1:63 360, 12 sheets.
- 74 - 1104 (593) U.S. Geological Survey, Aeromagnetic map of the eastern half of the Livengood quadrangle, northeastern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- (593 A) U.S. Geological Survey, 1974, Aeromagnetic map of the eastern half of the Livengood quadrangle, northeastern Alaska. Scale 1:63 360, 12 sheets.
- 74 - 1131 (591) Zenone, Chester, and Donaldson, D.E., Water-quality and geohydrologic data at two sanitary landfill sites near Anchorage, Alaska. 1 sheet. Superseded by: Zenone, Chester, Donaldson, D.E., and Grunwaldt, J.J., 1975, Ground-water quality beneath solid-waste disposal sites at Anchorage, Alaska: Groundwater, v. 13, no. 2, p. 182-190.

Water Resources Division Reports - 1974

- (599) Dearborn, L.L., and Freethey, G.W., 1974, Water-table contour map, Anchorage area, Alaska. Scale 1:24 000, 1 sheet.
- (598) Zenone, Chester, 1974, Geology and water resources of the Girdwood-Alyeska area, Alaska. 24 p.

-
- 75 - 1 Marlow, M.S., Alpha, T.R., Scholl, D.W., and Buffington, E.C., (Physiographic diagrams of the) Bering Sea shelf, Alaska. 2 sheets. 7.00; 1.50.
- 75 - 2 Hummel, C.L., Mineral deposits, occurrences, and associated altered rocks in southwest Seward Peninsula, western Alaska. Scale 1:125 000, 1 sheet. 3.50; 1.50.

- 75 - 6 Barnes, D.F., Erwin, M.J., Holden, K.D., and Morin, R.L., U.S. Geological Survey Alaskan gravity data maps of the Port Alexander, Sitka, Juneau, Mt. Fairweather, and Skagway quadrangles, Alaska. 58 p., scale 1:250 000, 5 sheets. 26.50; 6.00.
- 75 - 21 Adkison, W.L., Kelley, J.S., and Newman, K.R., Lithology and palynology of Tertiary rocks exposed near Capps Glacier and along Chuitna River, Tyonek quadrangle, southern Alaska. 58 p., 1 pl. 12.25; 4.00.
- 75 - 87 Sloan, C.E., Zenone, Chester, and Mayo, L.R., Icings along the Trans-Alaska Pipeline Route. 25 p. Superseded by: USGS Professional Paper 979.
- 75 - 105 Dearborn, L.L., and Barnwell, W.W., Hydrology for land-use planning, the Hillside area, Anchorage, Alaska. 46 p. Contact Water Resources Division, Anchorage for copies. Not available from Open-Files Services Section.
- 75 - 124 Grantz, Arthur, Holmes, M.L., and Kososki, B.A., Geologic framework of the Alaskan continental terrace in the Chukchi and Beaufort Seas. 68 p. Superseded by: Canadian Society of Petroleum Geologists Memoir 4, 1976.
- 75 - 128 Cobb, E.H., Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1974, indexed by quadrangle. 50 p. 7.50; 3.50.
- 75 - 149 Grantz, Arthur, and Kirschner, C.E., Tectonic framework of petroliferous rocks in Alaska. 44 p. Superseded by: American Association of Petroleum Geologists Memoir 25, p. 291-307.
- 75 - 150 Patton, W.W., Jr., Lanphere, M.A., Miller, T.P., and Scott, R.A., Age and tectonic significance of volcanic rocks on St. Matthew Island, Bering Sea, Alaska. 18 p. Superseded in part by USGS Miscellaneous Field Studies Map MF-642.
- 75 - 216 Miller, T.P., and Bunker, C.M., U, Th, and K analyses of selected plutonic rocks from west-central Alaska. 6 p. 1.50; 3.50.
- 75 - 217 Miller, T.P., and Bunker, C.M., A reconnaissance study of the U and Th contents of plutonic rocks of the southeastern Seward Peninsula, Alaska. 33 p. 5.00; 3.50.
- 75 - 250 Lemke, R.W., Reconnaissance engineering geology of the Ketchikan area, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 65 p., 1 sheet. 4.00 Microfiche only.
- 75 - 253 Overstreet, W.C., Crenshaw, G.L., Hubert, A.E., Rosenblum, Sam, and Smith, R.J., Experimental results of atomic absorption analyses for indium and thallium in 803 nonmagnetic concentrates from Alaska. 78 p. 3.50 Microfiche only.
- 75 - 269 Platt, J.B., Petrography of University of Washington dredge samples from the central Chukchi Sea. 23 p. 3.25; 3.50.
- 75 - 283 Core, Kenneth, Mattick, Robert, and Bayer, Kenneth, Seismic refraction records from a survey in the Gulf of Alaska. 21 p. 3.00; 3.50.

- 75 - 308 Hoare, J.M., Coonrad, W.L., Detterman, R.L., and Jones, D.L., Preliminary geologic map of the Goodnews A-3 quadrangle and parts of the A-2 and B-2 quadrangles, Alaska. 16 p., scale 1:63 360, 1 sheet. 6.00; 4.00.
- 75 - 337 Chapman, R.M., Yeend, W.E., Brosge, W.P., and Reiser, H.N., Preliminary geologic map of the Tanana and northeast part of the Kantishna River quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 75 - 338 Freethey, G.W., Relative permeability of surficial geologic materials, Anchorage and vicinity, Alaska. Scale 1:24 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-787-F.
- 75 - 343 Ruppel, B.D., and McHendrie, A.G., Free air gravity anomaly profiles from the Chukchi Sea (Alaska). Scale 1:1 000 000, 5 pls. 11.50; 3.50.
- 75 - 349 Kachadoorian, Reuben, Sainsbury, C.L., and Hummel, C.L., Analyses of stream-sediment samples from the Teller A-3 quadrangle, Seward Peninsula, west-central Alaska. 51 p., scale 1:63 360, 1 sheet. 11.75; 4.00.
- 75 - 351 Chapman, R.M., Yeend, W.E., and Patton, W.W., Jr., Preliminary reconnaissance geologic map of the western half of Kantishna River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 75 - 383 Adkison, W.L., Kelley, J.S., and Newman, K.R., Lithology and palynology of the Beluga and Sterling Formations exposed near Homer, Kenai Peninsula, Alaska. 239 p, 1 pl. 40.25; 4.00.
- 75 - 384 Carter, R.D., Denman, J.M., and Pierpoint, J.G., Geological literature on the North Slope of Alaska, 1969-1974. 81 p. 3.50 Microfiche only.
- 75 - 429 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Bendeleben quadrangle, Alaska. 120 p. 18.25; 3.50. Supplemented by USGS Open-File Report OF 81-363-A and OF 81-363-B.
- 75 - 491 Post, A.S., Preliminary hydrography and historic terminal changes of Columbia Glacier, Alaska. 11 p., scales 1:10 000 and 1:20 000, 2 sheets, 1 pl. Superseded by: USGS Hydrological Investigations Atlas HA-599.
- 75 - 504 Carlson, P.R., Bruns, T.R., and Molnia, B.F., Submarine slides and nearsurface faults, northern Gulf of Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 75 - 505 Molnia, B.F., and Carlson, P.R., Surface sediment distribution map, northern Gulf of Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 75 - 506 Molnia, B.F., and Carlson, P.R., Base map of the northern Gulf of Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 75 - 507 Carlson, P.R., and Molnia, B.F., Preliminary isopach map of Holocene sediments, northern Gulf of Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 75 - 508 Bruns, T.R., and Plafker, George, Preliminary structural map of part of the offshore Gulf of Alaska Tertiary Province. 7 p., scale 1:500 000, 1 sheet. 4.50; 4.00.

- 75 - 529 Yehle, L.A., Preliminary report on the reconnaissance engineering geology of the Yakutat area, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 136 p., 2 pls. 28.00; 4.50. Superseded by: USGS Professional Paper 1074.
- 75 - 536 von Huene, Roland, Smith, Rodney, Hampton, Monty, Moore, George, and Dalton, Gordon, A preliminary summary of petroleum potential, environmental geology, and the technology, time-frame and infrastructure for exploration and development of the western Gulf of Alaska. 56 p. Superseded by: USGS Open-File Report OF 76-325.
- 75 - 549 Magoon, L.B., Hampton, M.A., Sable, E.G., Smith, R.A., and Chmelik, F.B., Hydrocarbon potential, geologic hazards, and the technology, time-frame and infrastructure for exploration and development of the lower Cook Inlet, Alaska - A preliminary assessment. 78 p. Superseded by: USGS Open-File Report OF 76-449.
- 75 - 587 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Teller quadrangle, Alaska. 130 p. 21.25; 3.50.
- 75 - 592 Plafker, George, Bruns, T.R., and Page, R.A., Interim report on petroleum resource potential and geologic hazards in the outer continental shelf of the Gulf of Alaska Tertiary Province. 78 p. 3.50 Microfiche only.
- 75 - 619 Barnes, Peter, and Garlow, R., Surface current observations - Beaufort Sea, 1972, Alaska. 8 p., 1 pl. 4.75; 4.00.
- 75 - 627 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in five quadrangles in west-central Alaska (Hughes, Kotzebue, Melozitna, Selawik, Shungnak). 58 p. 9.00; 3.50.
- 75 - 628 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in northern Alaska. 106 p. 3.50 Microfiche only.
- 75 - 664 von Huene, Roland, Molnia, B.F., Bruns, T.R., and Carlson, P.R., Seismic (reflection) profiles of the offshore Gulf of Alaska Tertiary Province, R/V Thompson, Sept.- Oct. 1974. 15 p., scale 1:250 000, 2 sheets, 3 rolls of 35 mm microfilm: seismic records, 1 roll 16 mm microfilm: seismic logs. 9.25; 4.50.
- 75 - 667 Luepke, Gretchen, Heavy-mineral trends in the Beaufort Sea. 36 p., 4 pls. 7.00 Microfiche only.
- 76 - 65 Albert, N.R.D., and Chavez, P.S., Computer-enhanced Landsat imagery as a tool for mineral exploration in Alaska. 27 p. 4.00; 3.50.
- 76 - 70 Barnes, F.F., Bouguer gravity map of Alaska. Scale 1:2 500 000, 1 sheet. Superseded by: U.S. Geological Survey Map GP-913, 1977.
- 76 - 76 Jones, D.L., and Miller, J.W., Geologic map of the Alaskan Peninsula, with emphasis on upper Mesozoic fossil localities. Scale 1:500 000, 2 sheets. 7.00; 1.50.

- 76 - 82 Feulner, A.J., Zenone, Chester, and Reed, K.M., Geohydrology and water supply Shemya Island, Alaska. 14 p. 2.50; 1.50.
- 76 - 83 Winkler, G.R., Deep-sea fan deposition of the Lower Tertiary Orca Group, eastern Prince William Sound, Alaska. 23 p. 3.25; 3.50.
- 76 - 84 Plafker, George, and Addicott, W.O., Glaciomarine deposits of Miocene through Holocene age in the Yakataga Formation along the Gulf of Alaska margin, Alaska. 45 p. Superseded by: same authorship & title in Miller, T.P., ed., 1976, Recent and ancient sedimentary environments in Alaska: Anchorage, Alaska Geological Society Symposium, 1975 Meeting, Proceedings, p. Q1-Q23.
- 76 - 168 Patton, W.W., Jr., Newly discovered Upper Triassic and Lower Cretaceous strata in the northern Kuskokwim Mountains, Alaska. 3 p. 1.50; 3.50.
- 76 - 170 U.S. Geological Survey, Aeromagnetic survey of McCarthy quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 76 - 170-X U.S. Geological Survey, Aeromagnetic survey of McCarthy quadrangle, Alaska. Scale 1:63 360, 32 sheets. 112.00; 16.00.
- 76 - 188 U.S. Geological Survey, Aeromagnetic survey of the west one-half of the Ruby 1:250 000 quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 76 - 188-X U.S. Geological Survey, Aeromagnetic survey of the west one-half of the Ruby 1:250 000 quadrangle, Alaska. Scale 1:63 360, 12 sheets. 42.00; 6.00.
- 76 - 191 Silberman, M.L., O'Leary, R.M., Peterson, J.A., and Csejtei, Béla, Jr., Geochemical anomalies in the Willow Creek Mining District Talkeetna Mountains, Matanuska-Susitna Borough, Alaska. Scale 1:24 000, 5 sheets. 17.50; 2.50.
- 76 - 198 Winkler, G.R., McLean, Hugh, and Plafker, George, Textural and mineralogical study of sandstones from the onshore Gulf of Alaska Tertiary Province, southern Alaska. 52 p. 7.50; 3.50.
- 76 - 206 Molnia, B.F., Carlson, P.R., and Bruns, T.R., Report on the environmental geology, Outer Continental Shelf area, eastern Gulf of Alaska. 46 p. 7.00; 3.50.
- 76 - 235 Grybeck, Donald, An introduction to the geological literature of Alaska. 23 p. 3.50; 1.50.
- 76 - 246 Miller, T.P., Hardrock uranium potential in Alaska. 8 p. 1.50; 3.50.
- 76 - 254 Donaldson, D.E., Water quality and bathymetry of Sand Lake, Anchorage, Alaska. Scale 1:24 000, 1 sheet. 3.00; 5.00.
- 76 - 258 Barnes, D.F., Kososki, B.M., Mayfield, C.F., Ruppel, B.D., Robbins, S.L., and Tailleux, I.L., Gravity data from Mt. Michelson, Flaxman Island, Demarcation Point, and Barter Island quadrangles, Alaska. Scale 1:250 000, 4 sheets. 14.00; 2.00.
- 76 - 270 Tysdal, R.G., A preliminary evaluation of selected earthquake-related geologic hazards in the Kenai Lowland, Alaska. 30 p. 4.75; 3.50.

- 76 - 294 Carlson, P.R., Submarine faults and slides that disrupt surficial sedimentary units, northern Gulf of Alaska. 27 p. Superseded by: Carlson, P.R., and Molnia, B.F., 1977, Submarine faults and slides on the continental shelf, northern Gulf of Alaska in, *Marine Geotechnology*, v. 2, *Marine Slope Stability*, 1977, p. 275-290.
- 76 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. 3.50 Microfiche only.
- 76 - 325 von Huene, Roland, Bouma, Arnold, Moore, George, Hampton, Monty, Smith, Rodney, and Dalton, Gordon, A summary of petroleum potential, environmental geology, and the technology, time frame and infrastructure for exploration and development of the western Gulf of Alaska. 92 p. 14.25; 3.50. Supersedes USGS Open-File Report OF 75-536.
- 76 - 332 Cobb, E.H., Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1975, indexed by quadrangle. 95 p. 14.75; 3.50.
- 76 - 340 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Chandalar and Wiseman quadrangles, Alaska. 205 p. 3.50 Microfiche only.
- 76 - 341 Lathram, E.H., and Reynolds, R.G.H., Preliminary space image lineament maps of Alaska. 3 p. 1.50; 3.50.
- 76 - 373 Rymer, M.J., and Sims, J.D., Preliminary survey of modern glaciolacustrine sediments for earthquake-induced deformational structures, southcentral Alaska. 31 p. 4.75; 3.50.
- 76 - 422 O'Leary, R.M., McDaniel, S.K., McDougal, C.M., Day, G.W., Curtin, G.C., and Foster, H.L., Spectrographic and chemical analyses of geochemical samples and related data from the Tanacross quadrangle, Alaska. 240 p., 2 sheets. 43.25; 4.50.
- 76 - 425 Cady, J.W., and Hummel, C.L., Magnetic studies of selected geologic and aeromagnetic features in southwest Seward Peninsula, west-central Alaska. 52 p., scale 1:125 000, 1 sheet. 11.50; 4.00.
- 76 - 427 Koch, R.D., Elliott, R.L., Berg, H.C., and Smith, J.G., Analyses of rock and stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska. 256 p., scale 1:125 000, 2 sheets. 45.25; 4.50.
- 76 - 430 Berg, H.C., Elliott, R.L., Koch, R.D., Carten, R.B., and Wahl, F.A., Preliminary geologic map of the Craig D-1 and parts of the Craig C-1, and D-2 quadrangles, Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 76 - 436 Wilson, F.H., Map showing potassium-argon ages from the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 76 - 437 Wilson, F.H., and Smith, J.G., Map showing potassium-argon ages from the Goodnews quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.

- 76 - 449 Magoon, L.B., Adkison, W.L., Chmielik, F.B., Dolton, G.L., Fisher, M.A., Hampton, M.A., Sable, E.G., and Smith, R.A., Hydrocarbon potential, geologic hazards, and infrastructure for exploration and development of the lower Cook Inlet, Alaska. 124 p., 1 pl. 19.50; 4.00. Supersedes USGS Open-File Report OF 75-549.
- 76 - 477 Detterman, R.L., Hudson, Travis, Plafker, George, Tysdal, R.G., and Hoare, J.M., Reconnaissance geologic map along Bruin Bay and Lake Clark faults in Kenai and Tyonek quadrangles, Alaska. Scale 1:250 000, 1 sheet, 4 p. 4.00; 4.00.
- 76 - 485 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska. 101 p. 15.25; 3.50. Supplemented by USGS Open-File Report OF 81-1343-A and OF 81-1343-B.
- 76 - 486 Koch, R.D., Elliott, R.L., Berg, H.C., and Smith, J.G., Analyses of rock and stream-sediment samples from southern Bradfield Canal quadrangle, southeastern Alaska. 136 p., scale 1:125 000, 1 sheet. 24.00; 4.00.
- 76 - 490 Berg, H.C., and Fujii, A.M., Selected field data collected in 1975, northeastern Craig quadrangle, southeastern Alaska. 78 p. 11.50; 3.50.
- 76 - 492 O'Leary, R.M., McDanal, S.K., McDougal, C.M., Day, G.W., and Marsh, S.P., Chemical analyses and statistical data for stream-sediment samples from the Chandalar quadrangle, Alaska. 121 p., scale 1:200 000, 1 sheet. 21.50; 4.00.
- 76 - 507 Elliott, R.L., Smith, J.G., and Hudson, Travis, Upper Tertiary high-level plutons of the Smeaton Bay area, southeastern Alaska. 18 p. 2.50; 3.50.
- 76 - 513 Balding, G.O., Water availability, quality, and use in Alaska. 292 p. 3.50 Microfiche only.
- 76 - 539 Brosge, W.P., and Reiser, H.N., Preliminary geologic and mineral resource maps (excluding petroleum), Arctic National Wildlife Range, Alaska. 4 p., scale 1:500 000, 4 sheets. 14.50; 5.50.
- 76 - 546 Brosge, W.P., Reiser, H.N., Dutro, J.T., Jr., and Detterman, R.L., Reconnaissance geologic map of the Table Mountain quadrangle, Alaska. Scale 1:200 000, 2 sheets. 7.00; 1.50.
- 76 - 551 Bartsch-Winkler, Susan, Geologic mapping in Alaska, U.S. Geological Survey, post-1930, scales 1:96 000 to 1:250 000. 1 sheet. Superseded by: USGS Open-File Report OF 77-681, OF 78-676, OF 80-135, OF 80-1252, and OF 83-577.
- 76 - 552 Bartsch-Winkler, Susan, Geologic mapping in Alaska, U.S. Geological Survey, post-1930, scales 1:20 000 to 1:63 360. 1 sheet. Superseded by: USGS Open-File Report OF 77-682, OF 78-677, OF 80-134, OF 80-1251, and OF 83-578.
- 76 - 558 U.S. Geological Survey, Aeromagnetic maps of Granite Fiords Wilderness Study Area, Ketchikan and Bradfield Canal quadrangles, southeastern Alaska. Scale 1:63 360, 15 sheets. 18.00; 7.50.
- 76 - 561 Fisher, M.A., Interpretation and description of seismic data from Lower Cook Inlet, Alaska. 184 p. 3.50 Microfiche only.

- 76 - 576 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Iditarod and Ophir quadrangles, Alaska. 101 p. 3.50 Microfiche only.
- 76 - 605 Steele, W.C., Computer program designed to aid in the analysis of linear features derived from Landsat data. 39 p. 6.00; 3.50.
- 76 - 606 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Dillingham, Sleetmute, and Taylor Mountains quadrangles, Alaska. 92 p. 3.50 Microfiche only.
- 76 - 632 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Charley River and Coleen quadrangles, Alaska. 45 p. 7.00; 3.50.
- 76 - 633 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Circle quadrangle, Alaska. 72 p. 3.50 Microfiche only.
- 76 - 635 Bolm, J.G., Chmelik, F.B., Stewart, G.H., Turner, R.F., Waetjen, H.H., and Wills, J.C., Geological and operational summary, Atlantic Richfield northern Gulf of Alaska COST well no. 1. 37 p. 5.25; 3.50.
- 76 - 652 Marlow, M.S., Cooper, A.K., Scholl, D.W., and Alpha, T.R., Twenty-four channel seismic reflection data acquired on the R/V S.P. Lee in the Bering Sea, September 1975, and structure contours of acoustic basement beneath the southern Bering Sea shelf. 5 p., 1 pl., 14 microfiche cards. 15.00; 14.00.
- 76 - 654 Blean, K.M., Reports pertaining to Naval Petroleum Reserve No. 4 and adjacent areas of northern Alaska prepared by members of the U.S. Geological Survey. 90 p. 13.75; 3.50.
- 76 - 662 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Fairbanks quadrangle, Alaska. 174 p. 3.50 Microfiche only.
- 76 - 695 Bouma, A.H., and Hampton, M.A., Preliminary report on the surface and shallow subsurface geology of Lower Cook Inlet and Kodiak shelf, Alaska. 36 p., 9 pls. 37.75; 8.00.
- 76 - 710 Miller, T.P., Elliott, R.L., Finch, W.I., and Brooks, R.A., Preliminary report on uranium-, thorium-, and rare-earth bearing rocks near Golovin, Alaska. 13 p. 2.00; 3.50.
- 76 - 733 Silberman, M.L., and Hopkins, D.M., Potassium-argon ages of basement rocks from St. George Island, Alaska. 16 p. 2.25; 3.50.
- 76 - 747 Reimnitz, Erk, High resolution seismic profiles, Beaufort Sea, 1975. 3 sheets, microfilm. 10.50; 1.50 plus 2 reels of microfilm for 17.50.
- 76 - 748 Scholl, D.W., Buffington, E.C., and Marlow, M.S., Aleutian-Bering Sea region seismic reflection profiles. 18 p., 1 sheet, microfilm. 6.00; 4.00 plus 35 mm microfilm for 10.00.

- 76 - 749 Cooper, A.K., Bailey, K.A., Marlow, M.S., Scholl, D.W., and Carpenter, C.E., Preliminary isopach map of the Bering Sea Basin. Scale 1:2 009 569, 1 sheet. 3.50; 1.50.
- 76 - 785 Marlow, M.S., McLean, Hugh, Vallier, T.L., Scholl, D.W., Gardner, J.K., and Powers, Richard, Preliminary report on the regional geology, oil and gas potential, and environmental hazards of the Bering Sea south of St. Lawrence Island, Alaska. 100 p. 14.75; 3.50.
- 76 - 786 Bird, K.J., and Jordan, C.F., The Lisburne Group, a potential major hydrocarbon objective of the Arctic Slope, Alaska. 59 p. Superseded by: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1493-1512, 1977; Lisburne Group (Mississippian and Pennsylvanian), potential major hydrocarbon objective of Arctic Slope, Alaska.
- 76 - 819 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Livengood quadrangle, Alaska. 241 p. 36.25; 3.50. Supplemented by USGS Open-File Report OF 81-1342-A and OF 81-1342-B.
- 76 - 821 Schumacher, Glenn, Bathymetric map of the Aleutian Trench and Bering Sea. Scale 1:2 500 00, 2 sheets. 7.00; 1.50.
- 76 - 822 Schumacher, Glenn, Bathymetric map of the Gulf of Alaska. Scale 1:2 500 000, 1 sheet. 7.00; 1.50.
- 76 - 823 Schumacher, Glenn, Bathymetric map of the Chukchi Sea and Arctic Ocean. Scale 1:2 500 000, 1 sheet. 7.00; 1.50.
- 76 - 824 O'Leary, R.M., McDaniel, S.K., Day, G.W., McDougal, C.M., and Robinson, K., Spectrographic and chemical analyses of geochemical samples from the McCarthy quadrangle, Alaska. 806 p. 3.50 Microfiche only.
- 76 - 830 Grantz, Arthur, Barnes, P.W., Eittreim, S.L., Reimnitz, Erk, Scott, E.W., Smith, R.A., Stewart, George, and Toimil, L.J., Summary of the sediments, structural framework, petroleum potential, environmental conditions, and operational considerations of the United States Beaufort Sea, Alaska area. 32 p. 5.25; 3.50.
- 76 - 848 Hampton, M.A., and Bourne, A.H., Seismic profiles of Lower Cook Inlet and Kodiak shelf, R/V Sea Sounder, June-July 1976. 17 p., 4 pls. 13.50; 5.00.
- 76 - 850 Albert, N.R.D., and Steele, W.C., Interpretation of Landsat imagery of the Tanacross quadrangle, Alaska. 28 p., 2 pls. 11.75; 4.50. Superseded by: USGS Miscellaneous Field Studies Map MF-767-C, 1977.
- 76 - 866 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Candle, Holy Cross, Norton Bay, Nulato, and Unalakleet quadrangles, Alaska. 102 p. 3.50 Microfiche only.
- 77 - 26 Brosge, W.P., and Armstrong, A.K., Lithologic logs of Lisburne Group in Lawrence Livermore Laboratory Drill Holes 1 and 2, Confusion Creek, Chandler Lake quadrangle, northern Alaska. 13 p., 1 pl. 5.25; 4.00.

- 77 - 27 Brosge, W.P., and Pessel, G.H., Preliminary reconnaissance geologic map of Survey Pass quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 77 - 28 Pessel, G.H., and Brosge, W.P., Preliminary reconnaissance geologic map of Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 77 - 29 Brosge, W.P., and Reiser, H.N., Chemical analyses of stream-sediment samples from the Table Mountain and Arctic quadrangles, northern Alaska. 4 p., scale 1:500 000, 1 sheet. 4.25; 4.00.
- 77 - 30 Molnia, B.F., Surface sedimentary units of the Gulf of Alaska continental shelf: Montague Island to Yakutat Bay. 22 p. 3.25; 3.00.
- 77 - 32 Hopkins, D.M., Coastal processes and coastal erosional hazards to the Cape Krusenstern archaeological site. 17 p., 1 sheet. 6.00; 4.00.
- 77 - 35 Hudson, Travis, Genesis of a zoned granite stock, Seward Peninsula, Alaska. 188 p., scale 1:31 680, 1 sheet. 33.75; 4.00. Partially superseded by USGS Professional Paper 1079.
- 77 - 38 Anderson, G.S., Artificial recharge experiments on the Ship Creek alluvial fan, Anchorage, Alaska. 39 p., 1 pl. 4.00 Microfiche only.
- 77 - 91 Harden, Deborah, Barnes, Peter, and Reimnitz, Erk, Distribution and character of naleds in northeastern Alaska. 30 p. 4.50; 3.50.
- 77 - 136 Fisher, M.A., and Magoon, L.B., Geologic framework of Lower Cook Inlet, Alaska. 73 p. 11.50; 3.50. Superseded by: article in American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 373-402, March 1978.
- 77 - 147 Patton, W.W., Jr., Miller, T.P., Chapman, R.M., and Yeend, Warren, Geologic map of the Melozitna quadrangle, Alaska. Scale 1:250 000, 1 sheet. Superseded by: USGS Miscellaneous Investigations Series Map I-1071.
- 77 - 156 Hoare, J.M., and Cobb, E.H., Mineral occurrences (other than mineral fuels and construction materials) in the Bethel, Goodnews, and Russian Mission quadrangles, Alaska. 98 p. 3.50 Microfiche only.
- 77 - 161 Barnes, Peter, Reimnitz, Erk, Smith, Greg, and Melchior, John, Bathymetric and shoreline changes, northwestern Prudhoe Bay, Alaska. 15 p. 2.25; 3.50.
- 77 - 166-A Barnes, D.F., Bouguer gravity map of northern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 166-B Grybeck, Donald, Beikman, H.M., Brosge, W.P., and Tailleux, I.L., and Mull, C.G., Geologic map of the Brooks Range, Alaska. Scale 1:1 000 000, 2 sheets. 7.00; 1.50.
- 77 - 166-C Grybeck, Donald, Known mineral deposits of the Brooks Range, Alaska. 45 p., scale 1:1 000 000, 1 sheet. 10.25; 4.00.
- 77 - 166-D Grybeck, Donald, Map showing geochemical anomalies in the Brooks Range, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.

- 77 - 166-E Decker, John, and Karl, Susan, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 167-A Hudson, Travis, Preliminary geologic map of Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. Superseded by: USGS Open-File Report OF 77-796-A.
- 77 - 167-B Hudson, Travis, Preliminary framework data for evaluation of the metallic mineral resource potential of northern Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-A Eberlein, G.D., Gassaway, J.S., and Beikman, H.M., compilers, Preliminary geologic map of central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-B Cobb, E.H., compiler, Placer deposits map of central Alaska. 65 p., scale 1:1 000 000, 1 sheet. 13.25; 4.00.
- 77 - 168-C Barnes, D.F., Preliminary Bouguer gravity map of central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-D Eberlein, G.D., Chapman, R.M., Foster, H.L., and Gassaway, J.S., Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska. 132 p., scale 1:1 000 000, 1 sheet. 23.25; 4.00.
- 77 - 168-E Decker, John, and Karl, Susan, Preliminary aeromagnetic map of central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-F Decker, John, and Karl, Susan, Aeromagnetic profiles of central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-G Gassaway, J.S., and Abramson, B.S., Map and table showing distribution of known coal deposits in central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 168-H Gassaway, J.S., and Abramson, B.S., Map and table showing distribution of known coal deposits in central Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-A MacKevett, E.M., Jr., and Holloway, C.D., Map showing metalliferous and selected nonmetalliferous mineral deposits in the eastern part of southern Alaska. 99 p., scale 1:1 000 000, 1 sheet. 18.50; 4.00.
- 77 - 169-B Beikman, H.M., Holloway, C.D., and MacKevett, E.M., Jr., Generalized geologic map of the eastern part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-C Barnes, D.F., Gravity map of southern Alaska, eastern part. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-D Holloway, C.D., Map showing coal fields and distribution of coal bearing rocks in the eastern part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-E Decker, John, and Karl, Susan, Preliminary aeromagnetic map of the eastern part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.

- 77 - 169-F MacKevett, E.M., Jr., and Holloway, C.D., Map showing metalliferous mineral deposits in the western part of southern Alaska. 39 p., scale 1:1 000 000, 1 sheet. 9.50; 4.00.
- 77 - 169-G Beikman, H.M., Holloway, C.D., and MacKevett, E.M., Generalized geologic map of the western part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-H Barnes, D.F., Gravity map of the western part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169-I Holloway, C.D., Map showing coal fields and distribution of coal bearing rocks in the western part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 169 J Decker, John and Karl, Susan, Preliminary aeromagnetic map of the western part of southern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 170 Doyle, P.F., and Childers, J.M., Channel erosion along TAPS route, Alaska, 1976. 93 p. (Basic data report) 3.50 Microfiche only.
- 77 - 177 Cobb, E.H., Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1976, indexed by quadrangle. 115 p. 17.75; 3.50.
- 77 - 212 Slack, J.R., Smith, R.A., and Wyant, Timothy, An oilspill risk analysis for the western Gulf of Alaska (Kodiak Island) outer continental shelf lease area. 57 p. 9.25; 3.50.
- 77 - 217 Armstrong, A.K., and MacKevett, E.M., Jr., The Triassic Chitistone Limestone, Wrangell Mountains, Alaska - stressing detailed descriptions of sabkha facies and other rocks in lower parts of the Chitistone and their relations to Kennecott-type copper deposits. 65 p., 1 fig. in pocket. 15.25; 3.50.
- 77 - 223 Detra, D.E., Delineation of an anomalous lead-zinc area in the Philip Smith Mountains A-2 quadrangle, Alaska. 24 p. 1.75; 3.50.
- 77 - 235 Post, A., Reported observations of icebergs from Columbia Glacier in Valdez Arm and Columbia Bay, Alaska, during the summer of 1976. 7 p. 1.50; 3.50.
- 77 - 244 Cathrall, J.B., Cooley, E.F., Detra, D.E., and O'Leary, R.M., A listing and statistical summary of spectrographic and chemical analyses of stream-sediment and rock samples from the Philip Smith Mountains quadrangle, Alaska. 79 p., scale 1:200 000, 1 sheet. 15.50; 4.00.
- 77 - 262 Foster, H.L., Dusel-Bacon, C., and Weber, F.R., Reconnaissance geologic map of the Big Delta C-4 quadrangle, Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 77 - 272 Yehle, L.A., Reconnaissance engineering geology of the Metlakatla area, Annette Island, Alaska, with emphasis on evaluation of earthquake and other geologic hazards. 93 p., 4 figs. in pocket. 16.75; 3.50.
- 77 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. 3.50 Microfiche only.

- 77 - 352 Bruns, T.R., Bayer, Kenneth, Multichannel seismic reflection data acquired on the M/V Cecil H. Green in the Gulf of Alaska, June-August, 1975. 23 p. 3.25; 3.50.
- 77 - 358 Petty-Ray Geophysical Division, Geosource, Inc., Marine high resolution geophysical survey, Lower Cook Inlet, Alaska. 166 p., 20 pls., scale 1:96 000. 96.25; 13.50.
- 77 - 359 U.S. Geological Survey, Aeromagnetic map of Ketchikan, Prince Rupert, and northeastern Craig quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 77 - 372 Miller, T.P., Geologic interpretation of a radioactivity anomaly near the West Fork of the Buckland River, western Alaska. 10 p., 1 pl. 5.00; 4.00.
- 77 - 382 Connelly, William, and Moore, J.C., Jr., Geologic map of the northwest side of the Kodiak Islands, Alaska. Scales 1:250 000 and 1:63 360, 2 sheets. Superseded by: USGS Miscellaneous Field Studies Map MF-1057.
- 77 - 395 Lachenbruch, A.H., and Marshall, B.V., Sub-sea temperatures and a simple tentative model for offshore permafrost at Prudhoe Bay, Alaska. 54 p. 9.25; 3.50.
- 77 - 416 Reimnitz, Erk and Maurer, Doug, Barnes, Peter, and Toimil, Lawrence, Some physical properties of shelf surface sediments, Beaufort Sea, Alaska. 21 p. 3.50; 3.50.
- 77 - 426 Cathrall, J.B., Cooley, E.F., Detra, D.E., and Billings, T.M., A listing and statistical summary of spectrographic analyses of heavy-mineral concentrate samples for the Philip Smith Mountains quadrangle, Alaska. 70 p., scale 1:200 000, 1 sheet. 14.25; 4.00.
- 77 - 428 Miller, T.P., and Elliott, R.L., Progress report on uranium investigations in the Zane Hills area, west-central Alaska. 12 p. 1.75; 3.50.
- 77 - 430 Brosge, W.P., Reiser, H.N., Dutro, J.T., Jr., and Detterman, R.L., Generalized geologic map of Philip Smith Mountains quadrangle, Alaska. Scale 1:200 000, 1 sheet. Superseded by: USGS Miscellaneous Field Studies Map MF-879-B.
- 77 - 432 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Tanana quadrangle, Alaska. 110 p. 16.50; 3.50.
- 77 - 458 Brosge, W.P., Reiser, H.N., and Moore, T.E., Chemical analyses of 97 stream-sediment samples from the Coleen and Christian quadrangles, northern Alaska. 4 p., scale 1:500 000, 1 sheet. 4.25; 4.00.
- 77 - 471 Miller, R.J., Curtin, G.C., Hopkins, R.T., Jr., and Csejtey, Béla, Jr., Spectrographic and chemical analyses of stream-sediment and rock samples from the western part of the Talkeetna Mountains quadrangle, Alaska. 138 p., scale 1:250 000, 2 sheets. 28.25; 4.50.
- 77 - 472 Brooks, R.A., and Finch, W.I., Carbone radiometric survey of the Nome area, Seward Peninsula, Alaska. 22 p. 3.50; 3.50.

- 77 - 475 Carter, R.D., Mull, C.G., Bird, K.J., and Powers, R.B., The petroleum geology and hydro-carbon potential of NPR 4, North Slope, Alaska. 61 p. 9.75; 3.50.
- 77 - 477 Barnes, Peter, Reimnitz, Erk, Drake, David, and Toimil, Lawrence, Miscellaneous hydrologic and geologic observations on the inner Beaufort Sea shelf, Alaska. 96. 14.75; 3.50.
- 77 - 492 Childers, J.M., Sloan, J.P., Meckel, C.E., and Nauman, J.W., Hydrologic reconnaissance of the eastern North Slope, Alaska, 1975. 71 p. 3.50 Microfiche only.
- 77 - 493 Dearborn, L.L., Ground-water investigations at the alluvial fan of the south fork of Eagle River, Anchorage, Alaska - Results of test drilling, 1976. 11 p., 1 pl. 1.75; 4.00.
- 77 - 496 Cobb, E.H., Dusel-Bacon, C., MacKevett, E.M., Jr., and Berg, H.C., Map showing distribution of mineral deposits (other than organic fuels and construction materials) in Alaska. 45 p., scale 1:2 500 000, 1 sheet. 10.50; 4.00.
- 77 - 501 Wilson, F.H., Some plutonic rocks of southwestern Alaska, a data compilation. 9 p., scale 1:1 000 000, 4 sheets. 15.50; 5.50.
- 77 - 502 Kelley, J.S., Study of heavy minerals from Tertiary rocks at Capps Glacier and adjacent areas, southern Alaska. 11 p., 1 pl. 5.25; 4.00.
- 77 - 524 Gardner, J.V., and Vallier, T.L., Underway geophysical data collected on USGS Cruise S4-76, southern Beringian Shelf. 7 p., 1 pl. 4.25; 4.00.
- 77 - 530 Karlson, R.C., Curtin, G.C., Cooley, E.F., and Garnezy, L., Geochemical maps of selected elements and results of spectrographic analyses for heavy-mineral concentrates from the western half of the Talkeetna Mountains quadrangle, Alaska. 34 p., scale 1:250 000, 5 sheets. 22.50; 6.00.
- 77 - 543 Detra, D.E., Smith, S.C., Risoli, D.A., and Day, G.W., Spectrographic analyses of heavy-mineral concentrate samples and chemical analyses of organic samples from the Chandalar quadrangle, Alaska. 151 p. 22.75; 3.50.
- 77 - 550 Bayer, K.C., Mattick, R.E., Plafker, George, and Bruns, T.R., Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska. 29 p. 4.50; 3.50.
- 77 - 572 U.S. Geological Survey, Aeromagnetic map of the Philip Smith Mountains quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 77 - 581 Hein, J.R., Borma, A.H., and Hampton, M.A., Distribution of clay minerals in lower Cook Inlet and Kodiak shelf sediment, Alaska. 17 p. 2.50; 3.50.
- 77 - 590 Corwin, Gilbert, ed., Summaries of selected maps, reports and presentations on energy resources and marine geology approved for release during 1976 and January - May 1977. 4.75; 3.50.
- 77 - 591 Vallier, T.L., and Gardner, J.V., Maps showing types and distribution of faults interpreted from seismic profiles in the St. George Basin region, southern Bering Sea. 13 p., 2 pls. 9.25; 4.50.

- 77 - 631 Brabb, E.E., and Hamachi, B.R., Chemical composition of Precambrian, Paleozoic, Mesozoic and Tertiary rocks from east-central Alaska. 169 p. 3.50 Microfiche only.
- 77 - 634 Nauman, J.W., and Kernodle, D.R., Aquatic organisms from selected sites along the Trans-Alaska Pipeline corridor, September 1970 to September 1972 - Supplement. 57 p. 8.50; 3.50.
- 77 - 643 Skibitzke, H.E., Some aspects of remote sensing for consideration in planning for environmental monitoring of the Alyeska Pipeline, Alaska. 36 p., 9 pls. 10.75; 3.50.
- 77 - 649 Brew, D.A., Grybeck, Donald, Johnson, B.R., Jachens, R.C., Nutt, C.J., and Barnes, D.F., U.S. Geological Survey; Kimball, A.L., Still, J.C., and Rataj, J.L., U.S. Bureau of Mines, Mineral resources of the Tracy Arm - Fords Terror Wilderness Study Area and vicinity, Alaska. 282 p., scale 1:125 000, 4 sheets. Superseded by: USGS Bulletin 1525.
- 77 - 672 Mann, D.M., Shelled benthic fauna of the eastern Chukchi Sea, Alaska. 112 p. 3.50 Microfiche only.
- 77 - 681 Bartsch-Winkler, Susan, Geologic mapping in Alaska: U.S. Geological Survey post-1930, scales 1:96 000 to 1:250 000. 6 p., 1 sheet. Supersedes USGS Open-File Report OF 76-551. Superseded by: OF 78-676, OF 80-135, OF 80-1252, and OF 83-577.
- 77 - 682 Bartsch-Winkler, Susan, Geologic mapping in Alaska: U.S. Geological Survey post-1930, scales 1:20 000 to 1:63 360. 6 p., 1 sheet. Supersedes USGS Open-File Report OF 76-552. Superseded by: OF 78-677, OF 80-134, OF 80-1251, and OF 83-578.
- 77 - 687 Feulner, A.J., and Reed, K.M., Bibliography of reports by members of the U.S. Geological Survey on the water resources of Alaska 1870 through 1976. 112 p. 3.50 Microfiche only.
- 77 - 702 Hampton, M.A., and Bourma, A.H., Seismic reflection records showing stable and unstable slopes near the shelf break, western Gulf of Alaska. 31 p., 12 figs., 1 strip microfilm. 4.50; 3.50.
- 77 - 705 Boucher, Gary, Gravity measurements on summer sea ice in the Beaufort and Chukchi Seas, 1976. 7 p. 1.50; 3.50.
- 77 - 707 Kososki, B.A., and Anderson, R.C., Digital processing of a 24 channel, single-fold seismic reflection line from Naval Petroleum Reserve No. 4, Alaska. 7 p., 1 pl. 4.50; 4.00.
- 77 - 735 Bunker, C.M., Hedge, C.E., and Sainsbury, C.L., Radioelement concentrations and preliminary radiometric ages of rocks of the Kigluaik Mountains, Seward Peninsula, Alaska. 36 p. Superseded by: USGS Professional Paper 1129-C.
- 77 - 747 Rau, W.W., Plafker, George, and Winkler, G.R., Preliminary foraminiferal biostratigraphy and correlation of selected stratigraphic sections and wells in the Gulf of Alaska Tertiary Province. 54 p., 3 pls. Superseded by: USGS Oil and Gas Investigations Chart OC-120.

- 77 - 796-A Hudson, Travis, compiler, Geologic map of Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50. Supersedes USGS Open-File Report OF 77-167-A.
- 77 - 796-B Hudson, Travis, Miller, M.L., and Pickthorn, W.J., compilers, Map showing metalliferous and selected nonmetalliferous mineral deposits, Seward Peninsula, Alaska. 46 p., scale 1:1 000 000, 1 sheet. 10.50; 4.00.
- 77 - 796-C Barnes, D. F., and Hudson, Travis, Bouguer gravity map of Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 796-D Hummel, C.L., Review of exploration geochemical surveys on Seward Peninsula, western Alaska. 28 p., scale 1:1 000 000, 1 sheet. 8.00; 4.00.
- 77 - 796-E Decker, John, and Karl, Susan, Preliminary aeromagnetic map of Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 796-F Decker, John, and Karl, Susan, Aeromagnetic profiles of Seward Peninsula, Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 77 - 796-G Cady, J.W., Aeromagnetic interpretation map of Seward Peninsula, Alaska. 25 p., scale 1:1 000 000, 1 sheet. 6.75; 4.00.
- 77 - 813 McLearn, Hugh, Organic geochemistry, lithology, and paleontology of Tertiary and Mesozoic rocks from wells on the Alaska Peninsula. 66 p. 9.75; 3.50.
- 77 - 845 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Eagle quadrangle, Alaska. 122 p. 3.50 Microfiche only.
- 77 - 868 Williams, J.R., Yeend, W.E., Carter, L.D., and Hamilton, T.D., Preliminary surficial deposits map of National Petroleum Reserve, Alaska. Scale 1:500 000, 2 sheets. 7.00; 1.50.
- 77 - 871 Clarke, J.W., Girard, O.W., Jr., Peterson, J., and Rachlin, J., Petroleum geology of the west Siberian Basin and a detailed description of the Samotlor oil field. 136 p. 24.50; 4.00.
- 77 - 874 Biddle, K.T., in cooperation with Alaska Division of Geological and Geophysical Surveys, Preliminary study of heavy minerals from the Beluga and Sterling Formations exposed near Homer, Kenai Peninsula, Alaska. 12 p. 1.75; 3.50.
- 78 - 1-A Singer, D.A., and Ovenshine, A.T., The assessment of metallic mineral resources in Alaska. 41 p. 5.25; 3.50
- 78 - 1-B Grybeck, Donald, and DeYoung, J.H., Jr., Map and tables describing mineral resource potential of the Brooks Range, Alaska. 39 pages of tabular material, 1:1 000 000, 1 sheet. 6.50; 4.00.
- 78 - 1-C Hudson, Travis, and DeYoung, J.H., Jr., Map and tables describing areas of mineral resource potential, Seward Peninsula, Alaska. 64 p., scale 1:1 000 000, 1 sheet. 13.00; 4.00.

- 78 - 1-D Eberlein, G.D., and Menzie, W.D., Map and table describing metalliferous mineral resource potential of central Alaska. 43 p., 1:1 000 000, 2 sheets. 12.75; 4.50.
- 78 - 1-E MacKevett, E.M., Jr., Singer, D.A., and Holloway, C.D., Maps and tables describing metalliferous mineral resource potential of southern Alaska. 45 p., scale 1:1 000 000, 2 sheets. 13.75; 4.50.
- 78 - 1-F Patton, W.W., Jr., Maps and tables describing areas of interest for oil and gas in central Alaska. 3 p., scale 1:1 000 000, 2 sheets. 7.35; 4.50.
- 78 - 9-A U.S. Geological Survey, Geographic map of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-B Hoare, J.M., and Coonrad, W.L., Geologic map of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 2 sheets, 8.25; 1.50.
- 78 - 9-C Griscom, Andrew, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. 22 p., scale 1:250 000, 2 sheets. 10.00; 4.50.
- 78 - 9-D Steele, W.C., Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-H Coonrad, W.L., Hoare, J.M., Taufen, P.M., and Hessin, P.M., Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-J Hessin, T.D., and others, Geochemical and generalized geologic map showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000 and 1:125 000. 7.00; 1.50.
- 78 - 9-K Hessin, T.D., and others, Geochemical and generalized geologic map showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000 and 1:125 000. 7.00; 1.50.
- 78 - 9-L Hessin, T.D., and others, Geochemical and generalized geologic map showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000 and 1:125 000. 7.00; 1.50.
- 78 - 9-M Hessin, T.D., and others, Geochemical and generalized geologic map showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000 and 1:125 000. 7.00; 1.50.

- 78 - 9-N Hessin, T.D., Taufen, P.M., Seward, J.C., Quintana, S.J., Clark, A.L., Grybeck, Donald, Hoare, J.M., and Coonrad, W.L., Geochemical and generalized geologic map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-O Hessin, T.D., Taufen, P.M., Seward, J.C., Quintana, S.J., Clark, A.L., Grybeck, Donald, Hoare, J.M., and Coonrad, W.L., Geochemical and generalized geologic map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-P Hessin, T.D., Taufen, P.M., Seward, J.C., Quintana, S.J., Clark, A.L., Grybeck, Donald, Hoare, J.M., and Coonrad, W.L., Geochemical and generalized geologic map showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1:125 000, 2 sheets. 7.00; 1.50.
- 78 - 9-Q Hessin, T.D., Taufen, P.M., Seward, J.C., Quintana, S.J., Clark, A.L., Grybeck, Donald, Hoare, J.M., and Coonrad, W.L., Geochemical and generalized geologic map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-R Hessin, T.D., Taufen, P.M., Seward, J.C., Quintana, S.J., Clark, A.L., Grybeck, Donald, Hoare, J.M., and Coonrad, W.L., Geochemical and generalized geologic map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 9-S Coonrad, W.L., Hoare, J.M., Clark, A.L., Grybeck, Donald, Barnes, P.W., Geochemical distribution of platinum and gold in the vicinity of Platinum, Goodnews and Hagemeister Island quadrangles region, southwestern Alaska. Scale 1:125 000, 1 sheet. 3.50; 1.50.
- 78 - 16 Bartsch-Winkler, Susan, Ovenshine, A.T., and Rupert, J.P., Sedimentological report on the silt of Portage Flat, Alaska, June 1974 through March 1975. 1 sheet. 3.50; 1.50.
- 78 - 26 Throckmorton, M.L., and Patton, W.W., Jr., Contact-metasomatic magnetic deposit, Medfra quadrangle, Alaska. 15 p. 2.25; 3.50.
- 78 - 70-A Churkin, Michael, Jr., Mayfield, C.F., Theobald, P.K., Barton, Harlan, Nokleberg, W.J., Winkler, G.R., and Huie, Carl, Geological and geochemical appraisal of metallic mineral resources, southern National Petroleum Reserve in Alaska. 85 p., scale 1:250 000, 7 pls. 24.25; 6.50.
- 78 - 70-B Mayfield, C.F., Tailleir, I.L., Mull, C.G., and Sable, E.G., Bedrock geologic map of the south half of National Petroleum Reserve in Alaska. Scale 1:500 000, 2 sheets. 7.00; 1.50.
- 78 - 70-C Nokleberg, W.J., and Winkler, G.R., Geologic setting of the lead and zinc deposits, Drenchwater Creek area, Howard Pass quadrangle, western Brooks Range, Alaska. 17 p., 1 sheet. Superseded by: USGS Professional Paper 1209.

- 78 - 70-D Theobald, P.K., and Barton, H.N., Basic data for the geochemical evaluation of National Petroleum Reserve, Alaska. 102 p., 1:250 000, 2 sheets. 22.25; 4.50.
- 78 - 73-A Berg, H.C., Elliott, R.L., Smith, J.G., and Koch, R. D., Geologic map of Ketchikan and Prince Rupert quadrangles, Alaska. 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-B Elliott, R.L., Berg, H.C., Karl, Susan, Map and table describing metalliferous and selected non-metalliferous mineral deposits, Ketchikan and Prince Rupert quadrangles, Alaska. 18 p., scale 1:250 000, 1 sheet. 6.00; 4.00.
- 78 - 73-C Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing copper in stream-sediments determined by atomic absorption, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-D Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing lead in stream-sediments determined by atomic absorption, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-E Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing zinc in stream-sediments determined by atomic absorption, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-F Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing spectrographically determined molybdenum in stream-sediments, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-G Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing gold determined by atomic absorption and spectrographically determined silver in stream-sediments, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-H Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing spectrographically determined chromium in stream-sediments, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-I Koch, R.D., Elliott, R.L., and Diggles, M.J., Map showing spectrographically determined cobalt in stream-sediments, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-J Koch, R.D., Elliott, R.L., and Diggles, M.F., Map showing spectrographically determined nickel in stream-sediments, Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 73-K Steele, W.C., and Albert, N.R.D., Map showing interpretation of Landsat imagery of the Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 78 - 73-M Berg, H.C., Elliott, R.L., and Koch, R.D., Map and tables describing areas of metalliferous mineral resource potential in the Ketchikan and Prince Rupert quadrangles, Alaska. 48 p., scale 1:250 000, 1 sheet. 18.00; 4.00.

- 78 - 73-N Smith, J.G., and Diggles, M.F., 1981, Potassium-argon determinations in the Ketchikan and Prince Rupert quadrangles, southeastern Alaska. 16 p., 1 sheet. 3.75; 4.00.
- 78 - 77 Reed, B.L., Disseminated tin occurrence near Coal Creek, Talkeetna Mountains D-6 quadrangle, Alaska. 10 p., 1 table. 1.50; 3.50.
- 78 - 82 Alpha, T.R., and Swenson, Phyllis, Equal-area base map of Alaska and northeast Siberia. Scale 1:5 000 000, 1 sheet. 3.50; 1.50.
- 78 - 93 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Nome quadrangle, Alaska. 213 p. 32.00; 3.50.
- 78 - 94 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Beaver, Bettles, and Medfra quadrangles, Alaska. 55 p. 8.25; 3.50.
- 78 - 96 Boucher, Gary, Rotation of Alaska and the opening of the Canada Basin. 19 p. 3.00; 3.50.
- 78 - 120-A Mayfield, C.F., and Tailleux, I.L., Bedrock geologic map of the Ambler River quadrangle, Alaska. 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 120-B Ellersieck, Inyo, (1979), Map showing stream-sediment geochemical sample locations, Ambler River quadrangle, Alaska. 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-C Ellersieck, Inyo, (1979), Analytical results for stream-sediment geochemical sample, Ambler River quadrangle, Alaska. Scale 1:250 000, 6 sheets. 13.50; 3.00.
- 78 - 120-D Ellersieck, Inyo, (1979), Map showing lead and zinc stream-sediment geochemical anomalies, Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-E Ellersieck, Inyo, (1979), Map showing copper and molybdenum stream-sediment geochemical anomalies, Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-F Ellersieck, Inyo, (1979), Map showing tin and beryllium stream-sediment geochemical anomalies, Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-G Ellersieck, Inyo, (1979), Map showing barium, silver, and arsenic stream-sediment geochemical anomalies, Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-H Ellersieck, Inyo, (1979), Map showing chromium, nickel, and cobalt stream-sediment geochemical anomalies, Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 78 - 120-I Mayfield, C.R., and Grybeck, Donald, Mineral occurrences and resources map of the Ambler River quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.

- 78 - 120-J Albert, N.R.D., Interpretation of Landsat imagery, Ambler River quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 78 - 120-K Hackett, S.W., Aeromagnetic interpretation maps of the Ambler River quadrangle, Alaska. 19 p., 3 sheets. 9.75; 5.00.
- 78 - 127 Jones, S.H., Madison, R.J., and Zenone, Chester, Water resources of the Kodiak-Shelikof subregion, south-central Alaska. 2 pls., 23 figs., 6 tables. Superseded by: USGS Hydrological Investigations Atlas HA-612.
- 78 - 137 Childers, J.M., Nauman, J.W., Kernodle, D.R., and Doyle, P.F., Water resources along the TAPS route, Alaska, 1970-74. 136 p. 20.75; 3.50.
- 78 - 143 O'Leary, R.M., Cooley, E.F., Day, G.W., McDougal, C.M., Curtin, G.C., and Nelson, S.W., Spectrographic and chemical analyses of geochemical samples from Talkeetna quadrangle, Alaska. 141 p., scale 1:250 000, 1 sheet. 24.50; 4.00.
- 78 - 145 Wills, J.C., Bolm, J.G., Stewart, G.H., Turner, R.F., Lynch, M.B., Petering, G.W., Parker, John, and Schoof, Brian, Geological and operational summary, Atlantic Richfield Lower Cook Inlet, Alaska, COST Well No. 1. 49 p., 2 pls. 8.50; 4.50.
- 78 - 146 Curtin, G.C., Cooley, E.F., O'Leary, R.M., McDanal, S.K., Spectrographic and chemical analyses of bulk heavy-mineral concentrate samples from the Talkeetna quadrangle, Alaska. 28 p., 1:250 000, 1 sheet. 7.50; 4.00.
- 78 - 156-A Koch, R.D., and Elliott, R.L., Analyses of rock samples from Ketchikan quadrangle, southeastern Alaska. 165 p., scale 1:250 000, 1 sheet. 28.25; 4.00.
- 78 - 156-B Koch, R.D., and Elliott, R.L., Analyses of rock and stream-sediment samples from Prince Rupert quadrangle, southeastern Alaska. 100 p., scale 1:250 000, 1 sheet. 18.50; 4.00.
- 78 - 156-C Koch, R.D., and Elliott, R.L., Analyses of stream-sediment samples from Ketchikan quadrangle, southeastern Alaska. 216 p., scale 1:250 000, 1 sheet. 35.75; 4.00.
- 78 - 181 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Solomon quadrangle, Alaska. 186 p. 27.75; 3.50.
- 78 - 206 Johnson, K.M., Map showing slopes and selected geomorphic features, National Petroleum Reserve, Alaska. Scale 1:5 000 000, 1 sheet. 3.50; 1.50.
- 78 - 208 Gerin, Marybeth, and Molnia, B.F., Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54 degrees North latitude. 66 p. 10.00; 3.50.
- 78 - 209 Molnia, B.F., Carlson, P.R., and Wright, L.H., Geophysical data from the 1975 cruise of the National Oceanic and Atmospheric Administration ship Surveyor in northern Gulf of Alaska. 42 p., 4 pls. Available from National Oceanic and Atmospheric Administration/NGDC Code D-64, 325 Broadway, Boulder, Colorado.
- 78 - 213 Townshend, J.B., Improvements in magnetic observatory construction and operation in permafrost areas. 18 p. 2.50; 3.50.

- 78 - 214 Alpha, T.R., and Lewis, S.D., Revised oblique map of Pribilof Canyon. 1 sheet. 3.50; 1.50.
- 78 - 217 Kachadoorian, Reuben, and Slater, W.H., Pillar Mountain landslide, Kodiak, Alaska. 24 p. 10.50; 4.50.
- 78 - 231 Richards, A.F., Marine geotechnical data for North Pacific sediments. 200 p., 49 figs. 3.50 Microfiche only.
- 78 - 233 Silberman, M.I., O'Leary, R.M., Csejtey, Béla, Jr., Smith, J.G., and Connor, C.L., Geochemical anomalies and isotopic ages in the Willow Creek mining district, southwestern Talkeetna Mountains, Alaska. 33 p. 4.75; 3.50.
- 78 - 236 Bouma, A.H., Hampton, M.A., Frost, T.P., Torresan, M.E., Orlando, R.C., and Whitney, J.W., Bottom characteristics of lower Cook Inlet, Alaska. 93 p., scale 1:250 000, 2 sheets 20.75; 4.50.
- 78 - 253 Foster, H.L., Donato, M.M., and Yount, E.M., Data on Mesozoic granitic rocks of the Eagle quadrangle, Alaska. 30 p., 5 pls. 22.00; 6.00.
- 78 - 254 Turner, D.L., Forbes, R.B., and Mayfield, C.F., K-Ar geochronology of the Survey Pass, Ambler River and Eastern Baird Mountains quadrangles, southwestern Brooks Range, Alaska. 43 p., scale 1:250 000, 3 sheets. 16.75; 5.00.
- 78 - 262 U. S. Geological Survey, Aeromagnetic map of Chignik and Sutwik Island quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 263 U. S. Geological Survey, Aeromagnetic 1:63 360 maps, Chignik and Sutwik Island quadrangles, Alaska. 11 sheets. 38.50; 5.50.
- 78 - 264 Meier, M.F., Post, Austin, Brown, C.S., Frank, David, Hodge, S.M., Mayo, L.R., Rasmussen, L.A., Seneor, E.A., Sikonia, W.G., Trabant, D.C., and Watts, R.D., Columbia Glacier progress report - December 1977. 58 p. 8.25; 3.50.
- 78 - 283 Cobb, E.H., Selected Geological Survey, U. S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1977, indexed by quadrangle. 100 p. 15.00; 3.50.
- 78 - 284 Molnia, B.F., and Wheeler, Mark, Report on beach dynamics, geology, and oil spill susceptibility of the Gulf of Alaska coastline in Glacier Bay National Monument-Sea Otter to Icy Point. 193 p., 1 pl. 4.00 Microfiche only.
- 78 - 286 Gerin, Marybeth, Equal area base map of Norton Sound and the northern Bering Sea. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 78 - 290 Emmett, W.W., Burrows, R.L., and Parks, Bruce, Sediment transport in the Tanana River in the vicinity of Fairbanks, Alaska, 1977. 33 p. 4.75; 3.50.
- 78 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors and text length may vary. 3.50 Microfiche only.

- 78 - 301 Curtin, G.C., Karlson, R.C., Day, G.W., O'Leary, R.M., and Tripp, R.B., Geochemical maps showing distribution and abundance of selected elements in the Talkeetna quadrangle, Alaska. Scale 1:250 000, 15 sheets. 52.50; 7.50.
- 78 - 310 McCoy, G.A., and Freethy, G.W., Water resources of the Cordova area, Alaska. 26 p. Available from Water Resources Division.
- 78 - 315 Miller, T.P., and Johnson, B.R., An occurrence of parsonite, a secondary uranium mineral, in alaskite of the Wheeler Creek pluton, Alaska. 7 p. 1.50; 3.50. Superseded by: USGS Circular 772 B, p. 42-44.
- 78 - 316 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Mt. Fairweather and Skagway quadrangles, Alaska, 128 p. 19.00; 3.50.
- 78 - 319 Callahan, J.E., and Sloan, E.G., Preliminary report on analyses of Cretaceous coals from northwestern Alaska. 31 p., scale 1:250 000, 1 pl. 8.00; 4.00.
- 78 - 320 Carter, L.D., and Robinson, S.W., Eolian sand and interbedded organic horizons at Keelok Creek on the Arctic coastal plain of Alaska: possible regional implications. 27 p. 4.00; 3.50.
- 78 - 322 Gardner, J.V., and Vallier, T.L., Underway seismic data collected on USGS Cruise S6-77, southeastern Bering Sea. 6 p., 1 pl. 4.25; 4.00.
- 78 - 323 McLean, Hugh, Engelhardt, C.L., and Howell, D.G., Reconnaissance geologic map of the Cold Bay and False Pass quadrangles, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 329 Detterman, R.L., The arctic lowland region; potential landform and lifeform Natural Landmarks. 421 p., scale 1:3 720 000, 3 sheets. 3.50. Microfiche only.
- 78 - 345 Detra, D.E., Cooley, E.F., Day, G.W., O'Leary, R.M., Holloway, C.D., and Yount, E.M., Results and statistical summary from analyses of stream-sediment and heavy mineral concentrate samples, Chignik and Sutwik Island quadrangles, Alaska. 100 p., scale 1:250 000, 2 sheets. 21.50; 4.50.
- 78 - 368 Holmes, M.L., Meeder, C.A., and Creager, K.C., Sonobuoy refraction data near Kodiak, Alaska. 79 p. 11.75; 3.50.
- 78 - 374 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Juneau quadrangle, Alaska. 156 p. 23.25; 3.50.
- 78 - 381 Carlson, P.R., and Molnia, B.F., Minisparker profiles and sedimentologic data from R/V Acona cruise (April 1976) in the Gulf of Alaska and Prince William Sound (manuscript describing records acquired including interpretation of selected basic data). 35 p., 2 pls., 17 figs. Available from National Oceanic and Atmospheric Administration/NGDC, 325 Broadway, Boulder, Colorado.
- 78 - 406 Hartz, R.W., Erosional hazards map of the Arctic coast of the National Petroleum Reserve-Alaska. 8 p., scale 1:500 000, 1 sheet. 1.50; 4.00.

- 78 - 408 Clukey, E.C., Nelson, Hans, Newby, J.E., Geotechnical properties of northern Bering Sea sediment. 47 p. 7.00; 3.50.
- 78 - 422 Scholl, D.W., U.S. Geological Survey offshore program of resource and geo-environmental studies and topical investigations, Pacific-Arctic region. 113 p. 3.50 Microfiche only.
- 78 - 439 Freethey, G.W., Guide to groundwater data, Cook Inlet basin, Alaska. 200 p., 5 tables. 42.00; 5.00.
- 78 - 449 Post, Austin, Interim bathymetry of Columbia Glacier and approaches, Alaska. Scale 1:20 000, 1 sheet. 3.50; 1.50.
- 78 - 450 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Sitka quadrangle, Alaska. 124 p. 18.50; 3.50.
- 78 - 464 Alpha, T.R., Oblique map of the Kayak Trough. 1 sheet. 3.50; 1.50.
- 78 - 469 Foster, H.L., O'Leary, R.M., McDaniel, Stephen, and Clark, A.L., Analyses of rock samples from the Big Delta quadrangle, Alaska. 126 p., scale 1:250 000. 1 sheet. 22.25; 4.00.
- 78 - 471 U.S. Geological Survey, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska. 1:250 000, 7 sheets. 24.50; 3.50.
- 78 - 489 Grantz, Arthur, and Mull, C.G., Petroleum potential of the Arctic National Wildlife Range, Alaska. 23 p., 3 pls. 11.25; 5.00.
- 78 - 490 Plafker, George, Bruns, T.R., Carlson, P.R., Molnia, B.F., Scott, E.W., Kahler, Rodger, and Wilson, Charles, Petroleum potential, geologic hazards, and technology for exploration in the Outer Continental Shelf of the Gulf of Alaska Tertiary province. 50 p. 7.50; 3.50.
- 78 - 491 Addicott, W.O., and Winkler, G.R., and Plafker, George, Preliminary megafossil biostratigraphy and correlation of selected stratigraphic sections in the Gulf of Alaska Tertiary Province. 2 pls. 7.00; 1.50.
- 78 - 494 Brew, D.A., Johnson, B.R., Grybeck, Donald, Griscom, Andrew, and Barnes, D.F., Mineral resources of the Glacier Bay National Wilderness study area, Alaska. 670 p., 7 sheets. 124.25; 6.50.
- 78 - 495 Johnson, B.R., Statistical analysis of geochemical data from Glacier Bay National Monument, Alaska. 17 p., scale 1:250 000, 26 sheets. 93.25; 16.50.
- 78 - 498 Scully, D.R., Leveen, L.S., and George, R.S., Surface water records of Cook Inlet basin, Alaska, through September 1975. 105 p. 15.50; 3.50.
- 78 - 508 Gerin, Marybeth, and Alpha, T.R., Equal area base map of the Sec of Okhotsk. 1 pl. 3.50; 1.50.

- 78 - 517 Theobald, P.K., Barton, H.N., Billings, T.M., Frisken, J.G., Turner, R.L., Van Trump, George, Jr., Geochemical distribution of elements in stream-sediment and heavy-mineral concentrate samples in the southern half of the National Petroleum Reserve, Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 78 - 526 Reiser, H.N., Brosge, W.P., Detterman, R.L., and Dutro, J.T., Jr., Geologic map of Demarcation Point quadrangle, Alaska. Scale 1:200 000, 1 sheet. Supersedes USGS Miscellaneous Field Studies Map MF-610 and is superseded by: USGS Miscellaneous Investigations Map I-1133.
- 78 - 529-A Weber, F.R., Foster, H.L., Keith, T.E.C., and Dusel-Bacon, Cynthia, Preliminary geologic map of the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-B Griscom, Andrew, Aeromagnetic interpretation of the Big Delta quadrangle, Alaska. 11 p., 2 pls. 5.75; 4.50.
- 78 - 529-C Albert, N.R.D., and Steele, W.C., (1979), Maps showing interpretation of Landsat imagery of the Big Delta quadrangle, Alaska. Scale 1:250 000, 2 sheets. 6.25; 1.50.
- 78 - 529-D Menzie, W.D., and Foster, H.L., (1979), Metalliferous and selected nonmetalliferous mineral resource potential in the Big Delta quadrangle, Alaska. 62 p., scale 1:250 000, 1 sheet. 9.75; 4.00.
- 78 - 529-E Hessin, T.D., and others, Geochemical map showing the distribution and abundance of copper, lead, and zinc in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-F Hessin, T.D., and others, Geochemical map showing the distribution and abundance of bismuth, antimony, and silver in nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-G Hessin, T.D., and others, Geochemical map showing the distribution and abundance of tin, tungsten, and molybdenum in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-H Hessin, T.D., and others, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-I Hessin, T.D., and others, Geochemical map showing the distribution and abundance of copper, lead, and zinc in the minus 80 mesh stream-sediment in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-J Hessin, T.D., and others, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the minus 80 mesh stream-sediment in the Big Delta quadrangle, Alaska. Scale 1:250 000; 1 sheet. 3.50; 1.50.

- 78 - 529-K Hessin, T.D., Geochemical map showing the distribution and abundance of copper, lead, and zinc in the oxide residue of stream-sediment samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-L Hessin, T.D., and others, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the oxide residue of stream-sediment samples in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-M Hessin, T.D., Geochemical map showing the distribution and abundance of copper, lead, and molybdenum in the ash of willow leaves in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 529-N Hessin, T.D., Geochemical map showing the distribution and abundance of zinc and cadmium in the ash of willow leaves in the Big Delta quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 543 Alpha, T.R., Oblique map of Pamplona Ridge. 1 pl. 3.50; 1.50.
- 78 - 545 Silberling, N.J., Jones, D.L., Csejtey, Béla, Jr., and Nelson, W.H., Interpretive bedrock geologic map of part of the Upper Chulitna district, Healy A-6 quadrangle, Alaska Range, Alaska. Scale 1:63 360, 1 sheet. Superseded by: USGS Professional Paper 1121-A.
- 78 - 557 Yount, M.E., Cooley, E.F., and O'Leary, R.M., Sample location map, analytical data, and statistical summary of analyses of rock samples, Chignik and Sutwik Island quadrangles, Alaska. 1 sheet. 3.50; 1.50.
- 78 - 558-A Csejtey, Béla, Jr., Nelson, W.H., Jones, D.L., Silberling, N.J., Dean, R.M., Morris, M.S., Lanphere, M.A., Smith, J.G., and Silberman, M.L., Reconnaissance geologic map and geochronology, Talkeetna Mountains quadrangle, northern part of Anchorage quadrangle, and southwest corner of Healy quadrangle, Alaska. 62 p., scale 1:250 000, 1 sheet. 12.50; 4.00.
- 78 - 558-B Csejtey, Béla, Jr., and Miller, R.J., (1979), Map and table describing metalliferous and selected nonmetalliferous mineral deposits, Talkeetna Mountains quadrangle, Alaska. 22 p., scale 1:250 000, 1 pl. 6.50; 4.00.
- 78 - 558-C Csejtey, Béla, Jr., and Griscom, Andrew, (1979), Preliminary aeromagnetic interpretive map of the Talkeetna Mountains quadrangle, Alaska. 15 p., 2 pls. 7.25; 4.50.
- 78 - 558-D Steele, W.C., and Le Compte, J.R., Map showing interpretation of Landsat imagery of the Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 78 - 558-E Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of tin in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.

- 78 - 558-F Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of zinc in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-G Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of silver in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-H Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of gold in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-I Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of copper in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-J Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of lead in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-K Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of molybdenum in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-L Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of bismuth in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-M Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of chromium in stream-sediments and heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-N Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of tungsten in heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-O Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of barium in heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 558-P Miller, R.J., Curtin, G.C., and Csejtey, Béla, Jr., (1979), Map showing geochemical distribution and abundance of arsenic in heavy-mineral concentrates, Talkeetna Mountains quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.

- 78 - 558-G Singer, D.A., Csejtey, Béla, Jr., and Miller, R.J., (1979), Map and discussion of the metalliferous and selected non-metalliferous mineral resources of the Talkeetna Mountains quadrangle, Alaska. 34 p., scale 1:250 000, 1 sheet. 8.00; 4.00.
- 78 - 559 Dutro, J.T., Jr., Detra, D.E., Analyses of rock samples from the Hunt Fork Shale and related Upper Devonian rocks, Philip Smith Mountains quadrangle, arctic Alaska. 8 p. 1.50; 3.50.
- 78 - 571 O'Leary, R.M., Cooley, E.F., Day, G.W., Hessin, T.D., McDougal, C.M., McDanal, Steven, and Clark, A.L., Spectrographic and chemical analyses of geochemical samples from the Big Delta quadrangle, Alaska. 127 p., scale 1:250 000, 1 sheet. 19.00; 4.00.
- 78 - 593 Reimnitz, Erk, and Maurer, D.K., Storm surges in the Alaskan Beaufort Sea. 28 p., 14 figs. 6.00; 3.50.
- 78 - 608 Thor, D.R., and Nelson, Hans, Continuous seismic reflection profile records, SEA 5-77-BS cruise, northern Bering Sea. 8 p., scale 1:250 000, 2 sheets. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 78 - 609 Nelson, Hans, Holmes, M.L., Thor, D.R., and Johnson, J.L., Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea. 7 p., scale 1:250 000, 2 sheets. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 78 - 611 Loeffler, R.M., and Childers, J.M., Channel erosion along the TAPS Route, Alaska, 1977. 96 p. 17.25; 10.00.
- 78 - 666 Reimnitz, Erk, and Maurer, D.K., Stamukhi shoals of the Arctic - some observations from the Beaufort Sea. 17 p., 13 figs. 2.50; 3.50.
- 78 - 675 Yehle, L.A., Reconnaissance engineering geology of the Petersburg area, southeastern Alaska, with emphasis on geologic hazards. 92 p., scale 1:9 600 and 1:250 000, 2 pls. 18.25; 4.50.
- 78 - 676 Bartsch-Winkler, Susan, Geological mapping in Alaska, U. S. Geological Survey, post-1930, scales 1:96 000 to 1:250 000, 6 p., 1 sheet. 4.25; 4.00. Superseded by: USGS Open-File Reports OF 80-135, OF 80-1252, and OF 83-577.
- 78 - 677 Bartsch-Winkler, Susan, Geological mapping in Alaska, U. S. Geological Survey, post-1930, scales 1:20 000 to 1:63 360. 7 p., 1 sheet. 4.50; 4.00. Superseded by: USGS Open-File Reports OF 80-134, OF 80-1251, and OF 83-573.
- 78 - 693 Toimil, L.J., Ice-gauged morphology on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey. 113 p., 18 figs. 16.25; 3.50.
- 78 - 698 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Surdum and Taku River quadrangles, Alaska. 65 p. 9.75; 3.50.
- 78 - 699 Chapman, R.M., and Patton, W.R., Jr., Reconnaissance geochemical sampling in the Melozitna quadrangle, Alaska. 26 p., scale 1:250 000, 1 sheet. 7.25; 4.50.

- 78 - 727 Bouma, A.H., and Hampton, M.A., Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling localities from lower Cook Inlet and Kodiak Shelf, R/V Sea Sounder cruise S7-77-WG, Sept.-Oct. 1977. 30 p.
- 78 - 728 Bouma, A.H., Hampton, M.A., Whitney, J.W., and Noonan, W. G., Physiography of lower Cook Inlet, Alaska. 13 p., 4 figs. 2.50; 3.50.
- 78 - 729 Hampton, M.A., and Bouma, A.H., Generalized thickness map of unconsolidated surficial sedimentary units, Kodiak shelf, western Gulf of Alaska. 5 p., 5 pls. 18.00; 6.00.
- 78 - 730 Barnes, P.W., McDowell, David, Reimnitz, Erk, Ice gouging characteristics: Their changing patterns from 1975-1977, Beaufort Sea, Alaska. 44 p. 6.50; 3.50.
- 78 - 737 Le Compte, J.R., (1979), Interpretation of Landsat imagery of the Seward and Blying Sound quadrangles, Alaska. Scale 1:250 000, 2 pls. 8.25; 1.50.
- 78 - 757 Dickinson, K.A., and Campbell, J.A., Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska: a preliminary report. 14 p. 2.00; 3.50.
- 78 - 785 Barnes, P.W., and McDowell, David, Inner shelf morphology, Beaufort Sea, Alaska. 5 p., 1 sheet. 4.25; 4.00.
- 78 - 787 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Port Alexander quadrangle, Alaska. 33 p. 4.75; 3.50.
- 78 - 788 King, H.D., Crim, W.D., Cooley, E.F., McDanal, S.K., O'Leary, R.M., and Cohen, D.K., Spectrographic and chemical analyses of geochemical samples from the Lake Clark quadrangle, Alaska. 59 p., scale 1:250 000, 1 sheet. 12.25; 4.00.
- 78 - 794 Carter, L.D., and Galloway, J.P., Preliminary engineering geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska. 26 p., scale 1:125 000, 3 sheets. 14.25; 5.00.
- 78 - 795 Galloway, J.P., and Carter, L.D., Preliminary map of pingos in National Petroleum Reserve in Alaska. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 78 - 863 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Dixon Entrance quadrangle, Alaska. 34 p. 5.00; 3.50.
- 78 - 869 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Craig quadrangle, Alaska. 262 p. 39.25; 3.50.
- 78 - 870 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Petersburg quadrangle, Alaska. 53 p. 7.75; 3.50.
- 78 - 922 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Bradfield Canal quadrangle, Alaska. 98 p. 14.50; 3.50.

- 78 - 923 Gardner, J.V., Vallier, T.L., and Dean, W.E., Grain size, total carbon, mineralogy, and inorganic geochemical data from surface sediments of the southern Bering Sea Outer Continental Shelf. 32 p. 4.75; 3.50.
- 78 - 943 Plafker, George, and Rubin, Meyer, 1978, Uplift history and earthquake recurrence as deduced from marine terraces on Middleton Island, Alaska, in Proceedings of Conference VI, Methodology for identifying seismic gaps and soon-to-break gaps: U.S. Geological Survey Open-File Report 78-943, p. 687-721. 3.50 Microfiche only.
- 78 - 959 Nelson, G.L., Hydrologic information for land-use planning - Fairbanks vicinity, Alaska. 69 p. 7.75; 4.00.
- 78 - 1033 Martin, G.C., and Callahan, J.E., Preliminary report on the coal resources of the National Petroleum Reserve in Alaska. 29 p., scale 1:471 680, 2 sheets. 10.50; 4.50.
- 78 - 1034 Johnson, P.R., Wilcox, D.E., Morgan, W.D., Merto, Josephine, and McFadden, Ruth, Arsenic, nitrate, iron, and hardness in groundwater, Fairbanks area, Alaska. Scale 1:24 000, 2 sheets. 7.00; 1.50.
- 78 - 1052 Miller, R.J., Cooley, E.F., O'Leary, R.M., Garnezy, Larry, Csejtey, Béla, Jr., Smith, T.E., and Cleveland, M.N., Analyses of geochemical samples from the Talkeetna Mountains quadrangle, Alaska. 279 p., scale 1:250 000, 3 sheets. 52.25; 5.00.
- 78 - 1062 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Healy quadrangle, Alaska. 113 p. 16.75; 3.50.
- 78 - 1063 Hopkins, D.M., and Hartz, R.W., (1979), Coastal morphology, coastal erosion, and barrier islands of the Beaufort Sea, Alaska. 54 p. 8.50; 3.50.
- 78 - 1064 Wilson, F.H., Map showing preliminary results of K-Ar studies in the Chignik and Sutwik Island quadrangles, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 78 - 1066 Maurer, D.K., Barnes, P.W., and Reimnitz, Erk, U.S. Geological Survey marine geologic studies in the Beaufort Sea, Alaska, 1977: Data type, location, and records obtained. 4 p., 4 pls., 2 reels 35 mm microfilm. Manuscript describing data acquired and equipment used; includes trackline maps that show sample and SCUBA dive sites. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 78 - 1071 Carlson, P.R., Levy, W.P., Molnia, B.F., and Hampson, J.C., Jr., Geotechnical properties of sediments from the continental shelf south of Icy Bay, northeastern Gulf of Alaska. 32 p. 4.50; 3.50.
- 78 - 1080 U.S. Geological Survey, Aeromagnetic map of Seward quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 1081 U.S. Geological Survey, Aeromagnetic maps of Seward quadrangle, Alaska. Scale 1:63 360, 32 sheets. 112.00; 16.00.

- 78 - 1082 U.S. Geological Survey, Aeromagnetic map of part of Blying Sound quadrangle, Alaska. Scale 1:63 360, 1 sheet. 3.50; 1.50.
- 78 - 1083 U.S. Geological Survey, Aeromagnetic maps of part of Blying Sound quadrangle, Alaska. Scale 1:63 360, 10 sheets. 35.00; 5.00.
- 78 - 1085 Berg, H.C., Jones, D.L., and Coney, P.J., Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas. Scale 1:1 000 000, 2 sheets. 7.00; 1.50.
- 78 - 1086 Aeromagnetic map of the Lake Clark 1 degree by 3 degree quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 78 - 1090 Detra, D.E., Cooley, E.F., Hopkins, R.T., Jr., O'Leary, R.M., and Jefferis, D.R., Final results and statistical summary from analysis of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska. 105 p., 2 pls. 23.00; 4.50.
- 78 - 1097 Fogleman, K., Stephens, C., Lahr, J.C., Helton, S., and Allan, M., Catalog of earthquakes in southern Alaska, October-December 1977. 28 p. 34.00; 3.50.
- 73 - 1102 O'Leary, R.M., Cooley, E.F., Day, G.W., McDougal, Christine, Tripp, R.B., and Crim, W.D., Spectrographic and atomic-absorption analyses of geochemical samples from the Seward and Blying Sound quadrangles, Alaska. 59 p., 1 pl. 12.25; 4.00.
- 79 - 223 U.S. Geological Survey, Aeromagnetic map of part of the Cordova and Middleton Island 1 degree by 3 degree quadrangles, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 224 U.S. Geological Survey, Aeromagnetic profiles of the Bering Glacier, Mt. St. Elias and Yakutat 1 degree by 3 degree quadrangles, Alaska. Scale 1:250 000, 2 pls. 7.00; 1.50.
- 79 - 227 Hamilton, T.D., Geologic road log, Alyeska haul road, Alaska, June-August 1975. 65 p., 4 pls., 58 figs. 11.25; 5.50.
- 79 - 228 Hamilton, T.D., and Trexler, J.H., Jr., Analyses of surficial deposits, central Brooks Range, Alaska. 100 p., 24 figs. 15.00; 3.50.
- 79 - 234 Rodeick, C.A., The origin, distribution, and depositional history of gravel deposits on the Beaufort Sea continental shelf, Alaska. 87 p., 16 figs., 15 photos. 14.50; 3.50.
- 79 - 263 Turner, B.W., Thrasher, G.P., Shearer, G.B., and Holden, K.D., Bathymetric maps of the Kodiak Outer Continental Shelf, western Gulf of Alaska. Scale 1:250 000, 13 pls. 45.50; 6.50.
- 79 - 288 Grantz, Arthur, Eittreim, S.L., and Whitney, O.T., Geology and physiography of the continental margin north of Alaska and implications for the origin of the Canada Basin. 75 p., 17 figs. 12.75; 3.50. Superseded by: Grantz, Arthur, Eittreim, Stephen, and Whitney, O.T., 1981, same title, in Nairn, A.E.M., Churkin, Michael, Jr., and Stehli, F.G., 1981, The ocean basins and margins: New York, Plenum Publishing, v. 5, p. 439-492.

- 79 - 295 Plafker, George, and Claypool, George, Petroleum source rock potential of rocks dredged from the continental slope in the eastern Gulf of Alaska. 20 p., 3 figs. 3.75; 3.50.
- 79 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors and text length may vary. 3.50 Microfiche only.
- 79 - 351 Barnes, Peter, Reimnitz, Erk, Toimil, Larry, Maurer, Douglas, and McDowell, David, Core descriptions and preliminary observations of vibracores from the Alaskan Beaufort Sea shelf. 113 p., 99 figs. 16.00; 3.50.
- 79 - 371 Childs, J.R., and Cooper, A.K., Marine seismic sonobuoy data from the Bering Sea region. 4 p., 1 pl. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 380 U.S. Geological Survey, Aeromagnetic map of the Medfra 1 degree by 3 degree quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 381 U.S. Geological Survey, Aeromagnetic map of part of the Valdez 1 degree by 3 degree quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 384 Reimnitz, Erk, Barnes, P.W., and Kempema, Edward, Marine geologic studies in the Beaufort Sea, Alaska, 1978; data type, location, records obtained and their availability. 3 p., 5 pls. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 410 Sloan, E.G., Shearer, G.B., Eason, J.E., and Almquist, C.L., Reconnaissance survey for coal near Farewell, Alaska. 28 p., 4 pls., 1 table. 7.50; 5.50.
- 79 - 430 Curtin, G.C., O'Leary, R.M., Tripp, R.B., and Cooley, E.F., Geochemical and generalized geologic maps showing the distribution and abundance of thorium and distribution of uranium in selected samples in the central Alaska Range, Talkeetna quadrangle, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 450 Underwood, M.B., Vallier, T.L., Gardner, J.V., and Barron, J.A., Grain size, mineralogy, carbon/carbonate content, and age of Miocene and Pliocene samples from dredge hauls, DSDP hole 184 B and 185, and the Sandy River Well, southern Bering Sea continental margin and Alaska Peninsula. 35 p., 4 figs. 5.25; 3.50.
- 79 - 529 U.S. Geological Survey, Aeromagnetic map of Yakobi and Chichagof Islands, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 539 Barnes, W.P., Reimnitz, Erk, Toimil, L.J., and Hill, H.R., Fast-ice thickness and snow depth in relation to oil entrapment potential, Prudhoe Bay, Alaska. 30 p., 9 figs. 4.50; 3.50.
- 79 - 548 Magoon, L.B., and Claypool, G.E., Petroleum geology of Cook Inlet Basin, Alaska - An exploration model. 44 p., 19 figs. Superseded by: American Association of Petroleum Geologists, Studies in geology, no. 4, p. 355-374, 1981.
- 79 - 594 Wilson, R.H., Dadisman, S.V., and Herzon, P.L., Map showing radiometric ages of rocks in southeastern Alaska. 33 p., 1 pl. 8.75; 4.00.

- 79 - 600 Magoon, L.B., Bouma, A.H., Fisher, M.A., Hampton, M.A., Scott, E.W., and Wilson, C.L., Resource report for proposed Outer Continental Shelf sale no. 60, Lower Cook Inlet - Shelikof Strait, Alaska. 38 p., 9 figs. 5.75; 3.50.
- 79 - 670 Lahr, J.C., Plafker, George, Stephens, C.D., Fogleman, D.A., and Blackford, M.E., Interim report on the St. Elias earthquake of 28 February 1979. 35 p., 11 figs. 5.25; 3.50.
- 79 - 699 Childers, J.M., Kernodle, D.R., and Loeffler, R.M., Hydrologic reconnaissance of western arctic Alaska, 1976 and 1977. 68 p., 29 figs., 7 tables. 9.75; 3.50.
- 79 - 706 Cobb, E.H., Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1978, indexed by quadrangle. 191 p. 24.75; 3.50.
- 79 - 718 Stephens, C.D., Lahr, J.C., Fogleman, K.A., Allan, M.A., and Helton, S.M., Catalog of earthquakes in southern Alaska, January-March 1978. 31 p., 7 figs., 1 photo. 4.00; 3.50.
- 79 - 720 Fisher, M.A., Patton, W.W., Jr., Thor, D.R., Holmes, M.L., Scott, E.W., Nelson, C.H., and Wilson, C.L., Resource report for proposed Outer Continental Shelf lease sale 57: Norton Basin, Alaska. 103 p., 16 figs. 9.50; 3.50.
- 79 - 751 Hamilton, T.D., Quaternary stratigraphic sections with radiocarbon dates, Chandalar quadrangle, Alaska. 17 p., scale 1:500 000, 1 pl. 2.50; 4.00.
- 79 - 766 Reimnitz, Erk, Barnes, Peter, and Maurer, Douglas, Marine geologic studies in the Beaufort Sea, Alaska, 1976; data type, location, and records obtained. 4 p., scale 1:80 000, 4 pls. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 830 U.S. Geological Survey, Aeroradioactivity map of Cone Mountain, Alaska. Scale 1:63 360, 1 pl. 2.25; 1.50.
- 79 - 831 U.S. Geological Survey, Aeroradioactivity map of Kosciuszko Island, Alaska. Scale 1:63 360, 1 pl. 1.75; 1.50.
- 79 - 832 U.S. Geological Survey, Aeromagnetic map of the Petersburg area, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 837-A Cathrall, J.B., Cooley, E.F., O'Leary, R.M., Billings, T.M., and McDanal, S.K., A listing and statistical summary of spectrographic and chemical analysis of stream-sediment samples from the Survey Pass quadrangle, Alaska. 61 p., 1 pl. 9.00; 4.00.
- 79 - 837-B Cathrall, J.B., Cooley, E.F., McDanal, S.K., and Billings, T.M., A listing and statistical summary of spectrographic analyses of heavy-mineral concentrates from stream-sediment for the Survey Pass quadrangle, Alaska. 54 p., 1 pl. 8.75; 4.00.
- 79 - 837-C Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of copper in the minus-80-mesh fraction of stream-sediment sample, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.

- 79 - 837-D Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of copper in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-E Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of lead in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-F Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of lead in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-G Cathrall, J.B., Billings, T.M., and O'Leary, R.M., Distribution and abundance of zinc (determined by atomic absorption analysis) in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-H Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of zinc (determined by spectrographic analysis) in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-I Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of zinc in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-J Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of barium in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-K Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of barium in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-L Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of silver, bismuth, and tungsten in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-M Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of silver, arsenic, bismuth, tungsten, and thorium in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-N Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of molybdenum in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-O Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of molybdenum in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.

- 79 - 837-P Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of tin in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-Q Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of tin in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-R Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of beryllium in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-S Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of beryllium in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-T Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of antimony in the minus-80-mesh fraction of stream-sediment samples, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 837-U Cathrall, J.B., Billings, T.M., and Cooley, E.F., Distribution and abundance of lanthanum in the nonmagnetic fraction of heavy-mineral concentrates from stream-sediments, Survey Pass 1 degree by 3 degree quadrangle, Alaska. 1 pl. 1.75; 1.50.
- 79 - 848 Barnes, Peter, and Reimnitz, Erk, Ice gouge obliteration and sediment redistribution event; 1977-1978, Beaufort Sea, Alaska. 22 p. 2.75; 3.50.
- 79 - 855 Gerin, Marybeth, and Stevenson, A.J., Equal-area base map of the North Pacific Ocean - North-central section. Scale 1:2 500 000, 1 pl. 6.00; 1.50.
- 79 - 856 Gerin, Marybeth, and Stevenson, A.J., Equal-area base map of the North Pacific Ocean - Northeast section. Scale 1:2 500 000, 1 pl. 6.00; 1.50.
- 79 - 857 Gerin, Marybeth, and Stevenson, A.J., Equal-area base map of the northeast Pacific Ocean. Scale 1:5 000 000, 1 pl. 3.50; 1.50.
- 79 - 860 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Afognak, Karluk, Kodiak, and Trinity Islands quadrangles, Alaska. 49 p. 6.00; 3.50.
- 79 - 866 Hamilton, T.D., Radiocarbon dates and Quaternary stratigraphic sections, Philip Smith Mountains quadrangle, Alaska. 43 p., scale 1:500 000, 1 pl. 6.00; 4.00.
- 79 - 871 Crim, W.D., Cooley, E.F., Hampton, J.O., McDaniel, S.K., and O'Leary, R.M., Spectrographic and chemical analyses of geochemical samples collected during 1978 from the Lake Clark quadrangle, Alaska. 48 p., 1 pl. 8.00; 4.00.
- 79 - 875 Gerin, Marybeth, and Stevenson, A.J., Equal-area base map of the North Pacific Ocean - Northwest section. Scale 1:2 500 000, 1 pl. 6.00; 1.50.

- 79 - 937 U.S. Geological Survey, Aeromagnetic maps of parts of the Ketchikan, Prince Rupert, and Craig quadrangles, southeastern Alaska. Scale 1:63 360, 19 pls. 30.50; 9.50.
- 79 - 945 Patton, W.W., Jr., and Csejtey, Bela, Jr., Geologic map of St. Lawrence Island, Alaska. Scale 1:250 000, 1 pl. Superseded by: USGS Miscellaneous Investigations Series Map I-1203.
- 79 - 953 Hudson, Travis, Calc-alkaline plutonism along the Pacific rim of southern Alaska. 34 p. 4.25; 3.50. See also article in GSA Memoir 159, p. 150-169.
- 79 - 959 King, H.D., Cooley, E.F., O'Leary, R.M., Tripp, R.B., McDanal, S.K., and Spiesman, D.L., Spectrographic and atomic-absorption analyses of geochemical samples from the Medfra quadrangle, Alaska. 44 p., scale 1:250 000, 1 pl. 7.50; 4.00.
- 79 - 973 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Cordova quadrangle, Alaska. 75 p. 9.75; 3.50.
- 79 - 995 Roehler, H.W., and Stricker, G.D., Stratigraphy and sedimentation of the Torok, Kukpowruk, and Corwin Formations of Cretaceous age in the Kokolik-Utukok River region, National Petroleum Reserve in Alaska. 84 p., 2 pls. 23.50; 5.00.
- 79 - 1086 Curtis, S.M., Rossiter, R., Ellersieck, I.F., Mayfield, C.F., and TAILLEUR, I.L., Gamma-ray values in the Misheguk Mountain region, northwestern Alaska. 2 pls. 7.00; 1.50.
- 79 - 1092 Mayfield, C.F., Curtis, S.M., Ellersieck, I.F., and TAILLEUR, I.L., Reconnaissance geology of the Ginny Creek zinc-lead-silver and Nimiuktuk barite deposits, northwestern Brooks Range, Alaska. 21 p., 2 pls. 9.00; 4.50.
- 79 - 1095 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Anchorage quadrangle, Alaska. 184 p. 23.75; 3.50.
- 79 - 1139 Marlow, M.S., Cooper, A.K., Scholl, D.W., Vallier, T.L., and McLean, Hugh, Description of dredge samples from the Bering Sea continental margin. 6 p. 1.50; 3.50.
- 79 - 1146 Curtis, S.M., and Rossiter, Richard, Gamma-ray values in Barrow, Teshekpuk, and the Harrison Bay quadrangles, Alaska. Scale 1:25 000, 1 pl. 4.50; 1.50.
- 79 - 1147 Marlow, M.S., and Cooper, A.K., Multichannel seismic-reflection profiles collected in 1977 in the northern Bering Sea. 3 p. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 1168 Mayo, L.R., Trabant, D.C., March, Rod, and Haerberli, Wilfried, Columbia Glacier stake location, mass balance, glacier surface altitude, and ice radar data - 1978 measurement year. 79 p. 10.00; 3.50.

- 79 - 1200 Jones, D.L., and Silberling, N.J., Mesozoic stratigraphy - The key to tectonic analysis of southern and central Alaska. 41 p. Published in Leviton, A.E., et. al., eds., 1982, *Frontiers of geological exploration of western North America*: San Francisco, CA, Pacific Div. of American Association of Petroleum Geologists, p. 139-153.
- 79 - 1205 Reimnitz, Erk, and Ross, Robin, Lag deposits of boulders in Stefansson Sound, Beaufort Sea, Alaska. 27 p. 3.50; 3.50.
- 79 - 1219 Gerin, Marybeth, Gazetteer of coastal and offshore features of the Bering Sea and Aleutian Arc. 51 p. 6.75; 3.50.
- 79 - 1224 Brosge, W.P., Reiser, H.N., Dutro, J.T., Jr., and Nilsen, T.H., Geologic map of Devonian rocks in parts of the Chandler Lake and Killik River quadrangles, Alaska. Scale 1:200 000, 1 pl. 3.50; 1.50.
- 79 - 1241 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Valdez quadrangle, Alaska. 167 p. 21.50; 3.50.
- 79 - 1246 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Bering Glacier, Icy Bay, Middleton Island, and Yakutat quadrangles, Alaska. 41 p. 5.25; 3.50.
- 79 - 1247 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Gulkana quadrangle, Alaska. 37 p. 4.75; 3.50.
- 79 - 1265 Sikonia, W.G., and Post, Austin, Columbia Glacier, Alaska: Recent ice loss and its relationship to seasonal terminal embayments, thinning, and glacier flow. 3 pls. Superseded by: USGS Hydrological Investigations Atlas HA-619.
- 79 - 1267 Thrasher, G.P., Geologic map of the Kodiak Outer Continental Shelf, western Gulf of Alaska. Scale 1:250 000, 2 pls. 9.00; 1.50.
- 79 - 1284 Lanfear, K.J., Nakassis, Anastasis, Samuels, W.B., and Schoen, C.T., Oilspill risk analysis for the northern Gulf of Alaska (proposed sale 55) 86 p. 11.50; 3.50.
- 79 - 1303 Hartz, R.W., Holden, K., Hopkins, D.M., and Shearer, G., Location map and summary logs for the U.S. Geological Survey's 1979 Beaufort Sea over the ice drilling program. 7 p., 20 pls. 6.25; 13.50.
- 79 - 1311 Hampton, M.A., and Bouma, A.H., Notes on the acquisition of high resolution seismic reflection profiles, side-scanning sonar records, and sediment samples from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S8-78-WG, August 1978. 83 p. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 1313 Greenberg, Jonathan, Hart, P.E., and Grantz, Arthur, Bathymetric map of the continental shelf, slope, and rise of the Beaufort Sea north of Alaska. 6 pls. 28.50; 3.00.
- 79 - 1316 Dickinson, K.A., Uraniferous phosphate occurrence on Kupreanof Island, southeast Alaska. 3 p. 1.50; 3.50.

- 79 - 1319 Day, G.W., Curtin, G.C., and Tripp, R.B., Geochemical maps showing the distribution and abundance of lead, zinc, and cadmium in the ash of black spruce needles and ground birch leaves from the Tanacross quadrangle, Alaska. 1 pl. 4.50; 1.50.
- 79 - 1320 Day, G.W., Curtin, G.C., and Tripp, R.B., Geochemical maps showing the distribution and abundance of copper and molybdenum in the ash of black spruce needles and ground birch leaves from the Tanacross quadrangle, Alaska. 1 pl. 6.00; 1.50.
- 79 - 1342 Sloan, Charles, Trabant, Dennis, and Glude, William, Reconnaissance snow surveys of the National Petroleum Reserve in Alaska, April 1977 and April-May 1977. 42 p. 5.25; 3.50.
- 79 - 1345 MITRE Corp., Outer Continental Shelf Oil and Gas Information Program: Alaska index. 91 p. (These reports can be obtained only through the Outer Continental Shelf Information Program, USGS/Outer Continental Shelf-RALI Program, USGS, 750 National Center, Reston, VA 22092.)
- 79 - 1355 Day, G.W., Curtin, G.C., and Billings, Theodore, Spectrographic data for the ash of ground birch (*Betula rotundifolia* Sarg.) leaves and black spruce (*Picea mariana* B.S.P.) needles collected from the Tanacross 1:250 000 quadrangle, Alaska. 84 p., 2 pls. 14.50; 4.50.
- 79 - 1427 Dickinson, K.A., A uranium occurrence in the Tertiary Kootznahoo Formation on Kuiu Island, southeast Alaska. 6 p. 1.50; 3.50.
- 79 - 1475 Cobb, E.H., Alaskan papers and abstracts published in American Association of Petroleum Geologists Bulletin, 1950-1978, indexed by quadrangle. 84 p. 10.50; 3.50.
- 79 - 1504 Giovanetti, D.M., and Bird, K.J., Gravity and magnetic profiles and rock property data for the Shaviovik-Echooka Rivers area, North Slope, Alaska. 15 p., 1 pl. 5.50; 4.00.
- 79 - 1506 Pickthorn, W.J., Yount, M.E., Cooley, E.F., O'Leary, R.M., Detra, D.E., and Ito, Gail, Sample location map and analytical data for rock samples collected in 1978, Chignik and Sutwik Island quadrangles, Alaska. Scale 1:250 000, 1 pl. 3.50; 1.50.
- 79 - 1539 Burrows, R.L., Parks, Bruce, and Emmett, W.W., Sediment transport in the Tanana River in the vicinity of Fairbanks, Alaska, 1977-78. 43 p. 5.50; 3.50.
- 79 - 1555 Cacchione, D.A., and Drake, D.E., Sediment transport in Norton Sound, Alaska. 90 p. 11.50; 3.50.
- 79 - 1556 Wong, F.L., Vallier, T.L., Hopkins, D.M., and Silberman, M.L., Preliminary report on the petrography and geochemistry of basalt from the Pribilof Islands and vicinity, southern Bering Sea. 53 p. 6.75; 3.50.
- 79 - 1562 Gardner, J.V., Vallier, T.L., Dean, W.E., Kvenvolden, K.A., and Redden, G.D., Sedimentology and geochemistry of surface sediments and the distribution of faults and potentially unstable sediments, St. George basin region of the Outer Continental Shelf, southern Bering Sea. 88 p. 11.50; 3.50.

- 79 - 1563 Gerin, Marybeth, and Alpha, T.R., Gazetteer of coastal and offshore features of the Chukchi and Beaufort Seas. 21 p. 3.00; 3.50.
- 79 - 1605 McLean, Hugh, Observations on the geology and petroleum potential of the Cold Bay - False Pass area, Alaska Peninsula. 35 p. 4.50; 3.50.
- 79 - 1634 Palmer, I.F., Jr., Bolm, J.G., Maxey, L.R., and Lyle, W.M., Petroleum source rock and reservoir quality data from outcrop samples, onshore North Slope of Alaska east of Prudhoe Bay. 54 p., scale 1:250 000, 14 pls. 28.75; 10.50.
- 79 - 1640 Cobb, E.H., Alaskan papers and abstracts published by the Geological Society of America, 1890-1978, indexed by quadrangle. 206 p. 26.75; 3.50.
- 79 - 1649 Magoon, L.B., and Claypool, G.E., Two oil types on the North Slope of Alaska - Implications for future exploration. Superseded by: American Association of Petroleum Geologists Bulletin, vol. 65, no. 4, p. 644-652, 1981.
- 79 - 1650 Marlow, M.S., Gardner, J.V., Vallier, T.L., McLean, H., Scott, E.W., and Lynch, M.B., Resource report for proposed Outer Continental Shelf lease sale no. 70, St. George basin, Alaska. 84 p. 10.75; 3.50.
- 79 - 1673 Larsen, M.C., Nelson, Hans, and Thor, D.R., Continuous seismic reflection profile records, SEA 9-78-BS cruise, northern Bering Sea. 8 p. Available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 79 - 1694 Decker, John, Preliminary aeromagnetic map of southeastern Alaska: Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 80 - 10 Meier, M.R., Post, Austin, Rasnussen, L.A., Sikonia, W.G., and Mayo, L.R., Retreat of Columbia Glacier - A preliminary prediction. 12 p. 1.50; 3.50.
- 80 - 49 Krumhardt, A.P., Arsenic, nitrate, iron, and hardness in ground water, Chena Ridge vicinity, Fairbanks, Alaska. 2 pls., scale 1:24 000. 3.50; 1.50.
- 80 - 57 U.S. Geological Survey, Aeromagnetic map of Afognak Island and vicinity, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 80 - 58 U.S. Geological Survey, Aeromagnetic map of the Chugach area, Alaska. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 80 - 63 McClellan, P.H., Arnal, R.E., Barron, J.A., von Huene, Roland, Fisher, M.A., and Moore, G.W., Biostratigraphic results of dart-coring in the western Gulf of Alaska, and their tectonic implications. 24 p. 3.00; 3.1.50
- 80 - 65 Carlson, P.R., Molnia, B.F., and Levy, W.P., Continuous acoustic profiles and sedimentologic data from R/V SeaSounder Cruise (S-1-76), eastern Gulf of Alaska. 42 p., 3 pl. 21.50; 5.00.
- 80 - 79 Brew, D.A., Morrell, R.P., Intrusive rocks and plutonic belts of southeastern Alaska, U.S.A. Superseded by: Geological Society of America, Memoir 159, p. 171-193, 1983.

- 80 - 81 Chase, T.E., Miller, C.P., Thomas, J.A., Seekins, B.A., Young, J.D., and Carpenter, C.E., Bathymetry of Gulf of Alaska, Bering Sea and Beaufort Sea. 1 pl., scale 1:2 770 702. 6.00; 1.50.
- 80 - 86 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Kenai and Tyonek quadrangles, Alaska. 37 p. 4.75; 3.50.
- 80 - 87 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Kenai and Tyonek quadrangles, 37 p. 6.00; 3.50.
- 80 - 94 Grantz, Arthur, Barnes, P.W., Dinter, D.A., Lynch, M.B., Reimnitz, Erk, and Scott, E.W., Geologic framework, hydrocarbon potential, environmental conditions, and anticipated technology for exploration and development of the Beaufort Shelf north of Alaska. 46 p. 5.75; 3.50.
- 80 - 134 Bartsch-Winkler, Susan, Status of geologic mapping in Alaska, U. S. Geological Survey, scales 1:20 000 to 1:63 360. 14 p., 1 pl. 3.50; 4.00. Superseded by: USGS Open-File Report OF 80-1251, and OF 83-577.
- 80 - 135 Bartsch-Winkler, Susan, Status of geologic mapping in Alaska, U. S. Geological Survey, scales 1:96 000 to 1:250 000. 15 p., 1 pl. 3.75; 4.00. Superseded by: USGS Open-File Report OF 80-1252, and OF 83-578.
- 80 - 142 Detterman, R.L., Allaway, W.H., Jr., O'Leary, R.M., Gruzenski, A.L., Hurrell, J.T., and Risoli, D.A., Sample location map and analytical data for rock samples collected in 1979, Ugashik and Karluk quadrangles, Alaska. 1 pl., scale 1:250 000. 4.75; 1.50.
- 80 - 150 Decker, J.E., Geologic map of western Chichagof Island, southeastern Alaska. 2 pls., scale 1:63 360. 10.75; 1.50.
- 80 - 175 Samuels, W.B., Lanfear, K.J., and Nakassis, Anastasis, An oil spill risk analysis for the Kodiak Island (proposed sale 46) Outer Continental Shelf lease area. 99 p. 12.75; 3.50.
- 80 - 182 Chase, T.E., Miller, C.P., Thomas, J.A., Seekins, B.A., Young, J.D., and Carpenter, C.E., Map of sedimentary basins of offshore Alaska. 1 pl., scale 1:2 770 702. 6.00; 1.50.
- 80 - 183 Dadisman, S.W., Radiometric ages of rocks in south-central Alaska and western Yukon Territory. 82 p., 1 pl., scale 1:1 000 000. 14.25; 4.00.
- 80 - 193 Witmer, R.J., Availability of palynomorph and foraminifera microscope slides from test wells of National Petroleum Reserve in Alaska Group 1. 24 p. 3.00; 3.50.
- 80 - 196 Barnes, Peter, Reimnitz, Erk, and Ross, Robin, Nearshore surficial sediment textures - Beaufort Sea, Alaska. 40 p. 6.25; 4.50.
- 80 - 209 Lamke, R.D., Jones, S.H., Flood-prone area maps of three sites along the Trans-Alaska-Pipeline, Alaska. 17 p. 2.00; 3.50.

- 80 - 223 Jones, S.H., Barber, W.F., Jr., Copper River hydraulic study at Million Dollar Bridge, Alaska. 9 p., 2 pls. 8.25; 4.50.
- 80 - 246 Cooper, A.K., Scholl, D.W., Vallier, T.L., and Scott, E.W., Resource report for the deep-water areas of proposed Outer Continental Shelf lease sale no. 70, St. George Basin, Alaska. 94 p. 12.00; 3.50.
- 80 - 275 Bateman, A.F., Jr., Unevaluated reconnaissance report (December 1948) on geology of lower Eagle River Valley, Alaska. 17 p., 2 pls., scale 1:24 000. 3.50; 4.50.
- 80 - 291 Cobb, E.H., Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1979, indexed by quadrangle. 111 p. 14.25; 3.50.
- 80 - 300 A - L Townshend, J.B., and others, Preliminary aeromagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors and text length may vary. 3.50 Microfiche only.
- 80 - 315 Curtis, S.M., Ellersieck, I.F., Mayfield, C.F., and Tailleux, I.L., Silver, copper, lead and zinc stream-sediment geochemical anomalies in Misheguk Mountain quadrangle, Alaska. 1 pl., scale 1:250 000. 3.50; 1.50.
- 80 - 360 Reimnitz, Erk, Ross, Robin, and Barnes, P.W., Dinkum sands. 11 p. 2.25; 3.50.
- 80 - 363 Cobb, E.H., Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Mount McKinley quadrangle, Alaska. 151 p. 19.50; 3.50.
- 80 - 368 Hillhouse, J.W., and Grommé, S., Paleomagnetism of Triassic red beds and basalt in the Chulitna terrane, south-central Alaska. 29 p. 3.75; 3.50.
- 80 - 389 Marlow, M.S., and Cooper, A.K., Multichannel seismic-reflection profiles collected in 1976 in the southern Bering Sea Shelf. 3 p. 1.50; 3.50.
- 80 - 393 Chleborad, A.R., Yehle, L.A., Schmoll, H.R., and Gardner, C.A., Preliminary field geotechnical and geophysical logs from a drill hole in the Chulitna terrane, south-central Alaska. 29 p. 10.00; 4.50.
- 80 - 399-A Larsen, B.R., Nelson, C.H., Heropoulos, Chris, and Patry, J.J., Distribution of trace elements in bottom sediment of northern Bering Sea. 120 p. 15.50; 3.50.
- 80 - 399-B Larsen, B.R., Nelson, C.H., Heropoulos, Chris, and Patry, J.J., Map-plots and value/location lists of trace element concentration in northern Bering Sea bottom sediment. 64 p. 8.25; 3.50.
- 60 - 414 Post, Austin, Preliminary bathymetry of Northwestern Fiord and neoglacial changes of Northwestern Glacier. 2 p., 2 pls., scale 1:20 000. 9.50; 1.50.
- 80 - 418 Post, Austin, Preliminary bathymetry of Blackstone Bay and neoglacial changes of Blackstone Glaciers, Alaska. 2 pls., scale 1:20 000. 7.00; 1.50.

- 80 - 423 Post, Austin, Preliminary bathymetry of Aialik Bay and neoglacial changes of Aialik and Pederson Glaciers, Alaska. 1 pl., scale 1:20 000. 3.50; 1.50.
- 80 - 424 Post, Austin, Preliminary bathymetry of McCarty Fiord and neoglacial changes of McCarty Glacier, Alaska. 4 pls., scale 1:20 000. 14.25; 2.00.
- 80 - 426 Post, Austin, Preliminary bathymetry - Esther passage to Eaglek Island, Alaska. 1 pl., scale 1:20 000. 4.50; 1.50.
- 80 - 428 Post, Austin, Preliminary bathymetry - Approaches to Unakwik Inlet, Alaska. 1 pl., scale 1:20 000. 4.75; 1.50.
- 80 - 455 Alpha, T.R., Gerin, Marybeth, Oblique map of the Beaufort Sea and Brooks Range of Alaska. 1 pl. 2.25; 1.50.
- 80 - 459 Lahr, J.C., Stephens, C.D., and Rogers, John, Eastern Gulf of Alaska seismicity: Annual report to the National Oceanic and Atmospheric Administration for April 1, 1979, through March 31, 1980. 38 p. 4.75, 3.50.
- 80 - 513 Zehner, R.E., Cobb, E.H., Nokleberg, W.J., and Albert, N.R.D., Geologic bibliography of the Mount Hayes quadrangle, Alaska. 29 p. 3.75; 3.50.
- 80 - 516 Gibson, H.A., Tailleur, I.L., Map showing relation between aeromagnetic data and geology, southern National Petroleum Reserve in Alaska. 3 pls., scale 1:250 000. 12.25; 1.50.
- 80 - 527 Berg, H.C., Grybeck, Donald, Upper Triassic volcanogenic Zn-Pb-Ag (Cu-Au) mineral deposits near Petersburg, Alaska. 9 p. 1.50; 4.00.
- 80 - 543 Wilson, F.H., Late Mesozoic and Cenozoic tectonics and the age of porphyry copper prospects: Chignik and Sutwik Island quadrangles, Alaska Peninsula. 100 p., 5 pls., scale 1:250 000 25.75; 6.00.
- 80 - 551 Still, P.J., Index of streamflow and water quality records to September 30, 1978, southwest Alaska. 16 p. 2.00; 3.50.
- 80 - 552 Still, P.J., Index of streamflow and water quality records to September 30, 1978, Yukon basin, Alaska. 44 p. 5.50; 3.50.
- 80 - 553 Still, P.J., Index of streamflow and water quality records to September 30, 1978, northwest Alaska. 22 p. 2.75; 3.50.
- 80 - 554 Still, P.J., Index of streamflow and water quality records to September 30, 1978, Arctic Slope, Alaska. 22 p. 3.00; 3.50.
- 80 - 582 Meier, M.F., and others, Predicted timing of the disintegration of the lower reach of Columbia Glacier, Alaska. 58 p. 7.50; 3.50.
- 80 - 600 Still, P.J., Index of streamflow and water quality records to September 30, 1978, southcentral Alaska. 58 p. 7.50; 3.50.
- 80 - 601 Alpha, T.R., Gerin, Marybeth, and Joyce, J.M., Oblique map of the Gulf of Alaska. Scale 1:7 000 000, 1 sheet. 1.75; 1.50.

- 80 - 603 Barnes, Peter, Reimnitz, Erk, Kempema, Edward, Minkler, Peter, and Ross, Robin, USGS marine geologic studies in the Beaufort Sea, Alaska, 1979; description of data obtained, equipment used, cruise itinerary, sampling station descriptions, and navigational log; includes trackline charts. Shipboard records of side-scan sonar and seismic reflection can be inspected at USGS offices, Room B-164, Deer Creek Facility, 3475 Deer Creek Road, Palo Alto, California 94304. 9.25; 5.00. Shipboard records available from National Oceanic and Atmospheric Administration/NGDC, 325 Broadway, Boulder, Colorado 80303.
- 80 - 621 Cobb, E.H., Tysdal, R.G., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the Blying Sound and Seward quadrangles, Alaska. 285 p. 37.00; 3.50.
- 80 - 649 Thrasher, G.P., Turner, B.W., Bathymetric map of the Outer Continental Shelf between Yakutat Bay and Dry Bay, eastern Gulf of Alaska. 1 pl., scale 1:250 000. 2.50; 1.50.
- 80 - 653 Marlow, M.S., McLean, Hugh, Cooper, A.K., Vallier, T.L., Gardner, J.V., McMullin, Robert, and Lynch, M.B., A preliminary summary of regional geology, petroleum potential, environmental geology, and technology for exploration and development for proposed Outer Continental Shelf lease sale no. 75, northern Aleutian shelf, Bering Sea, Alaska. 55 p. Superseded by: USGS Open-File Report OF 84-773.
- 80 - 655 Curtin, G.C., Day, G.W., and Tripp, R.B., Histograms and correlation table for selected elements in samples of the ash of black spruce needles from the Tanacross quadrangle, Alaska. 27 p. 3.50; 3.50.
- 80 - 656 Curtin, G.C., Day, G.W., and Tripp, R.B., Histograms and correlation table for selected elements in samples of the ash of ground birch leaves from the Tanacross quadrangle, Alaska. 27 p. 3.50; 3.50.
- 80 - 659 Nelson, C.H., Field, M.E., Cacchione, D.A., Drake, D.E., and Nilsen, T.H., Ripples and sand waves in Norton Basin: Bed-form activity and scour potential. 19 p. 2.25; 3.50. (This report has also been issued as part of USGS Open-File Report OF 80-979.)
- 80 - 698 Still, P.J., Index of streamflow and water quality records to September 30, 1978, southeast Alaska. 29 p. 3.75; 3.50.
- 80 - 699 Burrows, R.L., Cross-section, velocity, and bedload data at two erosion sites on the Tanana River near Fairbanks, Alaska. 36 p. 5.50; 3.50.
- 80 - 712 Nelson, C.H., Graded storm sand layers offshore from the Yukon Delta, Alaska. 22 p. 2.75; 3.50. (This report has also been issued as part of USGS Open-File Report OF 80-979.)
- 80 - 713 Zuffa, G.G., Nilsen, T.H., and Winkler, G.R., Rock-fragment petrography of the Upper Cretaceous Chugach terrane, southern Alaska. 28 p. 3.75; 3.50.
- 80 - 716 Cobb, E.H., Csejty, Béla, Jr., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the Talkeetna Mountains quadrangle, Alaska. 64 p. 8.25; 3.50.

- 80 - 790 Hamilton, T.D., Quaternary stratigraphic sections with radiocarbon dates, Chandler Lake quadrangle, Alaska. 33 p. 4.50; 4.00.
- 80 - 791 Hamilton, T.D., Quaternary stratigraphic sections with radiocarbon dates, Wiseman quadrangle, Alaska. 57 p. 7.50; 4.00.
- 80 - 793 Karl, S.M., Berg, H.C., Grybeck, Donald, and Abramson, B.S., Preliminary map and tables describing metalliferous and selected nonmetalliferous mineral deposits in the Petersburg and eastern Port Alexander quadrangles, Alaska, 14 p., 4 pls., scale 1:250 000. 5.25; 5.50
- 80 - 794 Berg, H.C., The Alaska Mineral Resource Assessment Program: Guide to information about the geology and mineral resources of the Ketchikan and Prince Rupert quadrangles, southeastern Alaska. 46 p. 5.75; 3.50. Superseded by: USGS Circular 855, 1982.
- 80 - 795 Ellersieck, Inyo, Curtis, S.M., Gruzensky, A.L., Mayfield, C.F., and Tailleux, I.L., Copper, lead, and zinc in stream-sediment samples from the De Long Mountains quadrangle, Alaska. 3 pl. 10.75; 1.50.
- 80 - 799 Singer, D.A., Menzie, W.D., DeYoung, J.H., Jr., Sander, M., and Lott, A., Grade and tonnage data used to construct models for the Regional Alaskan Mineral Resources Assessment Program. 59 p. 7.50; 3.50.
- 80 - 803 Miller T.P., Moll, E.J., and Patton, W.W., Jr., Uranium and thorium-rich volcanic rocks of the Sisichu Creek area, Medfra quadrangle, Alaska. 9 p. 1.50; 3.50.
- 80 - 809 Boucher, Gary, Reimnitz, Erk, and Kempema, Ed, Seismic evidence for an extensive gas-bearing layer at shallow depth, offshore from Prudhoe Bay, Alaska. 9 p. 1.25; 3.50. Superseded by: Boucher, Gary, Reimnitz, Erk, and Kempema, Ed, 1981, Seismic evidence for an extensive gasbearing layer at shallow depth, offshore from Prudhoe Bay, Alaska: Cold Regions Science and Technology, v. 4, no. 1, p. 63-71.
- 80 - 811-A Patton, W.W., Jr., Moll, E.J., Dutro, J.T., Jr., Silberman, M.L., and Chapman, R.M., Preliminary geologic map of Medfra quadrangle, Alaska. 1 pl., scale 1:250 000. 3.50; 1.50.
- 80 - 811-B Schwab, C.E., Patton, W.W., Jr., and Moll, E.J., (1981), Mineral occurrence map of the Medfra quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 80 - 811-C Moll, E.J., Silberman, M.L., and Patton, W.W., Jr., (1981), Chemistry, mineralogy and K-Ar ages of igneous and metamorphic rocks of the Medfra quadrangle, Alaska. 20 p., scale 1:250 000, 2 sheets. 9.75; 4.50.
- 80 - 811-D Le Compte, J.R., (1981), Maps showing interpretation of Landsat imagery of the Medfra quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 80 - 811-E Patton, W.W., Jr., Cady, J.W., and Moll, E.J., (1982), Aeromagnetic interpretation of the Medfra quadrangle, Alaska. 15 p., scale 1:250 000, 2 sheets. 8.25; 4.50.

- 80 - 811-F King, H.D., Risoli, D.A., Cooley, E.F., O'Leary, R.M., Speckman, W.A., Spiesman, D.L., and Galland, D.W., Final results and statistical summary of analysis of geochemical samples from the Medfra quadrangle, Alaska. 136 p., 1 sheet, scale 1:250 000. 19.25; 4.00.
- 80 - 811-G Patton, W.W., and Moll, E.J., (1983), Mineral resource assessment map of Medfra quadrangle, Alaska. Scale 1:250 000, 3 sheets. 8.25; 1.50.
- 80 - 811-H King, H.D., Cooley, E.F., Gruzensky, A.L., and Spiesman, D.L., Jr., (1983), Distribution and abundance of gold and silver in nonmagnetic and moderately magnetic heavy-mineral-concentrate and minus-80-mesh stream-sediment samples and silver in ash of aquatic-bryophyte samples, Medfra quadrangle, Alaska. Scale 1:250 000, 3 sheets. 6.50; 1.50.
- 80 - 811-I King, H.D., Tripp, R.B., O'Leary, R.M., and Cooley, E.F., (1983), Distribution and abundance of copper, lead, and zinc in nonmagnetic and moderately magnetic heavy-mineral-concentrate and minus-80-mesh stream-sediment, and ash of aquatic-bryophyte samples, Medfra quadrangle, Alaska. Scale 1:250 000, 6 sheets. 11.75; 3.00.
- 80 - 811-J King, H.D., Risoli, D.A., and Tripp, R.B., (1983), Distribution and abundance of molybdenum, tin and tungsten in nonmagnetic and moderately magnetic heavy-mineral-concentrate samples and tin in minus-80-mesh stream-sediment and ash of aquatic-bryophyte samples, Medfra quadrangle, Alaska. Scale 1:250 000, 4 sheets. 8.25; 2.00.
- 80 - 811-K King, H.D., Cooley, E.F., and Spiesman, D.L., Jr., (1983), Distribution and abundance of arsenic and bismuth in nonmagnetic and moderately magnetic heavy-mineral-concentrate samples and arsenic in minus-80-mesh stream-sediment samples and ash of aquatic-bryophyte samples, Medfra quadrangle, Alaska. Scale 1:250 000, 3 sheets. 6.50; 1.50.
- 80 - 811-L King, H.D., O'Leary, R.M., Risoli, D.A., and Galland, D.W., (1983), Distribution and abundance of antimony and mercury in minus-80-mesh stream-sediment and antimony in nonmagnetic and moderately magnetic heavy-mineral-concentrate samples, Medfra quadrangle, Alaska. Scale 1:250 000, 2 sheets. 4.50; 1.50.
- 80 - 811-M King, H.D., Tripp, R.B., (1983), Multi-element maps showing the relative amounts of selected elements in four geochemical sampling media, Medfra quadrangle, Alaska. Scale 1:250 000, 4 sheets. 11.75; 2.00.
- 80 - 863 LaBelle, R.P., Samuels, W.B., and Lanfear, K.J., Oilspill analysis for the Cook Inlet and Shelikof Strait (proposed sale 60) Outer Continental Shelf lease area. 89 p. 11.50; 3.50.
- 80 - 884 Cobb, E.H., Reed, B.L., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the Talkeetna quadrangle, Alaska. 117 p. 13.75; 3.50.
- 80 - 885 Cobb, E.H., MacKevett, E.M., Jr., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the McCarthy quadrangle, Alaska. 152 p. 20.25; 3.50.

- 80 - 888 Nilsen, T.H., Moore, T.E., Dutro, J.T., Jr., Brosge, W.P., and Orchards, D.M., Sedimentology and stratigraphy of the Kanayut Conglomerate and associated units, central and eastern Brooks Range, Alaska - Report of 1978 field season. 80 p. 10.25; 3.50.
- 80 - 890 Schmoll, H.R., Dobrevolny, Ernest, and Gardner, C.A., Preliminary geologic map of the middle part of the Eagle River Valley, Municipality of Anchorage, Alaska. 12 p., 1 pl., scale 1:25,000. 5.00; 4.00.
- 80 - 892-A Winkler, G.R., Silberman, M.L., Grantz, Arthur, Miller, R.J., and MacKevett, E.M., Jr., (1981), Geologic map and summary geochronology of the Valdez quadrangle, southern Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 80 - 892-B Winkler, G.R., Miller, R.J., MacKevett, L.M., Jr., and Holloway, C.D., (1981), Map and summary table describing mineral deposits in the Valdez quadrangle, southern Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 80 - 892-C Williams, J.R., and Johnson, K.N., compilers, Map and description of late Tertiary deposits, Valdez quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 80 - 892-F Le Compte, J.R., 1981, Map showing interpretation of Landsat imagery of the Valdez 1 degree by 3 degree quadrangle, southern Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 80 - 905 Hessin, T.D., Speckman, W.S., Crenshaw, G.L., Hoffman, J.D., and Cooley, E.F., Analytical results of various types of samples taken in the West Chichagof Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. 74 p. 9.50; 3.50.
- 80 - 909 Cobb, E.H., Summaries of data and lists of references to metallic and selected nonmetallic mineral deposits in fifteen quadrangles in southwestern and west-central Alaska. (Atka, Attu, Bristol Bay, Chignik, Cold Bay, Hagemaster Island, Mount Katmai, Naknek, Port Moller, Rat Islands, Saint Lawrence, Stepovak Bay, Ugashik, Unalaska, Unimak) 104 p. 13.50; 3.50.
- 80 - 910-A Koch, R.D., Elliott, R.L., O'Leary, R.M., and Risoli, D.A., Trace-element data for rock samples from the Bradfield Canal quadrangle, southeastern Alaska. 258 p., 1 pl. 38.25; 4.00.
- 80 - 910-B Koch, R.D., Elliott, R.L., O'Leary, R.M., and Risoli, D.A., Trace-element data for stream-sediment samples from the Bradfield Canal quadrangle, southeastern Alaska. 174 p., 1 pl., scale 1:25 000. 30.50; 1.50.
- 80 - 910-C Koch, R.D., Elliott, R.L., O'Leary, R.M., and Risoli, D.A., Trace element data for stream-sediment heavy mineral concentration samples from Bradfield Canal quadrangle, southeastern Alaska. 70 p., 1 pl., scale 1:250 000. 10.25; 4.00.
- 80 - 916 Mast, R.G., McMullin, R.H., Bird, K.J., and Brosge, W.P., Resource appraisal of undiscovered oil and gas resources in the William O. Douglas Arctic Wildlife Range. 80 p. 10.25; 3.50.

- 80 - 927 Cobb, E.H., Richter, D.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the Nabesna quadrangle, Alaska. 117 p. 15.00; 3.50.
- 80 - 943 Lahr, J.C., Stephens, C.D., Eastern Gulf of Alaska seismicity: Quarterly report to the National Oceanic and Atmospheric Administration for April 1, 1980, through June 30, 1980. 9 p. 1.50; 3.50.
- 80 - 952 Nelson, G.L., and Danskin, W.R., Hydrogeology of the Seldovia area, Alaska. 2 pls. 3.50; 1.50.
- 80 - 979 Larsen, M.C., Nelson, C.H., and Thor, D.R., Geological, geochemical and geotechnical observations on the Bering Shelf, Alaska. 476 p. 61.75; 3.50.
- 80 - 985 Hampton, M.A., and Bouma, A.H., Notes on the acquisition of high-resolution seismic reflection profiles, side-scanning sonar records, and sediment samples from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S8-79-WG, July-August 1979. 54 p. 7.00; 3.50.
- 80 - 1052 Reed, B.L., and Miller, T.P., Uranium and thorium content of some Tertiary granitic rocks in the southern Alaska Range. 16 p. 2.00; 3.50.
- 80 - 1053 Cobb, E.H., and Elliott, R.L., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits in the Ketchikan and Prince Rupert quadrangles, Alaska. 157 p. 20.25; 3.50.
- 80 - 1063 Snively, P.D., Jr., Tiffin, D.L., and Tompkins, D.H., Seismic reflection profiles across the Queen Charlotte fault zone, Dixon Entrance, Canada - United States. 3 p., 1 pl., scale 1:250 000. 1.50; 4.00.
- 80 - 1066 Nilsen, T.H., Moore, T.E., and Brosge, W.P., Paleocurrent maps for the Upper Devonian and Lower Mississippian Endicott Group, Brooks Range, Alaska. 2 pl., scale 1:1 000 000. 5.25; 1.50.
- 80 - 1068 Fisher, M.A., McClellan, P.H., Holmes, M.L., and Childs, J.R., Preliminary free-air gravity map, Norton Basin, Alaska. 1 pl., scale 1:250 000. Superseded by: USGS Miscellaneous Field Studies Map MF-1460.
- 80 - 1082 von Huene, Roland, Fisher, M.A., Hampton, M.A., and Lynch, Maurice, Petroleum potential, environmental geology, and the technology for exploration and development of the Kodiak lease sale area no. 61. 102 p. 13.25; 3.50.
- 80 - 1086 Cobb, E.H., and Eberlein, G.D., Summaries of and lists of references to metallic and selected nonmetallic mineral deposits in the Big Delta and Tanacross quadrangles, Alaska. 77 p. 10.00; 3.50.
- 80 - 1089 Plafker, George, Winkler, G.R., Coonrad, W.L., and Claypool, George, Preliminary report on the geology of the continental slope adjacent to Outer Continental Shelf lease sale 55, eastern Gulf of Alaska: Petroleum resource implications. 79 p. 10.25; 3.50.
- 80 - 1093 Dunlavey, J.M., Childs, J.R., and von Huene, Roland, Bathymetric map of the western Gulf of Alaska. 13 pls. 35.50; 6.50.

- 80 - 1129 Moore, G.W., Page, R.A., and Lahr, J.C., Earthquake potential and ground motions for the Pillar Mountain landslide, Kodiak, Alaska. 19 p. 2.25; 3.50.
- 80 - 1206 Scully, D.R., Krumhardt, A.P., and Kernodle, D.R., Data from a hydrologic reconnaissance of the Beluga, Peters Creek, and Healy coal areas, Alaska. 56 p. 7.25; 3.50.
- 80 - 1237 McClellan, P.H., Fisher, M.A., Barron, J.A., Arnal, R.E., Kline, S.A., and Moore, G.C., New biostratigraphic results of dredging and dart coring in the western Gulf of Alaska and their tectonic implications. 25 p., 1 pl. 6.25; 4.00.
- 80 - 1251 Bartsch-Winkler, Susan, List of geologic maps in Alaska published by the U.S. Geological Survey, post-1930; scales 1:20 000 to 1:63 360 (through June 1980). 16 p., 1 pl. 3.75; 4.00. Supersedes USGS Open-File Report OF 80-134, and is superseded by OF 83-578.
- 80 - 1252 Bartsch-Winkler, Susan, List of geologic maps in Alaska published by the U.S. Geological Survey, post-1930; scales 1:96 000 to 1:250 000 (through June 1980). 16 p., 1 pl. 4.00; 1.50. Supersedes USGS Open-File Report OF 80-135, and is superseded by OF 83-577.
- 80 - 1253 Stephens, C.D., Fogleman, K.A., Lahr, J.C., Helton, S.M., Cancilla, R.S., Tam, Roy, and Freiberg, J.A., Catalog of earthquakes in southern Alaska, January-March 1980. 56 p. 7.25; 3.50.
- 30 - 1284 Meyer, William, and Patrick, Leslie, Effects of artificial-recharge experiments at Ship Creek alluvial fan in 1975 on water-levels at Spring Acres subdivision, Anchorage, Alaska. 46 p. 5.75; 3.50.
- 80 - 2000 Dearborn, L.L., and Schaefer, D.H., Surface geophysical data for two cross-valley lines in the Middle Eagle River Valley, Alaska. 17 p. 2.00; 3.50.
- 80 - 2002 Stephens, C.D., Lahr, J.C., Fogleman, K.A., Helton, S.M., Cancilla, R.S., Tam, Roy, and Baldonado, K.A., Catalog of earthquakes in southern Alaska, October-December 1979. 54 p. 7.00; 3.50.
- 80 - 2010 Reimnitz, Erk, Kempema, Edward, Ross, Robin, and Minkler, Peter, Overconsolidated surficial sediment on the Beaufort Sea shelf. 37 p. 4.75; 3.50.
- 80 - 2019 Silberman, M.L., MacKevett, E.M., Jr., Connor, C.L., and Matthews, Alan, Metallogenic and tectonic significance of oxygen isotope data and whole-rock potassium-argon ages of the Nikolai Greenstone, McCarthy quadrangle, Alaska. 31 p. 4.00; 3.50.
- 80 - 2031 Whitney, John, and Holden, K.D., Bathymetric map of the Outer Continental Shelf of Shelikof Strait, Alaska. 1 pl., scale 1:250 000. 2.50; 1.50.
- 80 - 2032 Holden, K.D., Isopach map of upper Holocene marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska. 1 pl., scale 1:250 000. 2.50; 1.50.
- 80 - 2033 Hoose, P.J., Holden, K.D., and Lybeck, Lynn, Isopach map of Holocene marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska. 1 pl., scale 1:250 000. 2.50; 1.50.

- 80 - 2034 Whitney, John, Holden, K.D., and Lybeck, Lynn, Isopach map of Quaternary glacial-marine sediments, Outer Continental Shelf, Shelikof Strait, Alaska. 1 pl., scale 1:250,000. 2.50; 1.50.
- 80 - 2035 Hoose, P.J., and Whitney, John, Map showing selected geologic features on the Outer Continental Shelf, Shelikof Strait, Alaska. 1 pl., scale 1:250,000. 2.50; 1.50.
- 80 - 2036 Whitney, John, Hoose, P.J., Smith, L.M., and Lybeck, Lynn, Geologic cross sections of the Outer Continental Shelf, Shelikof Strait, Alaska. 1 pl. 4.50; 1.50.
- 81 - 13 Witmer, R.J., Availability of palynomorph and foraminifera microscope slides from test wells of National Petroleum Reserve in Alaska: Group II. 21 p., 2.50; 3.50.
- 81 - 21 Petering, G.W., and Smith, T.N., Stratigraphic sections, Hailo Bay, Shelikof Strait, Alaska, 1979. 1 sheet. 4.50; 1.50.
- 81 - 27-A Johnson, B.R., and Elliott, G.S., (1984), Map showing bedrock geochemical station locations, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-B Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of gold and silver in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-C Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of boron and beryllium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-D Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of copper in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-E Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of cobalt in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-F Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of molybdenum, tin, and vanadium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-G Johnson, B.R., and Elliott, G.S., (1984), showing the distribution and abundance of nickel and chromium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-H Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of lead in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.

- 81 - 27-I Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of scandium and yttrium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-J Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of strontium and lanthanum in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-K Johnson, B.R., and Elliott, G.S., (1984), Map showing the distribution and abundance of zinc in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.75; 1.50.
- 81 - 27-M Hessin, T.D., Everman, W.K., and Crenshaw, G.L., (1982), Map showing stream-sediment samples in the West Chichagof-Yakobi Wilderness Study area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 1.75; 1.50.
- 81 - 27-N Hessin, T.D., Everman, W.K., and Crenshaw, G.L., (1982), Geochemical map showing the distribution and abundance of copper, zinc, molybdenum, arsenic, and uranium in filtered water samples in the West Chichagof Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.50; 1.50.
- 81 - 27-O Hessin, T.D., Everman, W.K., and Crenshaw, G.L., (1982), Geochemical map showing anomalous patterns for the element copper in stream-sediments, filtered waters, and nonmagnetic heavy-mineral concentrates in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.
- 81 - 27-P Hessin, T.D., Crenshaw, G.L., (1982), Geochemical map showing the distribution and abundance of sulfate and fluoride in unfiltered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.
- 81 - 27-Q Hessin, T.D., Maslowski, M.G., and Day, G.W., (1982), Geochemical map showing the distribution and abundance of copper, lead, and barium in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.
- 81 - 27-R Hessin, T.D., and Hoffman, J.D., (1982), Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.
- 81 - 27-S Hessin, T.D., Maslowski, M.G., and Cooley, E.F., (1982), Geochemical map showing the distribution and abundance of copper, lead, zinc, and barium in the nonmagnetic, heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.

- 81 - 27-T Hessin, T.D., and Day, G.W., (1982), Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 2.50; 1.50.
- 81 - 27-U Hessin, T.D., Maslowski, M.G., and Day, G.W., (1982), Geochemical map showing the distribution and abundance of silver, arsenic, gold, tin, and tungsten in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska. Scale 1:125 000, 1 sheet. 3.50; 1.50.
- 81 - 33 Grantz, Arthur, and Greenberg, Jonathan, Map showing tracklines of high-resolution Uniboom seismic reflection profiles collected August 26 through September 19, 1978, on the Chukchi Sea. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 34 Grantz, Arthur, and Greenberg, Jonathan, Map showing tracklines of high-resolution Uniboom seismic reflection profiles collected August 25 through October 5, 1977, on the Beaufort Sea. Scale 1:1 000 000, 1 sheet. 7.00; 1.50. Seismic profiles available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 81 - 49 Rapoport, M.L., Current meter observations within lower Cook Inlet, Alaska, 1978-1979, from the R/V SEA SOUNDER, Pacific-Arctic Branch, U.S. Geological Survey. 79 p. 10.25; 3.50.
- 81 - 82-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Skagway quadrangle, Alaska, supplement to Open-file report OF 78-316. Part A, Summaries of data to January 1, 1980. 11 p. 1.50; 3.50.
- 81 - 82-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Skagway quadrangle, Alaska, supplement to Open-File Report OF 78-316, Part B, Lists of references to January 1, 1980. 10 p. 1.50; 3.50.
- 81 - 84-A Varnes, K.L., Dolton, G.L., and McMullin, R.H., Oil and gas resource assessment areas, U. S. Geological Survey, Geologic Division, 1980 - Alaska, regions I and IA. Scale 1:5 000 000, 1 sheet. 3.50; 1.50.
- 81 - 103 Mitchell, P.A., Silberman, M.L., and O'Neil, J.R., Genesis of gold vein mineralization in an Upper Cretaceous turbidite sequence, Hope-Sunrise district, southern Alaska. 20 p. 2.50; 3.50.
- 81 - 122 Berg, H.C., Decker, J.E., and Abramson, B.S., Metallic mineral deposits of southeastern Alaska. 145 p., scale 1:1 000 000, 1 sheet. 22.25; 4.00.
- 81 - 159 Hein, J.R., McLean, Hugh, and Vallier, T.L., Reconnaissance geologic map of Atka and Amli Islands, Alaska. Scale 1:250 000, 1 sheet. 6.00; 1.50.
- 81 - 170 Cobb, E.H., and Chapman, R.M., Mineral occurrences (other than mineral fuels and construction materials) in the Kantishna River and Ruby quadrangles, Alaska. 95 p. 12.25; 3.50.

- 81 - 173 Detterman, R.L., Allaway, W.H., Jr., O'Leary, R.M., Houston, David, and Risoli, D.A., Sample location map and analytical data for rock samples collected in 1980, Ugashik and Karluk quadrangles, Alaska. Scale 1:250 000, 1 sheet. 4.75; 1.50.
- 81 - 176 Huffman, A.C., Jr., Ahlbrandt, T.S., Pasternack, I., Fox, J.E., Bartsch-Winkler, S., May, F.E., Scott, R.A., and Materna, W.L., 1984, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska. Available only on 16 mm microfilm - combined with USGS Open-File Report OF 81-177. Not sold separately. 10.00.
- 81 - 177 Huffman, A.C., Jr., Ahlbrandt, T.S., Pasternack, I., Strickler, G.D., Bartsch-Winkler, S., Fox, J.E., May, F.E., Scott, R.A., and Materna, W.L., (1984), Measured sections of the Cretaceous Nanushuk and Colville Groups undivided, central North Slope, Alaska. Available only on 16 mm microfilm - combined with USGS Open-File Report OF 81-176. Not sold separately. 10.00.
- 81 - 182 Gough, L.P. and Severson, R.C., Element concentrations in rehabilitation species from thirteen coal-stripmines in five western states and Alaska. 118 p. 15.25; 3.50.
- 81 - 192 Dolton, G.L., Carlson, K.H., Charpentier, R.R., Coury, A.B., Crovelli, R.A., Frezon, S.E., Khan, A.S., Lister, J.H., McMullin, R.H., Pike, R.S., Powers, R.B., Scott, E.W., and Varnes, K.L., Estimates of undiscovered recoverable resources of conventionally producible oil and gas in the United States - a summary. 18 p. Superseded by: USGS Circular 860.
- 81 - 217 Madison, R.J., Effects of placer mining on hydrologic systems in Alaska - status of knowledge. 28 p. 3.50; 3.50.
- 81 - 226 O'Leary, R.M., Risoli, D.A., Curtin, G.C., and McDanal, S.K., Spectrographic and chemical analyses of stream-sediment and glacial-debris samples from Mount Hayes quadrangle, Alaska. 58 p., scale 1:250 000, 1 sheet. 9.25; 4.00.
- 81 - 227 Bird, K.J., Petroleum exploration of the North Slope of Alaska, U.S.A. 48 p. 6.00; 3.50.
- 81 - 241 Kempema, Ed, Reimnitz, Erk, and Barnes, Peter, Marine geologic studies in the Beaufort Sea, Alaska, 1980; location, data type, and records obtained. 4 p., 6 sheets. 19.00; 6.50. Shipboard records - 5 rolls of microfilm may be inspected at USGS, Room B-164, Deer Creek Facility, 3475 Deer Creek Road, Palo Alto, Calif. Microfilm records available from National Oceanic and Atmospheric Administration/EDIS/NGSDC, Code D-621, 325 Broadway, Boulder, Colorado 80303.
- 81 - 243 Severson, R.C., and Gough, L.P., Chemical character of minesoils at one Alaskan and twelve western conterminous United States coal-stripmines. 82 p. 10.50; 3.50.
- 81 - 249-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Mount Fairweather quadrangle, Alaska - Supplement to Open-File Report OF 78-316, Part A: Summaries of data to January 1, 1980. 21 p. 2.50; 3.50.

- 81 - 249-B Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Mount Fairweather quadrangle, Alaska - Supplement to Open-File Report OF 78-316, Part B: Lists of references to January 1, 1980. 16 p. 2.00; 3.50.
- 81 - 252 Marlow, M.S., Carlson, P., Cooper, A.K., Karl, H., McLean, Hugh, McMullin, R., and Lynch, M.B., Hydrocarbon resource report for proposed Outer Continental Shelf sale no. 83, Navarin Basin, Alaska. 87 p. 11.25; 3.50.
- 81 - 253 Detterman, R.O., Allaway, W.H., Jr., and Rossiter, R.H., Locality map and scintillometer data for Ugashik and Karluk quadrangles, Alaska. Scale 1:250 000, 1 sheet. 4.75; 1.50.
- 81 - 299 Snavelly, P.D., Jr., Wagner, H.C., Tompkins, D.H., and Tiffin, D.L., Preliminary geologic interpretation of a seismic reflection profile across the Queen Charlotte Island fault system, Dixon Entrance, Canada - United States. 13 p., 1 sheet. 2.25; 4.00.
- 81 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors, text length, and prices may vary. 2.75; 3.50.
- 81 - 315 Morrissey, L.A., and Ennis, R.A., Vegetation of the National Petroleum Reserve in Alaska using Landsat digital data. 27 p. 3.50; 3.50.
- 81 - 320 Samuels, W.B., and Lanfear, K.J., An oilspill risk analysis for the Norton Sound, Alaska (proposed sale 57) Outer Continental Shelf lease area. 121 p. 15.50; 3.50.
- 81 - 324 Bolni, J.G., Preliminary unevaluated map (1976) showing amounts of uplift in lower Cook Inlet, Alaska. 1 sheet. 2.50; 1.50.
- 81 - 355 Silberman, Miles, Field, C.W., and Berry, A.L., eds., Proceedings of the symposium of mineral deposits of the Pacific Northwest. 358 p. 46.50; 3.50.
- 81 - 363-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Bendeleben quadrangle, Alaska: Supplement to Open-File Report OF 75-429; Part A - Summaries of data to January 1, 1980. 26 p. 3.25; 3.50.
- 81 - 363-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Bendeleben quadrangle, Alaska: Supplement to Open-File Report OF 75-429; Part B - Lists of references to January 1, 1980. 27 p. 3.50; 3.50.
- 81 - 364-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Teller quadrangle, Alaska: Supplement to Open-File Report OF 75-587; Part A - Summaries of data to January 1, 1980. 26 p. 3.25; 3.50.
- 81 - 364-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Teller quadrangle, Alaska: Supplement to Open-File Report OF 75-587; Part B - Lists of references to January 1, 1980. 26 p. 3.25; 3.50.

- 81 - 384 Kisslinger, C., Billington, S., Bowman, R., Harrison, J.C., Ihnen, S., Meerfens, C., Pahlman, J., Saugstad, K., and Morrissey, S.T., A field study of earthquake prediction methods in the central Aleutian Islands. 54 p. 7.00; 3.50. This is Part I. Part II is USGS Open-File Report OF 81-937.
- 81 - 398 Luthy, S.T., Foster, H.L., and Cushing, G.W., Petrographic and chemical data on Cretaceous granitic rocks of the Big Delta quadrangle, Alaska. 13 p., scale 1:250 000, 3 sheets. 5.25; 5.00.
- 81 - 428 Dickinson, K.A., and Roberts, M.E., Summary of radiometric anomalies in Alaska - Collected under contract with the U.S. Department of Energy. 1 sheet. Superseded by: USGS Open-File Report OF 83-169.
- 81 - 429 Schmoll, H.R., Yehle, L.A., and Gardner, C.A., Preliminary geologic map of the Congahbuna area, Cook Inlet region, Alaska. 9 p., scale 1:63 360 and 1:1 000 000. 2.75; 4.00.
- 81 - 442 Cobb, E.H., Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1980, indexed by quadrangle. 168 p. 21.75; 3.50.
- 81 - 455 Morley, J.M., and Jones, D.R., Equal-area base map of the Bering Sea, Plate 1: Northern Bering shelf. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 456 Jones, D.R., and Morley, J.M., Equal-area base map of the Bering Sea, Plate 2: Southern Bering shelf. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 457 Morley, J.M., and Jones, D.R., Equal-area base map of the Bering Sea, Plate 3: Bowers Ridge. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 458 Jones, D.R., and Swenson, P.A., Equal-area base map of the Bering Sea, Plate 4: Aleutian east. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 471 Wilson, F.H., Map and table showing radiometric ages of rocks in the Aleutian Islands and the Alaska Peninsula. 24 p., scale 1:1 000 000, 1 sheet. 9.00; 4.00.
- 81 - 504-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Solomon quadrangle, Alaska: supplement to Open-File Report OF 78-181; Part A - Summaries of data to January 1, 1981. 31 p. 3.50; 4.00.
- 81 - 504-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Solomon quadrangle, Alaska: supplement to Open-File Report OF 78-181; Part B - Lists of references to January 1, 1981. 37 p. 4.75; 3.50.
- 81 - 505 Decker, John, Mullen, M.W., and Schwab, C.E., Aeromagnetic profile map of southeastern Alaska. Scale 1:1 000 000, 1 sheet. 3.50; 1.50.
- 81 - 506 Nilsen, T.H., Moore, T.E., Brosge, W.P., and Dutro, J.T., Jr., Sedimentology and stratigraphy of the Kanayut conglomerate and associated units, Brooks Range, Alaska - Report of 1979 field season. 44 p. 5.50; 3.50.

- 81 - 514 Toth, M.I., Petrology, geochemistry, and origin of the Red Mountain ultramafic body near Seldovia, Alaska. 92 p., 2 sheets. 15.50; 4.50.
- 81 - 551 Brosge, W.P., Reiser, H.N., Dutro, J.T., Jr., and Detterman, R.L., Organic geochemical data for Mesozoic and Paleozoic shales, central and eastern Brooks Range, Alaska. 18 p., 2 sheets. 5.75; 4.50.
- 81 - 552 Schmoll, H.R., Dobrovolny, Ernest, and Gardner, C.A., Preliminary geologic map of Fire Island, municipality of Anchorage, Alaska. 5 p., scale 1:25 000, 1 sheet. 1.75; 4.00.
- 81 - 570-A Cobb, E.H., and Mayfield, C.F., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Ambler River quadrangle, Alaska: Supplement to Open-File Report OF 75-628, Part A, Summaries of data to January 1, 1981. 14 p. 1.75; 3.50.
- 81 - 570-B Cobb, E.H., and Mayfield, C.F., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Ambler River quadrangle, Alaska: Supplement to Open-File Report OF 75-628, Part B, Lists of references to January 1, 1981. 12 p. 1.50; 3.50.
- 81 - 572 Keefer, D.K., and Tannaci, N.E., Bibliography on landslides, soil liquefaction, and related ground failures in selected historic earthquakes. 39 p. 5.00; 3.50. (Includes 2 Alaskan earthquakes.)
- 81 - 615 Wills, J.C., and Bolm, J.G., Preliminary unevaluated subsurface stratigraphic study (1976) of the lower Cook Inlet area, Alaska. 6 p., scale 1:192 000, 17 sheets. 57.00; 12.00.
- 81 - 624 Wilson, C.W., Bibliographic references to Alaskan fossils, 1839 - May 1979. 74 p. 9.50; 3.50.
- 81 - 654 Affolter, R.A., Simon, F.O., and Stricker, G.D., Chemical analyses of coal from the Healy, Kenai, Seldovia, and Utukok River 1:250 000 quadrangles, Alaska. 89 p. 11.50; 3.50.
- 81 - 659 Hampton, M.A., Grain size and composition of seafloor sediment, Kodiak shelf, Alaska. 79 p. 10.25; 3.50.
- 81 - 685 Nelson, G.L., 1983, Hydrology and the effects of industrial pumping in the Nikiski area, Alaska. 26 p. 3.25; 3.50.
- 81 - 720 Steffy, D.A., Turner, B.W., Lybeck, L.D., and Roe, J.T., Isopach map of Holocene sedimentary units, Norton Sound, Alaska. Scale 1:250 000, 1 sheet. 4.75; 1.50.
- 81 - 721 Steffy, D.A., and Lybeck, L.D., Map showing selected geologic features, Norton Sound, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 81 - 722 Steffy, D.A., and Hoose, P.J., Map showing acoustic anomalies and near-surface faulting, Norton Sound, Alaska. Scale 1:250 000, 1 sheet. 4.75; 1.50.

- 81 - 723 Hoose, P.J., Steffy, D.A., and Lybeck, L.D., Isopach map of Quaternary and upper Tertiary strata of Norton Sound, Alaska. Scale 1:250 000, 1 sheet. 3.50; 1.50.
- 81 - 728-B Elliott, R.L., and Koch, R.D., 1981, Mines, prospects, and selected metalliferous mineral occurrences in the Bradfield Canal quadrangle, Alaska. 24 p., scale 1:250 000, 1 sheet. 6.50; 4.00.
- 81 - 728-C Koch, R.D., and Elliott, R.L., Maps showing distribution of gold and silver in geochemical samples from Bradfield Canal quadrangle, southeastern Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 81 - 728-D Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of copper in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:250 000 and 1:500 000, 4 sheets. 12.50; 2.00.
- 81 - 728-E Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of lead in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scale 1:250 000, 4 sheets. 11.50; 2.00.
- 81 - 728-F Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of zinc in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:250 000 and 1:500 000, 4 sheets. 12.50; 2.00.
- 81 - 728-G Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of molybdenum in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:250 000 and 1:500 000, 2 sheets. 5.25; 1.50.
- 81 - 728-H Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of tin in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:250 000 and 1:500 000, 2 sheets. 6.25; 1.50.
- 81 - 728-I Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of beryllium in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:250 000 and 1:500 000, 2 sheets. 6.25; 1.50.
- 81 - 728-J Koch, R.D., and Elliott, R.L., Maps showing distribution and abundance of niobium in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scale 1:250 000, 2 sheets. 6.25; 1.50.
- 81 - 728-K Koch, R.D., and Elliott, R.L., Map showing distribution and abundance of yttrium in geochemical samples from the Bradfield Canal quadrangle, southeastern Alaska. Scale 1:250 000 and 500 000, 2 sheets. 6.25; 1.50.
- 81 - 728-L Le Compte, J.R., Maps showing interpretation of Landsat imagery of the Bradfield Canal quadrangle, southeastern Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 81 - 732-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Wiseman quadrangle, Alaska, supplement to Open-File Report OF 76-340. Part A - Summaries of data to January 1, 1981. 2.75; 3.50.

- 81 - 732-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Wiseman quadrangle, Alaska, supplement to Open-File Report OF 76-340. Part B - Lists of references to January 1, 1981. 22 p. 2.75; 3.50.
- 81 - 736 Lahr, J.C., and Stephens, C.D., Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake hydroelectric project, southern Kenai Peninsula, Alaska. 34 p. 4.25; 3.50.
- 81 - 745 Miller, J.W., and Jones, D.L., 1982, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula. 16 p., 1 sheet. 3.75; 4.00.
- 81 - 767-A Cobb, E.H., Mayfield, C.F., and Brosge, W.P., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in Arctic, Baird Mts., Chandler Lake, De Long Mtns., Demarcation Pt., Howard Pass, Misheguk Mtn., Mt. Michelson, Noatak, Point Lay, and Table Mtn. quadrangles in northern Alaska. Supplement to Open-File Report OF 75-628. Part A - Summaries of data to January 1, 1981. 25 p. 3.25; 3.50.
- 81 - 767-B Cobb, E.H., Mayfield, C.F., and Brosge, W.P., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in Arctic, Baird Mtns., Chandler Lake, De Long Mtns., Demarcation Point, Howard Pass, Misheguk Mtn., Mt. Michelson, Noatak, Point Lay, and Table Mtn. quadrangles in northern Alaska. Supplement to Open-File Report OF 75-628. Part B - Lists of references to January 1, 1981. 15 p. 1.75; 3.50.
- 81 - 768 Le Compte, J.R., Preliminary maps showing interpretation of Landsat imagery of the Healy quadrangle, Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 81 - 776 Le Compte, J.R., Preliminary maps showing interpretation of Landsat imagery of the Ugashik and Karluk quadrangles, Alaska. Scale 1:250 000, 2 sheets. 9.00; 1.50.
- 81 - 782 Le Compte, J.R., Landsat features maps of the Circle quadrangle, Alaska. Scale 1:250 000, 2 sheets. 5.25; 1.50.
- 81 - 792 Jones, D.L., Silberling, N.J., Berg, H.C., and Plafker, George, Map showing tectonostratigraphic terranes of Alaska, columnar sections, and summary description of terranes. 21 p., Scale 1:2 500 000, 2 sheets. 14.50; 4.50.
- 81 - 799 Le Compte, J.R., Landsat features maps of the Petersburg quadrangle and vicinity, southeastern Alaska. Scale 1:250 000, 2 sheets. 7.00; 1.50.
- 81 - 827 Orlando, R.C., and Martin, Ann, Grain size data compilation and parameters of sediment samples; lower Cook Inlet, Alaska, 1976 through 1979. 389 p. 50.50; 3.50.
- 81 - 840 Koch, R.D., Elliott, R.L., and Rossiter, Richard, Total gamma ray intensities at ground stations in the Bradfield Canal quadrangle, southeastern Alaska. Scales 1:125 000 and 1:250 000, 2 sheets. 9.50; 1.50.

- 81 - 847-A Cobb, E.H., and Miller, T.P., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Hughes, Kotzebue, Melozitna, Selawik, and Shungnak quadrangles, west-central Alaska, supplement to Open-File Report OF 75-627. Part A, Summaries of data to January 1, 1981. 15 p. 1.75; 3.50.
- 81 - 847-B Cobb, E.H., and Miller, T.P., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Hughes, Kotzebue, Melozitna, Selawik, and Shungnak quadrangles, west-central Alaska, supplement to Open-File Report OF 75-627. Part B, Lists of references to January 1, 1981. 14 p. 1.75; 3.50.
- 81 - 864 Sarnuels, W.B., and Hopkins, Dorothy, An oilspill risk analysis for the St. George Basin, Alaska, (proposed sale 70) Outer Continental Shelf lease area. 98 p. 12.50; 3.50.
- 81 - 886 Shew, Nora, and Wilson, F.H., Map and table showing radiometric ages of rocks in southwestern Alaska. 27 p., scale 1:1 000 000, 1 sheet. 9.50; 4.00.
- 81 - 889 Wilson, F.H., and Shew, Nora, Map and tables showing preliminary results of potassium-argon age studies in the Circle quadrangle, Alaska, with a compilation of earlier dating work. Scale 1:250 000, 1 sheet. 3.50; 0.50.
- 81 - 897 Stephens, C.D., Lahr, J.C., and Rogers, J.A., Eastern Gulf of Alaska seismicity: Annual report to the National Oceanic and Atmospheric Administration for April 1, 1980 through March 31, 1981. 35 p. 4.50; 3.50.
- 81 - 905 Nelson, G.L., and Johnson, P.R., groundwater reconnaissance of part of the lower Kenai Peninsula, Alaska. 32 p. 4.50; 3.50.
- 81 - 937 Kisslinger, C., Billington, S., Bowman, R., Ihnen, S., Cruz, G., Pohlman, J., Sougstad, K., and Morrissey, S.T., A field study of earthquake prediction methods in the central Aleutian Islands, Part II. 59 p. 7.50; 3.50. Part I is USGS Open-File Report OF 81-384.
- 81 - 950 Rearic, D.M., Barnes, P.W., and Reimnitz, Erk, Ice-gauge data, Beaufort Sea, Alaska, 1972-1980. 244 p., 11 sheets. 9.00 Microfiche only.
- 81 - 963 Detra, D.E., Risoli, D.A., O'Leary, R.M., Hurrell, J.A., and Everman, W.E., Analytical data and statistical summary from the analyses of stream-sediment and heavy-mineral concentrate samples collected in Bristol Bay, Ugashik, and Karluk quadrangles, Alaska. 90 p., scale 1:250 000, 3 sheets. 18.50; 5.00.
- 81 - 967 Molenaar, C.M., Egbert, R.M., and Krystinik, L.F., Depositional facies, petrography, and reservoir potential of the Fortress Mountain Formation (Lower Cretaceous), central North Slope, Alaska. 35 p. 4.50; 3.50.
- 81 - 1005 Childers, J.M., and Kernodle, D.R., (1983), Hydrologic reconnaissance of the Noatak River Basin, Alaska, 1978. 47 p. 6.00; 3.50.
- 81 - 1032 Bird, K.J., Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska - 10 wells from the western part of the National Petroleum Reserve in Alaska (NPRA). 7 p., 10 sheets. 11.75; 8.50.

- 81 - 1033 Bird, K.J., Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska - 26 wells from the northern part of the National Petroleum Reserve in Alaska (NPRA). 7 p., 26 sheets. 14.75; 16.50.
- 81 - 1034 Bird, K.J., Machine-generated displays of well logs from selected wells on the North Slope of Alaska - 11 wells from the northeastern part of the National Petroleum Reserve in Alaska (NPRA). 7 p., 11 sheets. 14.75; 9.00.
- 81 - 1035 Bird, K.J., Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska (NPRA). 7 p., 15 sheets. 13.00; 11.50.
- 81 - 1036 Bird, K.J., Machine-generated displays of well logs and lithology from selected wells on the North Slope of Alaska - 7 wells from the east-central North Slope. 7 p., 7 sheets. 9.75; 7.00.
- 81 - 1072 Patrick, Leslie, Results of exploratory drilling at Point MacKenzie, Alaska, 1981. 11 p. 1.50; 3.50.
- 81 - 1078 Sable, E.G., Dutro, J.T., Mangus, M.D., and Morris, R.H., Geology of the Kukpowruk-Nuka Rivers region, northwestern Alaska. 125 p., 1 sheet. 18.00; 4.00.
- 81 - 1081 Witmer, R.J., Availability of palynomorph and foraminifera microscope slides from test wells of National Petroleum Reserve in Alaska: Group III - Final release. 17 p. 2.00; 3.50.
- 81 - 1084 Molenaar, C.M., Depositional history and seismic stratigraphy of Lower Cretaceous rocks, National Petroleum Reserve in Alaska and adjacent areas. 45 p. 5.75; 3.50.
- 81 - 1085 Luepke, Gretchen, and Leong, K.W., Areal and textural distribution of particulate gold in sediments from Bluff Beach, Alaska. 40 p. 5.00; 3.50.
- 81 - 1094 Bowsher, A.L., and Tailleux, I.L., Availability of petrographic thin-section slides from the Fortress Mountain Formation, central North Slope, Alaska. 8 p. 1.50; 3.50.
- 81 - 1133 Hampton, M.A., Johnson, K.H., Torresan, M.E., and Winters, W.J., Description of seafloor sediment and preliminary geo-environmental report, Shelikof Strait, Alaska. 87 p. 11.25; 3.50.
- 81 - 1139 Le Compte, J.R., Landsat features maps of the Ketchikan and Prince Rupert quadrangles, Alaska. Scale 1:250 000, 2 sheets. 5.25; 1.50.
- 81 - 1158 U.S. Geological Survey, (1982), Aeromagnetic map of the Ugashik-Karluk area, Alaska. Scale 1:250 000, 1 sheet. 2.50; 1.50.
- 81 - 1164 Winkler, G. R., and Plafker, George, Geologic map and cross sections of the Cordova and Middleton Island quadrangles, southern Alaska. 26 p., scale 1:250 000, 1 sheet. 9.25; 4.00.
- 81 - 1165 Witmer, R.J., Mickey, M.B., and Haga, Hideyo, Biostratigraphic correlations of selected test wells of National Petroleum Reserve in Alaska. 92 p., 6 sheets. 29.75; 6.50.

- 81 - 1166 Witmer, R.J., Haga, Hideyo, and Mickey, M.B., Biostratigraphic report of thirty-three wells drilled from 1975 to 1981 in National Petroleum Reserve in Alaska. 50 p. 6.50; 3.50.
- 81 - 1168 Schmoll, H.R., and Emanuel, R.P., Generalized geologic map and hydrologic properties of Potter Creek area, Municipality of Anchorage, Alaska. Scale 1:25 000, 1 sheet. 1.50; 1.50.
- 81 - 1171 Bowsher, A.L., and Tailleux, I.L., Availability of cores, cuttings, and petrographic thin-sections from the Ellesmerian strata of 16 test wells, National Petroleum Reserve in Alaska. 6 p. 1.50; 3.50.
- 81 - 1217 Carlson, P.R., and Karl, H.A., Seafloor geologic hazards, sedimentology, and bathymetry: Navarin Basin province, northwestern Bering Sea. 151 p. 19.50; 3.50.
- 81 - 1221 Carlson, P.R., and Karl, H.A., High-resolution seismic reflection profiles: Navarin Basin province, northern Bering Sea, 1980. 5 p., scale 1:1 000 000, 1 sheet. 3.25; 4.00. Seismic records available from National Oceanic and Atmospheric Administration/NGDG, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 81 - 1222 Bartsch-Winkler, Susan, and Huffman, A.C., Petrography of the Nanushuk Group and Torok Formation. 60 p. 10.75; 3.50.
- 81 - 1249 Camp Dresser and McKee, Inc., Permit requirements for development of energy and other selected natural resources for the state of Alaska. 102 p. 13.25; 3.50.
- 81 - 1288 Silberling, N.J., Richter, D.H., Jones, D.L., and Coney, P.C., (1982), Geologic map of the bedrock part of the Healy A-1 quadrangle south of the Talkeetna-Broxon Gulch fault system, Clearwater Mountains, Alaska. Scale 1:63 360, 1 sheet. 1.75; 1.50.
- 81 - 1296 Alpha, T.R., Eittreim, Stephen, and Morley, J.A., (1982), Barrow Canyon, Alaska, (Oblique map). 1 sheet. 1.50; 1.50.
- 81 - 1297 Jones, D.M., Kingston, M.J., Marlow, M.S., Cooper, A.K., Barron, J.A., Wingate, F.H., and Arnal, R.E., Age, mineralogy, physical properties, and geochemistry of dredge samples from the Bering Sea continental margin. 71 p. 9.00; 3.50.
- 81 - 1298 Bowsher, A.L., ed., (1982), Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, July 16-17, Menlo Park, California. 165 p. 21.25; 3.50.
- 81 - 1301 Cameron, C.C., Malterer, T.J., Rawlinson, S.E., and Hardy, S.B., (1983), Surficial geology and peat resources map of the Houston area, Susitna Valley, Alaska. Scale 1:15 840, 2 sheets. 8.25; 1.50.
- 81 - 1302 Cameron, C.C., Malterer, T.J., Rawlinson, S.E., and Hardy, S.B., (1983), Surficial geology and peat resources map of the Rogers Creek area, Susitna Valley, Alaska. Scale 1:15 840, 3 sheets. 9.75; 1.50.

- 81 - 1304 Timmcke, T.A., (1982), Palynology of the Lower Cretaceous Pebble Shale Unit, Point Barrow, Alaska. 127 p. 16.50; 3.50.
- 81 - 1307 Bowsher, A.L., Tailleux, I.L., and Gibson, H.A., Availability of petrographic thin sections from thirty-five wells from National Petroleum Reserve in Alaska, North Slope, Alaska. 9 p. 1.50; 3.50.
- 81 - 1313-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Tanana quadrangle, Alaska, supplement to Open-File Report OF 77-432. Part A, Summaries of data to June 1, 1981. 3.00; 3.50.
- 81 - 1313-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Tanana quadrangle, Alaska, Supplement to Open-File Report OF 77-432. Part B, List of references to June 1, 1981. 27 p. 3.50; 3.50.
- 81 - 1314 Brouwers, E.M., Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise IGAL-75-KC, 1975. 135 p. 17.50; 3.50.
- 81 - 1316 Fisher, M.A., Patton, W.W., Jr., and Holmes, M.L., Geology and petroleum potential of the Norton Basin area, Alaska. 91 p. 11.75; 3.50.
- 81 - 1326 Cobb, E.H., (1982), Placer gold occurrences in Alaska. 34 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-83.
- 81 - 1335 Bouma, A.H., Submarine topography and physiography of lower Cook Inlet, Alaska. 31 p. 4.00; 3.50.
- 81 - 1340 Gibson, H.A., and Bowsher, A.L., Availability of foraminifera and palynomorph reports from shothole samples of National Petroleum Reserve in Alaska. 4 p. 1.50; 3.50.
- 81 - 1342-A Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Livengood quadrangle, Alaska, Supplement to Open-File Report OF 76-819, Part A, Summaries to August 1, 1981. 49 p. 6.25; 3.50.
- 81 - 1342-B Cobb, E.H., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Livengood quadrangle, Alaska, supplement to Open-File Report OF 76-819. Part B, Lists of references to August 1, 1981. 55 p. 7.00; 3.50.
- 81 - 1343-A Cobb, E.H., and Reed, B.L., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska, supplement to Open-File Report OF 76-485. Part A, Summaries to January 1, 1981. 26 p. 3.25; 3.50.

- 81 - 1343-B Cobb, E.H., and Reed, B.L., Summaries of data on and lists of references to metallic and selected nonmetallic mineral occurrences in the Iliamna, Lake Clark, Lime Hills, and McGrath quadrangles, Alaska, supplement to Open-File Report OF 76-485. Part B, Lists of references to January 1, 1981. 21 p. 2.50; 3.50.
- 82 - 7 U.S. Geological Survey, Land use and land cover and associated maps for Valdez, Alaska. Scale 1:250 000, 2 sheets.
- 82 - 13 Samuels, W.B., Hopkins, Dorothy, and Lanfear, K.J., An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area. 111 p. 14.25; 3.50.
- 82 - 35 Craig, J.D., and Thrasher, G.P., Environmental geology of Harrison Bay, northern Alaska. 28 p., scale 1:250 000, 6 sheets. 9.75; 6.50.
- 82 - 52 Nokleberg, W.J., Albert, N.R.D., Bond, G.C., Herzon, P.L., Miyaoka, R.T., Nelson, W.H., Richter, D.H., Smith, T.E., Stout, J.H., Yeend, Warren, and Zehner, R.E., Geologic map of the southern part of Mount Hayes quadrangle, Alaska. 26 p., scale 1:250 000, 1 sheet. 6.75; 4.00.
- 82 - 53 Detterman, R.L., Allaway, W.H., Jr., Day, G.W., Hopkins, D.M., O'Leary, R.M., and Svec, Edward, Locality map for scintillometer and analytical data collected in 1981, Ugashik and Karluk quadrangles, Alaska. Scale 1:250 000, 1 sheet. 6.00; 1.50.
- 82 - 55 Gough, L.P., Severson, R.C., and Briggs, P.H., Field observations and chemical analyses of vegetation, soils, and spoil materials, Jarvis Creek preference coal lease, Alaska. 33 p. 6.75; 3.50.
- 82 - 59 Hampton, M.A., Synthesis report; environmental geology of Kodiak Shelf, Alaska. 76 p. 9.75; 3.50.
- 82 - 86 Emanuel, R.P., and Cowing, D.J., (1985), Hydrology for land-use planning; the Potter Creek area, Anchorage, Alaska. (Available from USGS, Water Resources Division, 4230 University Drive., Suite 201, Anchorage, Alaska 99508-4664).
- 82 - 128 Rapoport, M.L., An analysis of oceanographic and meteorological conditions for central lower Cook Inlet, Alaska. 47 p. 6.00; 3.50.
- 82 - 138 Alpha, T.R., Scholl, D.W., and Vallier, T.L., Amlia corridor, Alaska (oblique map). Scale 1:1 000 000, 1 sheet. 2.50; 1.50.
- 82 - 139 Jacob, K.H., and McCann, W.R., Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean. 22 p. (contract report). 2.75; 3.50.
- 82 - 140 Wilson, F.H., Map and tables showing preliminary results of K-Ar age studies in the Ugashik quadrangle, Alaska Peninsula. Scale 1:250 000, 1 sheet. 1.75; 1.50.
- 82 - 141 Albert, N.R.D., Preliminary map showing reconnaissance photogeologic interpretation of SLAR imagery of the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska. Scale 1:250 000, 5 sheets. 19.00; 2.50.

- 82 - 195 Morrone, J.F., compiler, Preliminary bibliography of Alaskan geologic maps by 1:250 000 quadrangle. 70 p. 9.00; 3.50.
- 82 - 197 Hampton, M.A., Synthesis report: Environmental geology of Lower Cook Inlet, Alaska. 55 p. 7.00; 3.50.
- 82 - 199 Nilsen, T.H., Moore, T.E., Balin, D.F., and Johnson, S.Y., Sedimentology and stratigraphy of the Kanayut conglomerate, central Brooks Range, Alaska - Report of 1980 field season. 85 p. 11.00; 3.50.
- 82 - 206 Cobb, E.H., compiler, Lode gold and silver occurrences in Alaska. 32 p., scale 1:2 500 000, 1 sheet. 3.00; 4.00.
- 82 - 255 Williams, J.R., Design review, Trans-Alaska oil pipeline, 1974-1976. 140 p. Available from USGS Water Resources Division.
- 82 - 271 Balding, G.O., and Dearborn, L.L., Aquifer data from four wells in the Mendenhall Valley near Juneau, Alaska. 16 p. 1 sheet. 2.25; 4.00.
- 82 - 278 Bird, K.J., Rock unit reports of 223 wells drilled on the North Slope, Alaska. 108 p. 14.00; 3.50.
- 82 - 290 Bird, K.J., Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska. 6 p., 1 sheet. 12.00; 9.50.
- 82 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors, text length and prices vary. 3.00; 3.50.
- 82 - 302 Friesen, W.B., Petrography of igneous rocks from Amliia Island, Aleutian Island Arc, Alaska. 32 p. 4.00; 3.50.
- 82 - 325 O'Leary, R.M., Risoli, D.A., Curtin, G.C., Tripp, R.B., McDougal, C.M., and Huston, D.L., Final analytical results of stream-sediments, glacial debris and nonmagnetic heavy-mineral concentrate samples from the Mt. Hayes quadrangle, Alaska. 130 p., scale 1:250 000, 1 sheet. 18.50; 4.00.
- 82 - 356 Krumhardt, A.P., Arsenic, nitrate, iron, and hardness in ground water, Chena Hot Springs Road, Steele Creek Road, and Gilmore Trail areas, (T. 1 N., R. 1 E., FM), Fairbanks, Alaska. 2 sheets. 3.50; 1.50.
- 82 - 362 Deeter, Gary, and George, R.S., Hydrologic data from test wells and low-flow investigations in the middle reach of the Eagle River valley, Alaska - 1980-81. 16 p. 2.00; 3.50.
- 82 - 384 Cobb, E.H., Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1981, indexed by quadrangle. 132 p. 17.00; 3.50.
- 82 - 390 Brouwers, E.M., Tabulation of the ostracode assemblages and associated fauna and flora from Van Veen samples taken in the northeast Gulf of Alaska, R.V. Discoverer Cruise DC2-80-EG, June, 1980. 69 p. 8.75; 3.50.

- 82 - 391 Blanchard, D.C., and Tailleux, I.L., Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska. 82 p. 10.50; 3.50.
- 82 - 417 Stephens, C.D., Lahr, J.C., and Rogers, J.A., Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake hydroelectric project, southern Kenai Peninsula, Alaska: November 27, 1980-November 30, 1981. 27 p. 3.50; 3.50.
- 82 - 451 Miller, R.J., Winkler, G.R., O'Leary, R.M., and Cooley, E.F., Analyses of rock, stream-sediment, and heavy-mineral concentrate samples from the Valdez quadrangle, Alaska. 225 p., scale 1:250 000, 2 sheets. 32.75; 4.50.
- 82 - 460 Burns, L.E., Gravity and aeromagnetic modelling of a large gabbroic body near the Border Ranges fault, southern Alaska. 72 p., scale 1:250 000, 3 sheets. 15.25; 5.00.
- 82 - 464 Bartsch-Winkler, Susan, Physiography, texture, and bedforms in Knik Arm, upper Cook Inlet, Alaska, during June and July 1980. 7 p., 1 sheet. 4.50; 4.00.
- 82 - 482 Grantz, Arthur, Dinter, D.A., Hill, E.R., May, S.D., McMullin, R.H., Phillips, R.L., and Reimnitz, Erk, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas; A summary report. 80 p. 10.25; 3.50.
- 82 - 483 Burrell, P.D., Cobb, E.H., and Brew, D.A., Geologic bibliography of the Petersburg project area, Alaska. 30 p. 3.75; 3.50.
- 82 - 488 Stephens, C.D., Astrue, M.C., Pelton, J.R., Fogleman, K.A., Page, R.A., Lahr, J.C., Allan, M.A., and Helton, S.M., Catalog of earthquakes in southern Alaska, April-June 1978. 37 p. 4.75; 3.50.
- 82 - 527 Grantz, Arthur, Dinter, D.A., Hill, Edwin, and Chase, T.E., Map showing tracklines of high-resolution uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska. Scale 1:1 000 000, 1 sheet. 2.50; 1.50.
- 82 - 529 Kowalik, W.S., The use of Landsat data in exploration for limonitic outcrops in the Circle quadrangle, Alaska. 14 p. 1.75; 3.50.
- 82 - 535 Lachenbruch, A.H., Sass, J.H., Marshall, B.V., and Moses, T.H., Jr., Thermal regime of permafrost at Prudhoe Bay, Alaska. 77 p. 10.00; 3.50.
- 82 - 586 Minkler, P.W., Reimnitz, Erk, and Barnes, P.W., A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, July through August 1981. 10 p. 1.50; 3.50.
- 82 - 588 Reimnitz, Erk, and Kempema, E.W., High rates of bedload transport measured from infilling rate of large strudel-scour craters in the Beaufort Sea, Alaska. 19 p. 2.25; 3.50.
- 82 - 606 Hamilton, T.D., Quaternary stratigraphic sections with radiocarbon dates, Killik River quadrangle, Alaska. 33 p., 1 sheet. 4.50; 4.00.

- 82 - 608 Barnes, P., and Reiss, T., (1983), Erosion and migration of an artificial sand and gravel island, Niakuk III, Beaufort Sea, Alaska. 10 p. 1.50; 3.50.
- 82 - 611 Curtis, S.M., Ellersieck, Inyo, Mayfield, C.F., and TAILLEUR, I.L., Reconnaissance geologic map of southwestern Misheguk Mountain quadrangle, Alaska (and explanation to accompany). 43 p., scale 1:63 360, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-1502
- 82 - 612 Ellersieck, Inyo, Curtis, S.M., Mayfield, C.F., and TAILLEUR, I.L., Reconnaissance geologic map of south-central Misheguk Mountain quadrangle, Alaska (and explanation to accompany). 38 p., scale 1:63 360, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-1504.
- 82 - 613 Mayfield, C.F., Curtis, S.M., Ellersieck, Inyo, and TAILLEUR, I.L., Reconnaissance geologic map of southeastern Misheguk Mountain quadrangle, Alaska (and explanation to accompany). 40 p., scale 1:63 360, 2 sheets. Superseded by: USGS Miscellaneous Investigations Series Map I-1503.
- 82 - 615 Barnes, P.W., and Minkler, P.W., Sedimentation in the vicinity of a causeway groin - Beaufort Sea, Alaska. 13 p. 1.50; 3.50.
- 82 - 625 Cooper, A.K., Marlow, M.S., and O'Brien, Thomas, Sonobuoy seismic data collected during 1982 in the Bering Sea. 8 p. 1.50; 3.50.
- 82 - 651 Grantz, Arthur, May, S.D., and Mann, D.M., Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey. Scale 1:500 000, 1 sheet. 3.50; 1.50.
- 82 - 672 Hinkley, T.K., Smith, K.S., Peard, J.L., and Tompkins, M.L., Whole-rock chemical composition of some samples from two drill hole cores in the Capps coal field, Beluga coal area, south-central Alaska. 58 p. 7.50; 3.50.
- 82 - 674 Nilsen, T.H., and Moore, T.E., Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season. 68 p. 8.75; 3.50.
- 82 - 685 Mayo, L.R., and Trabant, D.C., Knik Glacier, Alaska: A summary of 1979, 1980, and 1981 data and introduction of new surveying techniques. 32 p. 4.00; 3.50.
- 82 - 716 Barnes, P.W., Reiss, T., and Reimnitz, E., (1983), Sediment content of nearshore fast ice; fall 1980, Beaufort Sea, Alaska. 19 p. 2.25; 3.50.
- 82 - 717 Barnes, P.W., and Reimnitz, Erk, Net flow of near-bottom waters on the inner Beaufort Sea shelf as determined from seabed drifters. 10 p. 1.50; 3.50.
- 82 - 719 Cobb, E.H., and St. Aubin, D.R., Occurrences of selected critical and strategic mineral commodities in Alaska. 25 p., scale 1:2 500 000, 1 sheet. 8.00; 4.00.

- 82 - 723 Campbell, W.L., and VanTrump, G., Jr., Catalog of available clear mylar templates used to determine latitude and longitude of sample localities between latitudes of 51 degrees and 71 degrees, 30 minutes at the scale of 1:63 360, and between the latitude of 49 degrees and 71 degrees, 30 minutes north or south at the scale of 1:250 000. 5 p. 1.50; 3.50. (Catalog for USGS Open-File Report OF 82-724).
- 82 - 724 Campbell, W.L., and VanTrump, G., Jr., Clear mylar templates used to measure latitude and longitude of sample localities at scales of 1:63 360 and 1:250 000 between the latitudes of 49 00'00" and 71 30'00" north or south. 6 p., 210 p. xerographic clear film. 421.00; 3.50. Report catalog is OF 82-723. Text is 1.00., single template sheets are 2.00 each.
- 82 - 734 Chapman, R.M., Yeend, Warren, Brosge, W.P., and Reiser, H.N., Reconnaissance geologic map of the Tanana quadrangle, Alaska. 20 p., scale 1:250 000, 1 sheet. 5.00; 4.00.
- 82 - 735 Grantz, Arthur, Mann, D.M., and May, S.D., Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available. 1 sheet. 3.50; 1.50. (Tapes available from USGS).
- 82 - 756 Fountain, A.G., (1983), Columbia Glacier photogrammetric altitude and velocity: data set. 229 p. 29.75; 3.50.
- 82 - 785 Cobb, E.H., Occurrences of tungsten minerals in Alaska. 12 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-85.
- 82 - 786 Carlson, P.R., and Karl, H.A., High-resolution seismic reflection profiles: Navarin Basin province, northern Bering Sea, 1981. 6 p., 1 sheet. 3.25; 4.00. Shipboard records available from National Oceanic and Atmospheric Administration/EDIS/NGSDC Code D-621, 325 Broadway, Boulder, Colorado 80303.
- 82 - 798 Cobb, E.H., Occurrences of molybdenum minerals in Alaska. 9 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-86.
- 82 - 800 Bird, K.J., Catalog of digital log data for government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska. 31 p. 4.00; 3.50.
- 82 - 801 Trautwein, C.M., Greenlee, D.D., and Orr, D.G., (1983), Digital data base application to porphyry copper mineralization in Alaska; case summary. 17 p. 2.50; 3.50.
- 82 - 884 Chleborad, A.F., Yehle, L.A., Schmoll, H.R., Gardner, C.C., and Dearborn, L.L., Preliminary geotechnical and geophysical logs from drill hole 2C-80 in the Capps coal field, Cook Inlet region, Alaska. 11 p., 2 sheets. 6.50; 4.50.
- 82 - 928 Bruns, T.R., ed., Hydrocarbon resource report for proposed Outer Continental Shelf lease sale 88: Southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska. 133 p. 17.25; 3.50.

- 82 - 929 Bruns, T.R., Structure and petroleum potential of the Continental Margin between Cross Sound and Icy Bay, northern Gulf of Alaska. 64 p. 8.25; 3.50.
- 82 - 949 Brouwers, E.M., Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC, 1975: Part II. 95 p. 12.75; 3.50.
- 82 - 958 Karl, H.A., and Carlson, P.R., Location and description of sediment samples: Navarin Basin province, Bering Sea, 1980-81. 6 p., scale 1:1 000 000, 2 sheets. 6.00; 4.50.
- 82 - 960 Moore, G.W., Offshore survey of the Pillar Mountain landslide, Kodiak, Alaska. 13 p. 1.50; 3.50.
- 82 - 964 King, H.D., Sutley, S.J., O'Leary, R.M., McDougal, C.M., and Duttweiler, K.A., Analytical data for minus-80-mesh stream-sediment samples collected during 1981 from the Solomon and Bendeleben quadrangles, Alaska. 46 p., scale 1:250 000, 2 sheets. 9.50; 4.50.
- 82 - 970 Godson, R.H., compiler, Composite magnetic anomaly map of the United States: Part B - Alaska and Hawaii. 21 p., scale 1:2 500 000, 2 sheets. Superseded by: USGS Geophysical Investigations Map GP-954-B.
- 82 - 974 Reimnitz, Erk, Barnes, P.W., Rearic, D.M., Minkler, P.W., Kempema, E.W., and Reiss, T.E., Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border. 67 p. 8.50; 3.50.
- 82 - 983 Dickinson, K.A., and Campbell, J.A., The potential for uranium deposits in the Tertiary Kootznahoo Formation of the southern part of the Admiralty Trough, southeastern Alaska. 20 p. 2.50; 3.50.
- 82 - 997 Hess, G.R., and Nelson, C.H., Geology report for proposed Norton Sound Outer Continental Shelf sand and gravel lease sale. 48 p. 6.00; 3.50.
- 82 - 1016 Nelson, G.L., and Dearborn, L.L., (1983), Vertical movement of ground water under the Merrill Field landfill, Anchorage, Alaska. 28 p. 3.50; 3.50.
- 82 - 1026 Barton, H.N., Odland, S.K., O'Leary, R.M., and Day, G.W., Geochemical data for the Killik River and Chandler Lake quadrangles, Alaska. 53 p. 6.75; 3.50.
- 82 - 1029 Cobb, E.H., Occurrences of copper minerals in Alaska. 33 p., scale 1:2 500 000, 1 sheet. Superseded by: USGS Mineral Investigations Resources Map MR-90.
- 82 - 1032 Dickinson, K.A., and Morrone, J.F., (1983), Distribution of uranium and thorium in the lower Tertiary Orca Group and related rocks in part of the Cordova quadrangle, southern Alaska. 12 p. 1.50; 3.50.
- 82 - 1035 Austin, W.A., Molnia, B.F., and Schwab, W.G., Bathymetric map of the north Aleutian Shelf, Bristol Bay, Alaska. 1 sheet. 6.00; 1.50.

- 82 - 1038 Fischer, J.M., Carlson, P.R., and Karl, H.A., Bathymetric map of Navarin Basin province, northern Bering Sea. 11 p., scale 1:1 000 000, 1 sheet. 4.00; 4.00.
- 82 - 1039 Lachenbruch, A.H., Sass, J.H., Lawver, L.A., Brewer, M.C., and Moses, T.H., Jr., Depth and temperature of permafrost on Alaskan Arctic Slope; preliminary results. 30 p. 3.75; 3.50.
- 82 - 1053 Grantz, Arthur, Dinter, D.A., Hill, E.R., Hunter, R.E., May, S.D., McMullen, R.H., and Phillips, R.L., Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 85 in the central and northern Chukchi Sea - A summary report. 89 p. 11.50; 3.50.
- 82 - 1054 Payne, T.G., Use of microcomputer in mapping depth of stratigraphic horizons in National Petroleum Reserve in Alaska. 42 p. 5.25; 3.50.
- 82 - 1071 Brosge, W.P., and Patton, W.W., Jr., Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska. 17 p., 1:500 000, 1 sheet. 2.50; 4.00.
- 82 - 1088 Berg, H.C., and Cruz, E.L., Map and table describing fossil collections and related samples in the Ketchikan and Prince Rupert quadrangles, southeastern Alaska. 27 p., scale 1:250 000, 1 sheet. 7.00; 4.00.
- 83 - 6 Kachadoorian, Reuben, 1984, Engineering geology studies in the National Petroleum Reserve, Alaska. 37 p. 5.25; 3.50.
- 83 - 11 Jones, D.L., Silberling, N.J., Gilbert, W.J., and Coney, P.J., Tectono-stratigraphic map and interpretive bedrock geologic map of the Mount McKinley region, Alaska. Scale 1:250 000, 2 sheets. 9.50; 1.50.
- 83 - 14 Fogleman, K.A., Stephans, C.D., Lahr, J.C., Rogers, J.A., Cancilla, R.S., Tam, R., Freiberg, J.A., and Melnick, J.P., Catalog of earthquakes in southern Alaska, April-June 1980. 56 p. 7.25; 3.50.
- 83 - 15 Fogleman, K.A., Stephans, C.D., Lahr, J.C., Rogers, J.A., Cancilla, R.S., Tam, R., Helto, S.M., Freiberg, J.A., and Melnick, J.P., Catalog of earthquakes in southern Alaska, July-September 1980. 56 p. 7.25; 3.50.
- 83 - 24 Carlson, P.R., Fischer, J.M., and Karl, H.A., Two newly discovered submarine canyons on the Alaskan continental margin of the Bering Sea. 38 p., scale 1:250 000, 1 sheet. 8.50; 4.00.
- 83 - 78 Odum, J.K., Gardner, C.A., Yehle, L.A., Schmoll, H.R., and Dearborn, L.L., Preliminary lithologic, geotechnical and geophysical data from drill hole CW-81-2, Chuitna West coal field, Cook Inlet region, Alaska. 14 p., 2 sheets. 9.00; 4.50.
- 83 - 91 Eberlein, G.D., Churkin, Michael Jr., Carter, Claire, Berg, H.C., and Ovenshine, A.T., Geology of the Craig quadrangle, Alaska. 52 p., scale 1:250 000, 4 sheets. 15.25; 5.50.
- 83 - 94 Reed, B.L., Lanphere, M.A., and Miesch, A.T., Chemical analyses of 102 tonalite samples for the Jurassic magmatic arc, Alaska-Aleutian Range batholith, Alaska. 18 p. 2.25; 3.50.

- 83 - 104 Hoose, P.J., Thrasher, G.P., and Lybeck, L.D., Isopach map of Holocene sediment on the Outer Continental Shelf between Yakutat Bay and Dry Bay, eastern Gulf of Alaska. Scale 1:250 000, 1 sheet. 2.75; 1.50.
- 83 - 120 Samuels, W.B., Lanfear, K.J., and Banks, D., An oilspill risk analysis for the Navarin Basin lease offering (March 1984), Alaska. 36 p. 4.75; 3.50.
- 83 - 124 Turner, R.F., ed., Bolm, J.G., McCarthy, C.M., Steffy, D.A., Lowry, P., and Flett, T.O., Geological and operational summary, Norton Sound COST No. 1 well, Norton Sound, Alaska. 168 p., 7 sheets. 23.25; 7.00.
- 83 - 142 Glass, R.L., Hydrologic data for Point MacKenzie area, south-central Alaska. 47 p., 1 sheet. 6.25; 4.00.
- 83 - 153 Wang, F.F.H., and Quinterno, Paula, Bibliography on the world's subsea mineral resources and related geological and geophysical studies (1960 - 1972). 368 p. 48.25; 3.50.
- 83 - 169 Dickinson, K.A., Morrone, J.E., and Roberts, M.E., Summary of radiometric anomalies in Alaska. 1 sheet. Supersedes Open-File Report OF 81-428. 3.75; 1.50.
- 83 - 170-A Foster, H.L., Laird, J., Keith, T.E., Cushing, G.W., and Menzie, W.D., Preliminary geologic map of the Circle quadrangle, Alaska. 32 p., scale 1:250 000, 1 sheet. 6.50; 4.00.
- 83 - 170-B Menzie, W.D., Foster, H.L., Tripp, R.B., and Yeend, W.E., Mineral resource assessment of the Circle quadrangle, Alaska. 61 p., scale 1:250 000, 1 sheet. 11.75; 4.00.
- 83 - 170-C Cady, J.W., and Weber, F.R., Aeromagnetic map and interpretation of magnetic and gravity data, Circle quadrangle, Alaska. 29 p., scale 1:250 000, 2 sheets. 9.50; 4.50.
- 83 - 170-D Cady, J.W., and Barnes, D.F., Complete Bouguer gravity map of Circle quadrangle, Alaska. Scale 1:250 000, 1 sheet. 1.50; 1.50.
- 83 - 170-E Simpson, S.L., 1984, Geomorphic domains and linear features on Landsat images, Circle quadrangle. 36 p., scale 1:250,000, 1 sheet. 11.25; 4.00.
- 83 - 171 Hampton, M.A., Geotechnical framework study of the Kodiak shelf, Alaska. 87 p. 11.25; 3.50.
- 83 - 178 Fisher, M.A., and Holmes, M.L., Description of magnetic tapes of digital sonobuoy-refraction data obtained over Norton Basin, Alaska. 4 p. 1.50; 3.50.
- 83 - 183 Mayfield, C.F., Curtis, S.M., Ellersieck, Inyo, and Tailleir, I.L., Reconnaissance geologic map of the De Long Mountains A-3, B-3, and parts of A-4, B-4 quadrangles, Alaska. 60 p., scale 1:63 360, 2 sheets. 13.00; 4.50.
- 83 - 184 Ellersieck, Inyo, Curtis, S.M., Mayfield, C.F., and Tailleir, I.L., Reconnaissance geologic map of the De Long Mountains A-2, B-2, and part of C-2 quadrangles, Alaska. 54 p., scale 1:63 360, 2 sheets. 11.75; 4.50.

- 83 - 185 Curtis, S.M., Ellersieck, Inyo, Mayfield, C.F., and Tailleur, I.L., Reconnaissance geologic map of the De Long Mountains A-1, B-1, and part of C-1 quadrangles, Alaska. 54 p., scale 1:63 360, 2 sheets. 11.75; 4.50.
- 83 - 190 Severson, R.C., and Gough, L.P., Chemical composition and variability of soils from the Capps coal field, Alaska. 39 p. 5.00; 3.50.
- 83 - 199 Cobb, E.H., Occurrences of zinc minerals in Alaska. 18 p., scale 1:2 500 000, 1 sheet. 5.25; 4.00.
- 83 - 200 Hampton, M.A., Geotechnical framework study of Shelikof Strait, Alaska. 123 p. 15.75; 3.50.
- 83 - 232 Kelley, J.S., and Peterson, D.M., Preliminary bibliography of geologic literature on the Killik River and Chandler Lake quadrangles, north-central Brooks Range, Alaska. 31 p. 4.00; 3.50.
- 83 - 246 Gough, L.P., and Severson, R.C., Chemical analyses of native soil and vegetation samples, Capps coal field, Alaska. 58 p. 7.50; 3.50.
- 83 - 247 Molnia, B.F., Schwab, W.C., and Austin, W.A., Map of potential geologic hazards on the north Aleutian Shelf (lease sale 92), Bering Sea. 4 p., 1 sheet. 6.50; 4.00.
- 83 - 256 Post, Austin, Preliminary bathymetry of upper Icy Bay, Alaska. 1 sheet. 6.00; 1.50.
- 83 - 258 Jones, S.H., Floods from small drainage basins in Alaska. 64 p., 1 sheet. 9.75; 4.00.
- 83 - 278 Cobb, E.H., and Cruz, E.L., Summaries of data on and lists of references to metallic and selected nonmetallic mineral deposits, in the Chandalar quadrangle, Alaska. 92 p. 11.75; 3.50. Partially supersedes USGS Open-File Report OF 76-340, Chandalar quadrangle only.
- 83 - 279 Yeend, Warren, Engineering-geologic maps of northern Alaska, Lookout Ridge quadrangle. Scale 1:250 000, 2 sheets. 3.50; 1.50.
- 83 - 294 Williams, J.R., Engineering-geologic maps of northern Alaska, Meade River quadrangle. 32 p., scale 1:250 000, 1 sheet. 7.75; 4.00.
- 83 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors, text length, and prices vary slightly. 3.00; 3.50.
- 83 - 318 Gehrels, G.E., Berg, H.C., and Saleeby, J.B., Ordovician-Silurian volcanogenic massive sulfide deposits on the southern Prince of Wales Island and the barrier islands, southeastern Alaska. 10 p., 1 sheet. 1.50; 4.00.
- 83 - 322 Cooper, A.K., and Marlow, M.S., Preliminary results of geophysical and geological studies of the Bering Sea shelf during 1982. 8 p. 1.50; 3.50.

- 83 - 325 Marlow, M.S., Vallier, T.L., Cooper, A.K., Barron, J.A., and Wingate, F.H., A description of dredge samples collected in 1982 from the Bering Sea continental margin west of Navarin Basin. 5 p. 1.50; 3.50.
- 83 - 336 Clark, S.H., Reconnaissance geologic map of the Chugach Mountains in the Anchorage C-5 and C-6 quadrangles, Alaska. Scale 1:63 360, 1 sheet. 2.75; 1.50.
- 83 - 354 Sallenger, A.H., Jr., and Hunter, R.E., Map showing coastal morphology of the northern Bering Sea coast of Alaska. 5 p., scale 1:400 000, 1 sheet. 3.50; 4.00.
- 83 - 376 Hess, G.R., Klingman, D.S., and Blank, J.A., Cruise results L7-80-B5, northern Bering Sea; geophysical investigations. 4 p., 2 sheets. 4.00; 4.50. Seismic records available from National Oceanic and Atmospheric Administration/NGSDC, Code E-64, 325 Broadway, Boulder, Colorado 80303.
- 83 - 394 Sallenger, A.H., Jr., Measurements of debris-line elevations and beach profiles following a major storm; northern Bering Sea coast of Alaska. 12 p. 1.75; 3.50.
- 83 - 404 Hampton, M.A., and Winter, W.J., Geotechnical framework study of the northern Bering Sea, Alaska. 384 p. 50.00; 3.50.
- 83 - 420-A Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., A listing and statistical summary of analytical results for pebbles, stream sediments, and heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. 281 p., scale 1:250 000, 1 sheet. 39.25; 4.00;
- 83 - 420-B Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of copper, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-C Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of copper, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-D Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of lead, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-E Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of lead, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-F Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of zinc, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.

- 83 - 420-G Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of zinc, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-H Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of barium, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-I Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of barium, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-J Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of determinable silver by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, and in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-K Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of detectable gold, arsenic, bismuth, and antimony in the nonmagnetic fraction of heavy-mineral concentrates and in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-L Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of tin, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-M Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of cadmium determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-N Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of molybdenum determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-O Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of molybdenum determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-P Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of nickel, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.

- 83 - 420-Q Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of nickel determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-R Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of cobalt, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-S Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of cobalt, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-T Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of chromium determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-U Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of chromium, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-V Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of chromium, determined by spectrographic analysis, in the minus-80-mesh fraction of stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-W Cathrall, J.B., Day, G.W., Hoffman, J.D., and McDanal, S.K., Distribution and abundance of tungsten, determined by spectrographic analysis, in nonmagnetic fraction of heavy-mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 420-X Tripp, R.B., and Cathrall, J.B., Mineralogical map showing the distribution of selected minerals in nonmagnetic fraction of heavy mineral concentrates from stream sediments, Petersburg area, southeast Alaska. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 426 Bliss, J.D., Alaska; basic data for thermal springs and wells as recorded in Geotherm. 188 p. 15.50; 3.50.
- 83 - 457 Williams, J.R., Engineering-geologic maps of northern Alaska, Wainwright quadrangle. 30 p., scale 1:250 000, 1 sheet. 7.50; 4.00.
- 83 - 479 Schmoll, H.R., and Emanuel, R.P., Geologic materials and hydrogeologic characteristics in the Fire Lakes-Eklutna area, Anchorage, Alaska. Scale 1:25 000, 1 sheet. 2.75; 1.50.

- 83 - 505 Harris, A.G., Ellersieck, Inya, Mayfield, C.F., and Tailleux, I.L., Thermal maturation values (conodont color alteration indices) for Paleozoic and Triassic rocks, Chandler Lake, De Long Mountains, Howard Pass, Killik River, Misheguk Mountain, and Point Hope quadrangles, Northwest Alaska, and subsurface NPRA. 16 p. 2.25; 3.50.
- 83 - 519 Cooper, A.K., Marlow, M.S., and Magistrale, Harold, Digital gravity and magnetic data collected in 1980 in the northern Bering Sea. 4 p. 1.50; 3.50. Data available from National Oceanic and Atmospheric Administration/NGDC, Code D-64, 325 Broadway, Boulder, Colorado 80303.
- 83 - 520 Bartsch-Winkler, Susan, Availability of petrographic thin-sections from measured sections and wells in Early to Late Cretaceous Nanushuk Group rocks, National Petroleum Reserve in Alaska, North Slope, Alaska. 10 p. 1.50; 3.50.
- 83 - 557 Turner, R.F., ed., Bolm, J.G., McCarthy, C.M., Steffy, D.A., Lowry, Paul, Flett, T.O., and Blunt, D., Geological and operational summary, Norton Sound COST No. 2 well, Norton Sound, Alaska. 159 p., 7 sheets. 23.75; 7.00.
- 83 - 577 Hopkins, B.A., compiler, (1984), Geologic maps on Alaska published by the U.S. Geological Survey, post 1930; scales 1:96 000 to 1:250 000 (through October 1982). 18 p., 1 sheet. 4.50; 4.00.
- 83 - 578 Hopkins, B.A., compiler, (1984), Geologic maps on Alaska published by the U.S. Geological Survey, post-1930; scales 1:20 000 to 1:63 360 (through October 1982). 18 p., 1 sheet. 4.25; 4.00.
- 83 - 592 Lahr, J.C., and Stephens, C.D., Eastern Gulf of Alaska seismicity; final report to the National Oceanic and Atmospheric Administration for July 1, 1975, through September 30, 1981. 51 p. 6.75; 3.50.
- 83 - 606 Briggs, S.R., Geology report for proposed Beaufort Sea OCS sand and gravel lease sale. 66 p. 8.75; 3.50.
- 83 - 607 U.S. Geological Survey, (1984), Aeromagnetic map of the Killik River and Chandler Lake 1 degree by 2 degree quadrangles, Alaska. Scale 1:250 000 1 sheet. 3.75; 1.50.
- 83 - 618 Carlson, P.R., Karl, H.A., and Crane, R.X., High-resolution seismic reflection profiles, trackline and sample location map, and digitized bathymetric data; Navarin Basin province, Northern Bering Sea. 4 p., 1 sheet. 2.50; 4.00.
- 83 - 627 Banet, A.C., Jr., A geochemical profile of Tunalik No. 1 well, National Petroleum Reserve in Alaska. 20 p., 2 sheets. 13.25; 4.50.
- 83 - 634 Carter, L.D., Engineering geologic maps of northern Alaska; Teshekpuk quadrangle. Scale 1:250 000, 1 sheet. 3.75; 1.50.
- 83 - 706 Rearic, D.M., and McHendrie, A.G., Ice gouge data sets from the Alaskan Beaufort Sea; magnetic tape and documentation for computer assisted analyses and correlation. 10 p. 1.50; 3.50.

- 83 - 707 Marlow, M.S., Cooper, A.K., Carlson, P.R., Karl, H.A., and Edwards, B.A., Supplement resource report for OCS lease sale No. 83, Navarin Basin, Alaska. 46 p. 6.00; 3.50.
- 83 - 727 Nelson, C.H., Johnson, K.R., and Mitchell, Heidi-Lynn, Assessment of gray whale feeding grounds and sea floor interaction in the northeastern Bering Sea. 112 p. 14.75; 3.50.
- 83 - 744 Stephens, C.D., Lahr, J.C., Page, R.A., and Rogers, J.A., Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake hydroelectric project, southern Kenai Peninsula, Alaska; December 1981 - May 1983. 25 p. 3.25; 3.50.
- 83 - 779 Mayfield, C.F., Tailleir, I.L., and Ellersieck, Inya, Stratigraphy, structure, and palinspatic synthesis of the western Brooks Range, northwestern Alaska. 61 p., 5 sheets. 18.25; 6.00.
- 83 - 782 Wong, F.L., Heavy mineral data from lower Cook Inlet, Alaska. 4 p. 1.50; 3.50.
- 83 - 783 Wilson, F.H., and Cox, D.P., Geochronology, geochemistry and tectonic environment of porphyry mineralization in the central Alaska Peninsula. 25 p. 3.25; 3.50.
- 83 - 870 Knott, J.M., and Lipscomb, S.W., (1984), Sediment discharge data for the Susitna River basin, 1981-82. 49 p., 1 sheet. 7.75; 4.00.
- 83 - 882 LaBelle, R.P., An oilspill risk analysis for the Gulf of Alaska/Cook Inlet lease offering (October 1984). 74 p. 9.75; 3.50.
- 83 - 938 Bailey, B.J., (1984), Hydrologic-data stations and lake levels, Kenai-Nikiski area, Alaska. Scale 1:63 360, 2 sheets. 3.75; 1.50.
- 84 - 4 Mann, D.M., and Fisher, M.A., Multichannel seismic-reflection profiles collected in 1978 in Norton Sound and the eastern Bering Sea. 3 p., scale 1:401,954.45, 1 sheet. 4.00; 4.00. Seismic profiles available from National Oceanic and Atmospheric Administration/NGSDC, Code E-64, 325 Broadway, Boulder, Colorado 80303.
- 84 - 6 Mann, D.M., and Bruns, T.R., Multichannel seismic-reflection profiles collected in 1977 in the eastern Gulf of Alaska. 3 p., scale 1:969 756, 1 sheet. 2.25; 4.00.
- 84 - 7 Mann, D.M., and von Huene, Roland, Multichannel seismic-reflection profiles collected in 1977 in the western Gulf of Alaska. 3 p., scale 1:969 761, 1 sheet. 2.25; 4.00. Seismic records available from National Oceanic and Atmospheric Administration/NGDC, Code E-64, 325 Broadway, Boulder, Colorado 80303.
- 84 - 10 Koster, E.A., Galloway, J.P., and Pronk, Toon, Photo-interpretation map of surficial deposits and landforms of the Nogahabara sand dunes and part of the Koyukuk Lowland, Alaska. Scale 1:60 390, 1 sheet. 4.50; 1.50.
- 84 - 19 Molnia, B.F., Bingham, M.P., and Rapoport, M.L., Bathymetric map of the Alsek sediment instability area, northeastern Gulf of Alaska. Scale 1:10 000, 1 sheet. 3.75; 1.50.

- 84 - 21 Galloway, J.P., Bibliography of published radiocarbon dates for Alaska. 44 p. 5.75; 1.50.
- 84 - 24 Fisher, M.A., von Huene, Roland, and Hampton, M.A., Summary geologic report for petroleum lease sale #100, Kodiak Shelf, Alaska. 51 p., scale 1:500 000, 1 sheet.
- 84 - 59 Meier, M.F., Post, Austin, Krimmel, R.M., and Driedger, C.L., The 1983 recession of Columbia Glacier. 12 p. 1.75; 3.50.
- 84 - 77 Kelley, J.S., Geologic sections of a portion of the Chandler Lake B-1 quadrangle, Alaska. 3 sheets. 5.50; 1.50.
- 84 - 78 Bird, K.J., A comparison of the play-analysis technique as applied in hydrocarbon resource assessments of the National Petroleum Reserve in Alaska and of the Arctic National Wildlife Refuge. 21 p. 2.75; 3.50.
- 84 - 89 Karl, H.A., and Carlson, P.R., Surface and near-surface geology, Navarin Basin province; results of the 1980-81 field seasons. 120 p. 15.75; 3.50.
- 84 - 97 Golan-Bac, Margaret, and Kvernolden, K.A., Hydrocarbon gases in sediments from Navarin Basin, Bering Sea; results from 1982 field season. 13 p. 1.75; 3.50.
- 84 - 99 DiBona, P.A., and Kirschner, C.E., Geologic bibliography for selected on-shore sedimentary basins of central and southern Alaska stressing basin analysis and including an index of publicly available well and surface data. 72 p. 9.50; 3.50.
- 84 - 104 O'Leary, R.M., Hoffman, J.D., Sutley, S.J., and King, H.D., Analytical results and sample locality map of stream-sediment and heavy-mineral-concentrate samples from the Healy quadrangle, Alaska. 153 p., scale 1:250 000, 1 sheet. 21.75; 4.00.
- 84 - 108 Phillips, R.L., Reiss, T.E., Kempema, E., and Reimnitz, Erk, Nearshore marine geologic investigations, Wainwright to Skull Cliff, Northeast Chukchi Sea. 34 p. 4.50; 3.50.
- 84 - 116 Reiss, T.E., Hunter, R.E., and Phillips, R.L., A summary of U.S. Geological Survey marine geologic studies on the inner shelf of the Chukchi Sea, Alaska, summer 1982. 13 p. 1.75; 3.50.
- 84 - 117 Graves, S.M., Reimnitz, Erk, and Barnes, P.W., A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, 1983. 13 p. 1.75; 3.50. Field data available from National Oceanic and Atmospheric Administration/NGSDC, Code E-64, 325 Broadway, Boulder, Colorado 80303.
- 84 - 124 Williams, J.R., and Carter, L.D., Engineering-geologic maps of northern Alaska, Barrow quadrangle. 39 p., scale 1:250 000, 2 sheets. 15.25; 4.50.
- 84 - 152 Kelley, J.S., Geologic map and sections of the southwestern Kenai Peninsula west of the Port Graham fault, Alaska. Scale 1:63 360, 1 sheet. 2.75; 1.50.
- 84 - 157 Zoback, Mary Lou, Zoback, M.D., and Schiltz, M.E., Index of stress data for the North American and parts of the Pacific plate. 62 p. 8.25; 3.50.

- 84 - 161-A O'Leary, R.M., Hoffman, J.D., Sutley, S.J., and Lewis, J.S., Analytical results and sample locality maps of stream-sediment, heavy-mineral-concentrate, pebble, and rock samples from the Wiseman quadrangle, Alaska. 400 p., scale 1:250 000, 3 sheets. 57.50; 5.00.
- 84 - 161-B Cathrall, J.B., Dillon, J.T., and Chazin, Barbara, Map of anomalous trace metals in rocks and stream-sediment pebbles of the Wiseman 1 degree by 3 degree quadrangle, Brooks Range, Alaska. 35 p., scale 1:250 000, 2 sheets. 9.75; 5.50.
- 84 - 167 Niessen, A.C., Koster, E.A., and Galloway, J.P., Periglacial sand dunes and eolian sand sheets; an annotated bibliography. 61 p. 8.25; 3.50.
- 84 - 171 Burrell, P.D., Map and table describing the Admiralty-Revillagigedo intrusive belt plutons in the Petersburg 1:250 000 quadrangle, southeastern Alaska. 6 p., scale 1:250 000, 1 sheet. 3.50; 4.00.
- 84 - 173 Armstrong, F.C., and Boudette, E.L., Two-mica granites: Part A, Their occurrence and petrography. 33 p. 4.75; 3.50.
- 84 - 246 Snyder, E.F., compiler, Activities of the Alaska District, Water Resources Division, U.S. Geological Survey, 1984. 37 p. 4.75; 3.50.
- 84 - 295 U.S. Geological Survey, Aeromagnetic map of the western part of the Healy 1 degree by 3 degree quadrangle, Alaska. 1 sheet. 1.50; 1.50.
- 84 - 296 U.S. Geological Survey, Aeromagnetic map of the Juneau area, Alaska. 1 sheet. 2.00; 1.50.
- 84 - 298 Davis, Alice, and Plafker, George, Geochemistry and petrography of basalts recovered from the continental slope in the eastern Gulf of Alaska. 25 p. 3.25; 3.50.
- 84 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors and text length, and prices may vary. 3.00; 3.50.
- 84 - 331 Detterman, R.L., Measured sections of late Paleozoic and Mesozoic rocks, Mount Michelson quadrangle, Alaska. 2 sheets. 8.50; 1.50.
- 84 - 351 U.S. Geological Survey, Aeromagnetic map of part of the Ugashik and Karluk 1 degree by 2 degree quadrangle, Alaska. Scale 1:250 000, 1 sheet. 3.00; 1.50.
- 84 - 352 U.S. Geological Survey, Aeromagnetic map of part of the Anchorage 1 degree by 3 degree quadrangle, Alaska. Scale 1:250 000, 1 sheet. 2.00; 1.50.
- 84 - 355 Goldfarb, R.J., Nelson, S.W., Dumoulin, J.A., Miller, M.L., with contributions by Day, Gordon, Hoffman, James, Tripp, Richard, Smaglik, Suzanne, and Folger, Peter, Data report and statistical summary for samples of moraine and stream sediment, nonmagnetic heavy-mineral concentrate and rocks from the Chugach National Forest, Alaska. 446 p., scale 1:250 000, 2 sheets. 67.00; 4.50.
- 84 - 370 Detterman, R.L., Measured sections of upper Paleozoic to early Tertiary rocks, Demarcation Point quadrangle, Alaska. Scale 1:250 000, 1 sheet. 6.00; 1.50.

- 84 - 376 Espinosa, A.F., and Michael, J.A., Seismicity of the Arctic and adjoining regions, 1960-1983. 1 sheet. 3.75; 1.50.
- 84 - 395 Grantz, Arthur, and May, S.D., Summary geologic report for Barrow Arch, Outer Continental Shelf (OCS) planning area, Chukchi Sea, Alaska. 44 p. 5.75; 3.50.
- 84 - 396 Mayfield, C.F., Ellersieck, Inya, and TAILLEUR, I.L., Reconnaissance geologic map of the Noatak C-5, D-5, D-6, and D-7 quadrangles, Alaska. 27 p., scale 1:63 360, 1 sheet. 7.25; 4.00.
- 84 - 397 Molnia, B.F., and Rapoport, M.L., Mosaic of the Alsek sediment instability area, northeastern Gulf of Alaska. 17 p., 2 sheets. 11.25; 4.50.
- 84 - 401 Hamilton, T.D., and Bauer, D.P., Engineering-geologic maps of northern Alaska; Howard Pass quadrangle. Scale 1:250 000, 1 sheet. 5.00; 1.50.
- 84 - 404 Kvenvolden, K.A., and von Huene, Roland, Potential for generation of natural gas in sediments of the convergent margin of the Aleutian Trench area. 60 p. 8.25; 4.50.
- 84 - 405 Brew, D.A., Ovenshine, A.T., Karl, S.M., and Hunt, S.J., Preliminary reconnaissance geologic map of the Petersburg and parts of the Port Alexander and Sumdum 1:250 000 quadrangles, southeastern Alaska. 43 p., scale 1:250 000, 2 sheets. 13.00; 4.50.
- 84 - 406 Sutley, S.J., Duttweiler, K.A., and Hopkins, R.T., Analytical results and sample locality map of stream-sediment and panned concentrate samples from the Killik River 1 degree by 3 degree quadrangle, Alaska. 20 p., scale 1:250 000, 1 sheet. 4.50; 4.00.
- 84 - 412 Sutley, S.J., Duttweiler, K.A., and Hopkins, R.T., Analytical results and sample locality map of stream-sediment and panned concentrate samples from the Chandler Lake 1 degree by 3 degree quadrangle, Alaska. 32 p., scale 1:250 000, 1 sheet. 6.00; 4.00.
- 84 - 418 Cooper, A.K., Marlow, M.S., and Vallier, T.L., Summary geologic report for the St. George Outer Continental Shelf (OCS) planning area, Bering Sea, Alaska. 81 p. 10.75; 3.50.
- 84 - 423 Gough, L.P., Peard, J.L., Severson, R.C., Shacklette, H.T., Thompkins, M.L., Stewart, K.C., and Briggs, P.H., Chemical analyses of soils and other surface materials, Alaska. 79 p. 10.50; 3.50.
- 84 - 479 Foster, H.L., O'Leary, R.M., McDougal, C.M., and Menzie, W.D., Analyses of rock samples from the Circle quadrangle, Alaska. 126 p., scale 1:250 000, 1 sheet. 18.50; 4.00.
- 84 - 523 Jones, D.L., Silberling, N.J., Coney, P.J., and Plafker, George, Lithotectonic terrane map of Alaska (west of the 141st meridian) p. A1-A12, in Silberling, N.J., and Jones, D.L., eds., Lithotectonic terrane maps of the North American Cordillera. 106 p., scale 1:2 500 000, 4 sheets. 27.00; 5.50.

- 84 - 555 Kelley, J.S., Geologic map and sections of a portion of the Chandler Lake A-1 and A-2 quadrangles, Alaska. Scale 1:63 360, 1 sheet. 2.75; 1.50.
- 84 - 564 Douglass, S.L., and Cobb, E.H., Geological bibliography of the Juneau Project area, Alaska. 33 p. 4.50; 3.50.
- 84 - 569 Bader, J.W., Geologic map of the Demarcation Point, Mt. Michelson, Flaxman Island, and Barter Island quadrangles, Alaska. Scale 1:250 000, 1 sheet. 6.00; 1.50.
- 84 - 572 Berg, H.C., Regional geologic summary, metallogenesis, and mineral resources of southeastern Alaska. 299 p., scale 1:600 000, 1 sheet. 42.75; 4.00.
- 84 - 601 Fountain, A.G., and Vaughn, B.H., Yukon River ice; freeze-up data (1883-1975). 51 p. 7.00; 3.50.
- 84 - 632 Molnia, B.F., Atwood, T.J., Carlson, P.R., Post, Austin, and Vath, S.C., Map of marine geology of Upper Muir and Wachusett inlets, Glacier Bay, Alaska; sediment distribution and thickness, bathymetry, and interpreted seismic profiles. Scale 1:40 000, 3 sheets. 9.00; 1.50.
- 84 - 641 Brosge, W.P., and TAILLEUR, I.L., Inorganic chemical analyses of black shale from wells in the National Petroleum Reserve in Alaska. 25 p. 3.75; 3.50.
- 84 - 666 U.S. Geological Survey, Aeromagnetic map of the Craig area, Alaska. Scale 1:250 000, 3 sheets. 5.25; 1.50.
- 84 - 671 Goodfellow, Robert, Nelson, S.W., Bouse, R.M., and Koski, R.A., The geologic setting and composition of a newly discovered manganese deposit on Hinchinbrook Island, Alaska. 10 p. 1.50; 3.50.
- 84 - 682 Yeend, W.E., Engineering geologic maps of northern Alaska, Utukok River quadrangle. Scale 1:250 000, 2 sheets. 3.75; 1.50.
- 84 - 695 Molenaar, C.M., Kirk, A.R., Magoon, L.B., and Huffman, A.C., Twenty-two measured sections of Cretaceous - lower Tertiary rocks, eastern North Slope, Alaska. 19 p., 4 sheets. 5.25; 5.50.
- 84 - 773 Marlow, M.S., and Cooper, A.K., Summary geologic report for the north Aleutian Shelf (OCS) planning area, Bering Sea, Alaska. 29 p. 4.00; 3.50. Supersedes USGS Open-File Report OF 80-653.
- 84 - 774 Zehner, R.E., O'Leary, R.M., Day, G.W., Sutley, S.J., Nakleberg, W.J., and Koch, R.D., (1985), Emission spectrographic and atomic absorption analyses of rock, mineral occurrence, prospect, and deposit samples from the Mount Hayes quadrangle, eastern Alaska Range, Alaska. 141 p., scale 1:250 000, 1 sheet. 23.25; 4.75.
- 84 - 791 Schmoll, H.R., and Barnwell, W.W., East-west geologic cross section along the Debarr line, Anchorage, Alaska. 10 p., scale 1:25 000, 1 sheet. 5.00; 4.75.
- 84 - 828 Phillips, R.L., and Reiss, T.E., Nearshore marine geologic investigations, Icy Cape to Wainwright, northeast Chukchi Sea. 30 p. 4.00; 3.50.

- 84 - 837 Grybeck, D.J., Berg, H.C., and Karl, S.M., Map and description of the minerals in the Petersburg and eastern Port Alexander quadrangles, southeastern Alaska. 87 p., scale 1:250 000, 1 sheet. 14.25; 4.00.
- 84 - 855 Espinosa, A.F., Seismicity of Alaska and the Aleutian Islands, 1960-1983. Scale 1:2 500 000, 1 sheet. 5.75; 1.50.
- 84 - 886 Gehrels, G.E., and Berg, H.C., Geologic map of southeastern Alaska. 28 p. scale 1:600 000, 1 sheet. 7.50; 4.00.
- 84 - 905 Nelson, G.L., and Johnson, P.R., Ground-water reconnaissance of part of the lower Kenai Peninsula, Alaska. 32 p. 4.50; 350.
- 85 - 13 Bruns, T.R., Tectonics of the Yakutat block, an allochthonous terrane in the northern Gulf of Alaska. 122 p. 14.75; 3.50.
- 85 - 23 Winters, W.J., and Lee, H.J., Geotechnical properties of samples from borings obtained in the Chukchi Sea, Alaska. 56 p. 7.50; 3.50.
- 85 - 32 Bruns, T.R., von Huene, Roland, Culotta, R.C., and Lewis, S.D., Summary geologic report for the Shumagin outer continental shelf (OCS) planning area, Alaska. 59 p. 9.00; 4.00.
- 85 - 38 Rodriguez, T.R., Locations of geophysical monitoring instruments and survey points operated in California and Alaska supported by the Earthquake Hazards Reduction Program. 66 p. 10.00; 4.00.
- 85 - 50 Phillips, R.L., and Reiss, T.E., Nearshore marine geologic investigations, Point Barrow to Skull Cliff, northeast Chukchi Sea. 24 p. 3.75; 4.00.
- 85 - 81 Meier, M.F., Rasmussen, L.A., and Miller, D.S., Columbia Glacier in 1984; disintegration underway. 21 p. 2.25; 3.50.
- 85 - 143 Williams, J.R., Engineering-geologic map of the southwestern Copper River basin and upper Matanuska River valley, Alaska. Scale 1:125 000, 2 sheets. 11.25; 1.50.
- 85 - 144 Arbogast, B.F., O'Leary, R.M., Marchitti, M.L., and King, H.D., Analytical results and sample locality maps of stream-sediments and heavy-mineral-concentrate samples from the Solomon and Bendeleben quadrangles, Alaska. 213 p., scale 1:250 000, 2 sheets. 32.00; 5.50.
- 85 - 146 Karl, S.M., Koch, R.D., Hoffman, J.D., Day, G.W., Sutley, S.J., and McDaniel, S.K., Trace element data for rock samples from the Petersburg, and parts of the Port Alexander and Sumdum quadrangles, southeastern Alaska. 698 p., scale 1:250 000, 1 sheet. 108.25; 5.25.
- 85 - 157 Knott, J.M., and Lipscomb, S.W., Sediment discharge data for selected sites in the Susitna River basin, Alaska, October 1982 to February 1984. 78 p. 12.50; 4.75.
- 85 - 195 Flynn, D.M., Hydrology and geochemical processes of sub-arctic landfill, Fairbanks, Alaska; basic data. 44 p. 6.75; 4.00.

- 85 - 203 Chapman, R.M., Patton, W.W., Jr., and Moll, E.J., Reconnaissance geologic map of the Ophir quadrangle, Alaska. 19 p., scale 1:250 000, 1 sheet. 6.00; 4.75.
- 85 - 213 Orris, G.J., and Bliss, J.D., Geologic and grade-volume data on 300 gold placer deposits. 171 p. 26.00; 4.00.
- 85 - 227 Day, G.W., Curtin, G.C., Tripp, R.B., and Lewis, J.S., Analytical results and sample locality map of mull samples from the Tanacross quadrangle, Alaska. 53 p., scale 1:250 000, 1 sheet. 10.25; 4.75.
- 85 - 236 Cooper, A.K., Marlow, M.S., and Childs, J.R., Digital shipboard gravity and magnetic data collected in 1982 on the Bering Sea shelf. 5 p. 1.50; 4.00.
- 85 - 237 Cooper, A.K., Marlow, M.S., and Childs, J.R., Digital shipboard gravity and magnetic data collected in 1976 in the southern Bering Sea. 6 p. 1.50; 4.00.
- 85 - 242 Kuhry-Helmens, K.F., Koster, E.A., and Galloway, J.P., Photo-interpretation map of surficial deposits and landforms of the Kobuk Sand Dunes and part of the Kobuk Lowland, Alaska. Scale 1:63 360, 1 sheet. 5.75; 1.50.
- 85 - 256 Carter, L.D., and Galloway, J.P., Engineering-geologic maps of northern Alaska, Harrison Bay quadrangle. 49 p., scale 1:250 000, 2 sheets. 13.75; 5.50
- 85 - 268 Day, G.W., Curtin, G.C., Tripp, R.B., and Lewis, J.S., Analytical results and sample locality map of winter moose pellet samples from the Tanacross quadrangle, Alaska. 25 p., scale 1:250 000, 1 sheet. 7.00; 4.75.
- 85 - 300 A - L Townshend, J.B., and others, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska. Monthly issues. Authors, text length, and prices may vary. 3.25; 4.00.
- 85 - 332 Still, P.J., and Jones, K.V., Alaska index; streamflow and water quality records to September 30, 1983. 174 p. 26.25; 4.00.
- 85 - 341 Hopkins, G.C., and Maxwell, Kevin, Arsenic, nitrate, iron, and hardness in ground water, Goldstream Road, Yankovich Road, and Murphy Dome Road areas, (T.1 N., R.2 W., FM), Fairbanks, Alaska. 2 p. 4.25; 1.50.
- 85 - 358 Wolf, Stephen, Barnes, P.W., and Reimnitz, Erk, Analysis of hummocky subbottom relief from observations north of Tigvariak Island, Beaufort Sea, Alaska. 9 p. 1.50; 4.00.
- 85 - 362 Cruz, E.L., Selected reports, abstracts, and maps on Alaska released during 1982, indexed by quadrangle or general geographic area. 244 p. 36.75; 4.00.
- 85 - 367 Clarke, J.W., Petroleum geology of East Siberia. 129 p. 19.50; 4.00.
- 85 - 374 Kaufman, D.S., and Hopkins, D.M., Late Cenozoic radiometric dates, Seward and Baldwin Peninsulas, and adjacent continental shelf, Alaska. 27 p., 1 sheet. 7.50; 4.75.
- 85 - 380 Reimnitz, Erk, Graves, S.M., and Barnes, P.W., Beaufort Sea coast erosion, shoreline evolution, and sediment flux. 70 p., scale 1:82 000, 1 sheet. 16.26, 4.75.

- 85 - 381 Brigham, J.K., Marine stratigraphy and amino acid geochronology of the Gubik Formation, western Arctic Coastal Plain, Alaska. 218 p., scale 1:33 000, 2 sheets. 42.25; 5.50.
- 85 - 395 Brew, D.A., and Ford, A.B., Preliminary reconnaissance geologic map of the Juneau, Taku River, Atlin, and part of the Skagway 1:250 000 quadrangles, southeastern Alaska. 23 p., scale 1:250 000, 2 sheets. 11.00; 5.50.
- 85 - 429 Plafker, George, Keller, Gerta, Barron, J.A., and Blueford, J.R., Paleontologic data on the age of the Orca Group, Alaska. 26 p. 4.00; 4.00.
- 85 - 437 Bailey, E.A., Arbogast, B.F., Smaglik, S.M., and Light, T.D., Analytical results and sample locality map for stream-sediment and heavy-mineral-concentrate samples collected in 1983 and 1984 from Juneau, Taku River, Atlin, and Skagway quadrangles, Alaska. 89 p., scale 1:250 000, 1 sheet. 17.00; 4.75.
- 85 - 450 Wilson, F.H., Detterman, R.L., and Case, J.E., The Alaska Peninsula terrane; a definition. 17 p. 3.00; 4.00.
- 85 - 463 Barnes, P.W., and Rearic, D.M., Rates of sedimentation disruption by sea ice as determined from characteristics of dated ice gauges created since 1975 on the inner shelf of the Beaufort Sea, Alaska. 114 p. 17.25; 4.00.
- 85 - 487 Vaughn, B.H., Raymond, C.F., Rasmussen, L.A., Miller, D.S., Michaelson, C.A., Meier, M.F., Krimmel, R.M., Fountain, A.G., Dunlap, W.W., and Brown, C.S., Short-term velocity measurements at Columbia Glacier, Alaska; August-September 1984. 29 p. 5.25; 4.00.
- 85 - 502 Reimnitz, Erk, Barnes, P.W., Wolf, S.C., Graves, S.M., Kempema, E.W., and Rearic, D.M., Highlights from Beaufort Sea sedimentologic investigations. 13 p. 2.00; 4.00.
- 85 - 503 Bartsch-Winkler, Susan, Physiography, texture, and bedforms during June-July 1981 in Turnagain Arm estuary, Upper Cook Inlet, Alaska. 5 p., scale 1:63 360, 2 sheets. 8.00; 5.50.
- 85 - 531 Daley, M.A., Ambos, E.L., and Fuis, Gary, Seismic refraction data collected in the Chugach Mountains and along the Glenn Highway in southern Alaska in 1984. 32 p., scale 1:500 000, 12 sheets. 42.00; 13.00.
- 85 - 549 Wolf, S.C., Reimnitz, Erk, Barnes, P.W., Pleistocene and Holocene seismic stratigraphy between the Canning River and Prudhoe Bay, Beaufort Sea, Alaska. 50 p. 8.25; 4.00.
- 85 - 582 Yehle, L.A., Odum, J.K., and Reneau, David, Generalized interpretation of geologic materials from shot holes drilled for the Trans-Alaska Crustal Transect Project, Copper River Basin, and adjacent regions, Alaska, May-June 1984. 33 p. 5.25; 4.00.
- 85 - 585 Alger, C.S., and Brabb, E.E., Bibliography of United States landslide maps and reports. 119 p. (Includes Alaska). 18.50; 4.00.

- 85 - 600 May, S.D., Ruppel, B.D., and Grantz, Arthur, Digital marine gravity data collected in the southern Chukchi Sea in 1976. 4 p. 1.50; 4.00. Digital data available from: National Oceanic and Atmospheric Administration/EDIS, NGDC, Code 64, 325 Broadway, Boulder, Colorado 80303.
- 85 - 601 May, S.D., Ruppel, B.D., and Grantz, Arthur, Digital marine gravity data collected in the Beaufort and Chukchi Seas in 1977. 4 p. 1.50; 4.00. Digital data available from: National Oceanic and Atmospheric Administration/EDIS, NGDC, Code 64, 325 Broadway, Boulder, Colorado 80303.
- 85 - 602 May, S.D., and Grantz, Arthur, Digital marine gravity data collected in the Chukchi Sea in 1978. 4 p. 1.50; 4.00. Digital data available from: National Oceanic and Atmospheric Administration/EDIS, NGDC, Code 64, 325 Broadway, Boulder, Colorado 80303.
- 85 - 603 May, S.D., and Grantz, Arthur, Digital marine gravity data collected in the southern Chukchi Sea in 1980. 4 p. 1.50; 4.00. Digital data available from: National Oceanic and Atmospheric Administration/EDIS, NGDC, Code 64, 325 Broadway, Boulder, Colorado 80303.
- 85 - 605 U.S. Geological Survey, Composite aeromagnetic map of part of the Wrangell Mountains, Alaska. Scale 1:250 000, 1 sheet. 2.25; 1.50.
- 85 - 612 Lee, H.J., Winters, W.J., and Chamberlain, E.J., Geotechnical properties and freeze/thaw consolidation behavior of sediment from the Beaufort Sea, Alaska. 83 p. 12.75; 4.00.
- 85 - 623 Karl, S.M., Thompson, W.R., and Schmidt, J.M., Annotated bibliography of selected references on the geology of the Baird Mountains quadrangle, northwestern Alaska. 48 p. 7.50; 4.00.
- 85 - 742 May, S.D., and Grantz, Arthur, Digital marine gravity data collected in the Chukchi Sea in 1982. 4 p. 1.50; 4.00.

LIST 2
CROSS REFERENCE LIST
TO CONVERT FROM TECH. DATA'S INTERNAL USE NUMBERS
TO THE OFFICIAL OFSS NUMBERS

If an OFSS number has not been assigned to a report, the old TDU number is given with the year of release and the report will be included in the listing for that year. The year is not given for reports with an OFSS number.

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
1	43-100		46	51-62	
2	44-30		47	51-34	
3	44-29		48	51-56	
4	44-28		49	52-103	
5	44-31		50	51-20	
6	44-32		51	52-165	
7	44-27		52	52-22	
8	44-26		53	44-87	
9	44-33		54	48-11	
10	44-25		55	48-12	
11		1944	56	49-13	
12	44-34		57	50-64	
13		1944	58	52-167	
14	44-88		59		1952
15	44-82		60	52-160	
16	44-36		61	52-134	
17	44-35		62	52-25	
18		1944	63	52-39	
19	45-25		64	52-104	
20	45-105		65	48-13	
21		1945	66	52-172	
22		1945	67		1952
23		1945	68		1952
24		1945	69	53-196	
25		1945	70		1949
26	44-89		71	51-40	
27	44-81		72	50-112	
28	44-90		73	53-263	
29		1945	74		1953
30	45-104		75	53-10	
31		1945	76		1946
32	45-103		77	53-135	
33	45-100		78	53-262	
34	45-26		79		1953
35	45-102		80	53-194	
36	46-16		81	53-193	
37	47-20		82	53-79	
38	48-27		83	53-245	
39	49-20		84	53-231	
40	50-25		85	52-102	
41	50-32		86	53-215	
42	52-46		87		1953
43	51-39		88	54-107	
44	51-74		89	54-118	
45	51-57		90	54-134	

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
91	54-97		141	56-91	
92	54-137		142	56-95	
93	54-103		143	56-66	
94	54-150		144	non-Alaskan report	
95	54-241		145	56-110	
96	54-126		146	57-76	
97	54-240		147	non-Alaskan report	
98	54-251		148	57-23	
99	54-58		149	57-98	
100	53-217		150	57-86	
101	55-23		151	57-33	
102	55-190		152	57-69	
103	55-175		153	57-34	
104	55-139		154	57-36	
105	55-144		155	57-35	
106	55-26		156	57-117	
107	55-77		157	57-115	
108	55-7		158	57-116	
109	55-6		159	57-72	
110	55-78		160	57-67	
111	55-5		161	57-56	
112	55-158		162	57-91	
113	55-159		163	57-118	
114	55-132		164	58-6	
115	55-134		165	58-4	
116	55-133		166	58-5	
117	55-22		167	54-315	
118	55-105		168	49-60	
119	55-198		169		1959
120	55-114		170	59-92	
121	55-187		171	59-107	
122	55-74		172	59-72	
123		1955	173	59-94	
124	55-132		174	59-125	
125	55-154		175	59-106	
126	51-29		176	59-3	
127	55-153		177	59-20	
128	55-115		178	59-21	
129	55-186		179	59-22	
130	58-26		180	59-23	
131	56-61		181	59-132	
132	56-101		182	59-40	
133	56-67		183	60-111	
134	56-118		184	60-98	
135	56-78		185	60-146	
136	56-62		186	60-44	
137	56-96		187	60-123	
138	56-71		188	60-85	
139	non-Alaskan report		189	60-86	
140	56-8		190	60-7	

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
191	60-8		241	63-119	
192	60-5		242		1963
193	60-6		243	64-13	
194	60-4		244	64-9	
195	60-158		245	64-164	
196	60-17		246	64-5	
197	60-87		247	64-136	
198	60-21		248	64-23	
199	60-20		249	65-20	
200	60-19		250	65-143	
201	60-59		251	65-26	
202	60-9		252	65-41	
203	60-10		253		1965
204		1961	254	65-96	
205	62-36		255	65-65	
206	61-99		256	65-22	
207	61-102		257	65-141	
208	61-101		258	65-142	
209	61-103		259	65-124	
210	61-100		260	65-133	
211		1948	261	66-131	
212	50-100		262	66-108	
213	51-105		263	66-10	
214	53-257		264	66-25	
215		1955	265	65-151	
216	58-107		266	66-128	
217		1959	267	66-53	
218		1960	268	67-115	
219	61-74		269		1967
220	61-72		270		1967
221	61-64		271	67-161	
222	61-89		272	67-185	
223	61-81		273	67-156	
224	61-169		274	67-29	
225	60-88		275	67-91	
226		1961	276	67-82	
227		1961	277	67-56	
228	60-150		278	67-10	
229	62-15		279	67-44	
230	62-114		280	67-151	
231	62-103		281	67-50	
232	62-9		282	67-53	
233	62-62		283	67-54	
234	62-14		284	67-55	
235	62-147		285	67-58	
236		1962	286	67-61	
237	62-16		287	67-64	
238		1962	288	67-52	
239	63-15		289	67-62	
240	63-10		290	67-57	

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
291	67-59		341	69-22	
292	67-49		342	69-42	
293	67-51		343	69-45	
294	67-60		344	69-160	
295	67-63		345	69-49	
296	68-310		346	69-51	
297	68-177		347	69-131	
298	68-6		348	69-161	
299	68-238		349	69-43	
300	68-72		350	69-46	
301	68-51		351	69-19	
302	68-61		352		1968 (1969)
303		1968	353	69-89	
304	68-4		354	69-169	
305	68-122		355	69-215	
306	68-102		356	69-52	
307	68-103		357	69-163	
308	68-229		358	69-164	
309	68-94		359	69-165	
310	68-223		360		1969
311	68-35		361	69-23	
312	68-40		362	69-126	
313	68-39		363	69-123	
314	68-56		364	69-26	
315	68-44		365	69-223	
316	68-55		366	69-224	
317	68-52		367	69-48	
318	68-45		368	69-71	
319	68-49		369		1969
320	68-48		370	69-25	
321		1968	371	69-208	
322	68-104		372	69-170	
323	68-24		373		1969
324	68-101		374	69-323	
325	68-58		375	69-9	
326	68-50		376	69-12	
327	68-46		377	69-236	
328	68-57		378	69-30	
329	68-59		379	69-134	
330	68-54		380	69-294	
331	68-53		381	69-113	
332	68-41		382	69-14	
333	68-42		383	69-206	
334	68-47		384	69-226	
335	68-43		385		1969
336	68-23		386	69-94	
337	68-123		387	69-41	
338	68-60		388	69-114	
339	69-219		389	69-13	
340	69-220		390	69-115	

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
391	69-76		441	70-310	
392	69-70		442		1970
393	WRD 69-3		443	70-62	
394	WRD 69-4		444	70-16	
395	69-47		445	70-319	
396	69-50		446	70-318	
397	70-275		447	70-5	
398	70-276		448	70-64	
399	70-284		449	70-363	
400	70-292		450	70-122	
401	70-39		451	70-364	
402	70-40		452	70-63	
403	70-84		453	71-276	
404	70-101		454	71-210	
405	70-309		455		1971
406	70-369		456	71-67	
407		1970	457	71-328	
408		1970	458	71-68	
409	70-41		459	71-72	
410	70-257		460	non-Alaskan report	
411	70-283		461	71-224	
412	70-18		462	71-284	
413	70-271		463	71-54	
414	70-142		464	71-257	
415	70-83		465	71-310	
416	70-85		466	71-55	
417	70-65		467	71-14	
418	70-66		468	71-110	
419	70-67		469	71-111	
420	70-68		470	71-112	
421	70-69		471	71-202	
422	70-70		472	71-203	
423	70-127		473	71-204	
424	70-259		474	71-205	
425	70-258		475	71-70	
426	70-370		476	71-85	
427	70-163		477	71-82	
428	69-77		478	71-211	
429	70-20		479	71-56	
430	70-71		480		1971
431	70-72		481	71-105	
432	70-73		482	71-9	
433	70-74		483	71-66	
434	70-75		484	71-71	
435	70-76		485	71-147	
436	70-139		486	71-166	
437	70-78		487	71-164	
438	70-79		488	71-317	
439	70-80		489	71-165	
440	70-273		490	71-237	

TDU NO.	OFSS NO.	YEAR	TDU NO.	OFSS NO.	YEAR
491	71-101		541	72-349	
492	71-103		542	72-215	
493	71-318		543	72-326	
494	71-102		544	72-324	
495	71-104		545	72-108	
496	71-61		546	72-394	
497	71-7		547	72-372	
498	71-125		548	72-312	
499	71-91		549	72-5	
500	71-195		550	72-454	
501	71-6		551	72-138	
502	71-175		552		1972
503	71-248		553	73-189	
504	71-247		554	73-309	
505	72-383		555	73-305	
506	72-321		556	73-310	
507	72-137		557	73-311	
508	72-71		558	73-307	
509	72-313		559	73-308	
510	72-322		560	73-306	
511	72-323		561	73-18	
512	72-325		562	73-219	
513		1972	563	73-232	
514	72-327		564	73-47	
515	72-229		565		1972
516	72-230		566		1972
517	72-255		567	73-266	
518		1972	568	73-355	
519		1972	569	73-1	
520	71-190		570	73-187	
521	72-293		571		1973
522	72-70		572	73-267	
523	72-122		573	73-38	
524	72-19		574	72-7	
525	72-17		575	73-188	
526	72-18		576		1972
527	72-20		577	73-17	
528	72-21		578	73-16	
529	72-16		579		1973
530	72-67		580		1973
531	72-251		581	73-140	
532	72-250		582		1973
533		1972	583	73-141	
534	72-69		584		1973
535	72-128		585	74-1042	
536	72-248		586	74-1068	
537	72-256		587	74-1069	
538	72-64		588	74-1070	
539	73-31		589		1973
540	72-348		590	74-1060	

TDU NO.	OFSS NO.	YEAR
591	74-1131	
592	74-1101	
593	74-1104	
594	74-1102	
595	74-1103	
596	74-1062	
597	74-1005	
598		1974
599		1974